



A320 ARMS Codes

Revision Number: 11 / Date: 19 February 2024

Location
Cabin ARMS Code Index
Flight Deck ARMS Code Index

*Please send any comments or feedback to the MOC MEL
Programs Group at: AALMEL.tech-services@aa.com*

Cabin ARMS Code Index

[Entry Door / Overwing Exit & Related Items](#)

[Cabin & Emergency Equipment](#)

[Flight Attendant Seat & Related Items](#)

[Galley & Related Items](#)

[In-Flight Entertainment Systems](#)

[Lavatory & Related Items](#)

[Miscellaneous Cabin Items](#)

[Passenger Seat & Related Items](#)

Flight Deck ARMS Code Index

[Air Conditioning & Pressurization](#)

[APU](#)

[Autopilot](#)

[Communications](#)

[Conditional Inspections / Maintenance Required](#)

[Doors](#)

[Electrical Power](#)

[Engines](#)

[Equipment & Furnishings](#)

[Fire Protection](#)

[Flight Controls](#)

[Fuel](#)

[Hydraulics](#)

[Ice & Rain Protection](#)

[Landing Gear](#)

[Lighting](#)

[Miscellaneous Instruments](#)

[Navigation](#)

[Nitrogen Generation System](#)

[Oxygen](#)

[Pneumatics](#)

[Windows](#)

Entry Door / Overwing Exit & Related Items
**OVERWING EXIT EQUIPPED
AIRCRAFT:**
A319 / A321 NX: One Each Side
A320: Two Each Side
— C —

Cabin Entry Door
(General Problem) 521000xx

— D —

Door Area Floor Covering
or Carpet Damaged 252610xx

Door Area Floor Covering or
Carpet Requires Cleaning 252611xx

Door Area Floor Covering
or Carpet Wet 252612xx

Door Area Heater
Inoperative 214051xx

Door Area Light
Inoperative 332035xx

Door Assist Handle
Damaged or Missing 521005xx

Door **CABIN PRESSURE**
Light / Lens Damaged
or Missing 521031xx

Door **CABIN PRESSURE**
Light Disagrees With
Aircraft Status 521030xx

Door Control Handle
Difficult to Operate 521010xx

Door Control Handle Hinged
Cover Damaged or Missing
(A321 - 2L, 2R, 3L, 3R) 521008xx

Door Control Handle
Arrow Placard
Damaged or Missing 113073xx

Door Control Handle Cap
Damaged or Missing 521009xx

Door Control Handle
PULL UP Placard
Damaged or Missing 113072xx

Door Difficult to
Open or Close 521001xx

Door Emergency **EXIT** Light
Damaged or Missing 335012xx

Door Emergency **EXIT**
Light Inoperative 335014xx

Door Ground Safety Strap
Damaged or Missing 521003xx

Door Hold-Open Latch
Does Not Engage 521011xx

XX =

CABIN DOOR (ALL)	Location (1L, 4R, etc.)
OVERWING EXIT (A319 / A321 NX)	Location (0L, 0R)
OVERWING EXIT (A320)	Location (LF, RF, LA, RA)

Door Hold-Open Latch
Does Not Release 521012xx

Door Liner / Seal / Trim
Damaged or Loose 521021xx

Door Liner / Seal / Trim
Requires Cleaning 120260xx

Door Locked / Unlocked
Indication Inoperative 521006xx

Door Noisy or Leaking 521002xx

Door OPEN Instruction Placard
Damaged or Missing 113071xx

Door Sill Drain Backup
Into Cabin 218050xx

Door Sill Drain Odor 218051xx

Door Window Cosmetic
Pane (Reveal) Damaged
or Missing 521023xx

Door Window Cosmetic
Pane (Reveal) Requires
Cleaning 120262xx

Door Window Damaged 562001xx

Door Window Fogged 562002xx

— O —

Overwing Exit
(General Problem) 522000xx

Overwing Exit Area
Heater Inoperative 214052xx

Overwing Exit Emergency
EXIT Light Damaged
or Missing 335013xx

Overwing Exit Emergency
EXIT Light Inoperative 335015xx

Overwing Exit EMERGENCY
USE ONLY Placard
Damaged or Missing 113055xx

Overwing Exit Escape
Rope Cover Damaged
or Missing 522013xx

Overwing Exit Escape
Rope Damaged 522011xx

Overwing Exit Escape
Rope Diagram Placard
Damaged or Missing 113058xx

Overwing Exit Escape Rope
Requires Stowage 522012xx

Overwing Exit Handle Cover
Damaged or Loose 522004xx

Overwing Exit Handle
Cover Missing 522005xx

Overwing Exit Instruction Placard
Damaged or Missing 113056xx

XX =

CABIN DOOR (ALL)	Location (1L, 4R, etc.)
OVERWING EXIT (A319 / A321 NX)	Location (0L, 0R)
OVERWING EXIT (A320)	Location (LF, RF, LA, RA)

Overwing Exit Liner / Seal /
Trim Damaged or Loose 522021xx

Overwing Exit Liner / Seal /
Trim Requires Cleaning 120261xx

Overwing Exit Noisy
or Leaking 522001xx

Overwing Exit PULL COVER
AND DISCARD Placard
Damaged or Missing 113057xx

— Q —

QR Code Placard Damaged or
Missing (*1L Entry Door*) 46251000

— S —

Slide (*General Problem*) 256100xx

Slide Arm Handle A_RME_D
Damaged or Missing 113077xx

Slide ARMED / Arrow (*Red*)
Indicator Placard
Damaged or Missing 113078xx

SLIDE ARMED Light /
Lens Damaged or
Missing (*Cabin Door*) 256114xx

SLIDE ARMED Light / Lens
Damaged or Missing
(*Overwing Exit*) 256115xx

SLIDE ARMED Light
Disagrees With Door Arm
Status (*Cabin Door*) 256112xx

SLIDE ARMED Light Disagrees
With Door Arm Status
(*Overwing Exit*) 256113xx

Slide Bustle or Cover
Trim Damaged 256102xx

Slide Caution Indicator
(*Yellow Strap*) Damaged
or Missing 256111xx

Slide Difficult to Arm
or Disarm 256101xx

Slide DISARMED / Arrow
(*Green*) Indicator Placard
Damaged or Missing 113079xx

Slide Girt Bar Clip
Damaged or Loose 256105xx

Slide Lockout Safety Pin
Damaged or Missing 256141xx

Slide Lockout SAFETY
PIN Placard Damaged
or Missing 113070xx

SLIDE Placard Damaged
or Missing 113076xx

Slide Pressure
High or Low 256103xx

XX =

CABIN DOOR (ALL)	Location (1L, 4R, etc.)
OVERWING EXIT (A319 / A321 NX)	Location (0L, 0R)
OVERWING EXIT (A320)	Location (LF, RF, LA, RA)

Slide Pressure Viewing Window
Damaged or Missing256104xx

XX =	
CABIN DOOR (ALL)	Location (1L, 4R, etc.)
OVERWING EXIT (A319 / A321 NX)	Location (0L, 0R)
OVERWING EXIT (A320)	Location (LF, RF, LA, RA)

Cabin & Emergency Equipment
S1 Closet: *Aft of 1L Entry Door*
— E —
S2 Closet: *Aft of 1R Entry Door*
S3 Closet: *Forward of 2L Entry Door*
G2 Storage: *Inboard Sidewall of Galley*
— A —

 Ancillary Medical Kit (ANC)
 or Contents Missing..... 25631300

— C —

 Cabin Appearance / QNL
 Form Holder Damaged
 or Missing..... 25608200

— D —

 Defibrillator (AED) Inoperative
 or Used (Unserviceable)..... 25636100

 Defibrillator (AED) Used
 (Serviceable)..... 25636000

 Demonstration (DEMO) Kit
 or Contents Missing..... 12081000

 Doghouse Storage Area Emer-
 gency Equipment Placard
 Damaged or Missing113016xx

 Emergency Equipment Locator (EEL)
 Card Damaged or Missing ... 25601000

 Emergency Locator Transmitter
 (Survival-Type ELT) Damaged
 or Missing (102 - 128, 161 -
 192, 601 - 778, 801 - 840) ... 256081xx

 Emergency Locator Transmitter
 (Survival-Type ELT) Damaged
 or Missing (001 - 032,
 150 - 157, 193 - 199,
 400 - 587, 850 - 998) 25608900

— F —

 Fire Containment Bag
 Damaged or Missing 256070xx

 Fire Containment Bag Humidity
 Indicator Discolored or
 Vacuum Pack Damaged 256071xx

 Fire Containment Bag
 Opened or Used 256072xx

 Fire Extinguisher Bracket
 Damaged..... 262303xx

 Fire Extinguisher Damaged
 or Missing 262300xx

XX =	01	02	03	04	05	06
CABIN LOCATION (Compartment, Doghouse or Overhead Bin)	L/H Forward	R/H Forward	L/H Mid	R/H Mid	L/H Aft	R/H Aft
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley Sidewall (G2) Location					

Cabin & Emergency Equipment
[Home](#)

Fire Extinguisher Discharged
or Low Pressure262301xx

Fire Extinguisher Out of
Date or Unreadable262304xx

Fire Extinguisher Tamper
Seal Broken or Missing262302xx

First Aid Kit (FAK)
Bracket Damaged256315xx

First Aid Kit (FAK)
Damaged or Missing256310xx

First Aid Kit (FAK) Tamper
Seal Broken or Missing256311xx

Flight Attendant Service Kit (FASK)
or Contents Missing12061000

— G —

Grab and Go Kit or
Contents Missing25631200

— H —

Hangar Tag Holder (Coat Closet)
Damaged or Missing25245900

— I —

In-Flight Medical Kit (IMK)
Main Compartment
Tamper Seal Broken /
Requires Servicing25632300

In-Flight Medical Kit (IMK)
Side Compartment
Tamper Seal Broken /
Requires Servicing25632200

In-Flight Medical Kit (IMK)
Damaged or Missing25632000

— L —

Lavatory Service Kit (LSK)
or Contents Missing /
Requires Servicing12061100

Life Raft (25-Person / Overhead
Bin Storage) Damaged or
Missing (400 - 469, 850 - 910,
928 - 934, 986 - 998 Only) ...25627300

Life Raft Survival Kit
Incomplete or Missing256277xx

Life Raft Survival Kit
Out of Currency256276xx

XX =	01	02	03	04	05	06
CABIN LOCATION (Compartment, Doghouse or Overhead Bin)	L/H Forward	R/H Forward	L/H Mid	R/H Mid	L/H Aft	R/H Aft
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley Sidewall (G2) Location					

Cabin & Emergency Equipment

Life Raft Survival Kit Tamper
Seal Broken or Missing /
Servicing Required.....256278xx

Life Vest (Extra) Stored
With Spare Kit25624700

Life Vest (Spare / Universal)
Kit Missing.....25624500

Life Vest (Spare / Universal)
Kit Opened / Requires
Servicing25624600

— M —

Megaphone Bracket
Damaged256079xx

Megaphone Damaged.....256077xx

Megaphone Inoperative
or Unusable256075xx

Megaphone Missing256076xx

— O —

Overhead Bin Assist Tool Missing
(150 - 199, 400 - 469,
507 - 587, 850 - 998).....252457xx

— P —

PBE Container or
Cover Damaged.....353024xx

PBE Damaged or Missing353020xx

PBE Humidity Indicator
Discolored or Vacuum
Pack Damaged.....353021xx

PBE Tamper Seal
Missing or Broken.....353022xx

Portable Oxygen Bottle
Bracket Damaged353035xx

Portable Oxygen Bottle
Damaged or Missing353031xx

Portable Oxygen Bottle Mask / Hose
Disconnected or Missing.....353032xx

Portable Oxygen Bottle
Used or Low Pressure353030xx

— S —

Seat Belt Extension Holder
Damaged or Missing25245800

Storage Compartment Emergency
Equipment Placard
Damaged or Missing113017xx

XX =	01	02	03	04	05	06
CABIN LOCATION (Compartment, Doghouse or Overhead Bin)	L/H Forward	R/H Forward	L/H Mid	R/H Mid	L/H Aft	R/H Aft
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley Sidewall (G2) Location					

— T —

Tarmac Delay Snack Kit or
 Contents Missing /
 Requires Servicing 12061200

— W —

Wheel Chair (Onboard)
 Damaged or Missing 12211000

Wheel Chair (Carry-On)
 Storage Area Unusable 12211100

Wheel Chair (Carry-On) Restraint
 Kit or Contents Missing 12211200

XX =	01	02	03	04	05	06
CABIN LOCATION (Compartment, Doghouse or Overhead Bin)	L/H Forward	R/H Forward	L/H Mid	R/H Mid	L/H Aft	R/H Aft
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley Sidewall (G2) Location					

Flight Attendant Seat & Related Items
ENHANCED AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 587, 777 - 799, 850 - 998

BASIC AIRCRAFT:

102 - 124, 161 - 192, 601 - 680,
700 - 776, 801 - 840

— A —
A CALL RESET / POWER

ATTN Switch Does Not Reset
PSU and Area Call Lights....234165xx

Area Call Light Damaged
or Loose234050xx

Area Call Light Inoperative.....234051xx

Attendant Information Panel
(AIP) Blank or Inoperative...252351xx

Attendant Information
Panel (AIP) Damaged252352xx

— C —

xx CABIN or xx CLASS BRT /
DIM 1 / DIM 2 Light
Switch or Touch Function
Inoperative (Excluding
400 - 469, 783 - 799).....332025xx

Cabin CLG Light Switch or
AISLE Light Touch Function
Inoperative (Excluding
400 - 469, 783 - 799).....33202700

Cabin ENTRY xx BRT / DIM 1 /
DIM 2 Light Switch or Touch
Function Inoperative332026xx

Cabin LIGHT HATRACK STRIP
or LIGHT STRIP Light Switch
Inoperative (150 - 199,
507 - 587, 850 - 998).....33202900

CABIN LIGHTING Menu Display
or Function Inoperative /
Intermittent (Enhanced)23734100

CABIN TEMPERATURE Menu
Display or Function Inoperative /
Intermittent (Enhanced)23734300

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

Cabin **WDO** Light Switch
or Touch Function
Inoperative (*Excluding*
400 - 469, 783 - 799).....33202800

Ceiling Light Mood or Scene
Function Inoperative
(400 - 469, 783 - 799)332095xx

CIDS **CAUT** Light or
Indication Flashing
(*QRH Reset OK*)23731200

CIDS **CAUT** Light or
Indication Flashing
(*QRH Reset No Help*).....23731300

CIDS **CAUT** Light or
Indication Inoperative23731400

CMD / EVAC CMD Switch
Does Not Activate Alert.....234073xx

CMD / EVAC CMD Switch Does
Not Cancel Cabin Alert.....234074xx

CMD Switch Guard Damaged
or Missing (*Basic*).....234075xx

Cushion (*Seat*) Reported
Uncomfortable252341xx

Cushion (*Seat Back*) Reported
Uncomfortable.....252342xx

Cushion or Cover
(*Seat*) Damaged252343xx

Cushion or Cover (*Seat Back*)
Damaged / Loose.....252344xx

Cushion or Cover (*Seat*)
Requires Cleaning120250xx

Cushion or Cover (*Seat Back*)
Requires Cleaning120251xx

— D —

DOORS / SLIDES Menu Display
or Function Inoperative /
Intermittent (*Enhanced*)332026xx

— E —

EVAC Light / Aural
Indication Inoperative234070xx

EVAC RESET Switch Does
Not Cancel Local Alert.....234072xx

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

— F —

Fasten Seat Belt Sign
Inoperative338030xx

Flashlight Bracket Damaged335031xx

Flashlight Damaged
or Missing335030xx

Flashlight Does Not
Turn On or Off353034xx

Flashlight LED Does
Not Flash335032xx

Flashlight Tamper Seal
Broken or Missing.....335033xx

Flight Attendant Panel (FAP) Blank
or Inoperative (Enhanced) ...252321xx

Flight Attendant Panel
(FAP) Damaged.....252323xx

Flight Attendant Panel Multi-
Switch Guard Damaged or
Missing (Enhanced)25232600

Flight Attendant Panel (FAP)
Touch Function Inoperative
or Intermittent (Enhanced)...252322xx

Flight Attendant Seat
(General Problem)252310xx

— G —

Gasper Vent Control
Damaged or Missing212065xx

Gasper Vent Does Not
Turn On or Off212045xx

Gasper Vent Requires
Cleaning212055xx

— H —

Handset Damaged or Missing ..234045xx

Handset Interphone Function
Degraded or Intermittent234040xx

Handset Interphone
Function Inoperative234041xx

Handset Passenger Address
Function Inoperative233011xx

Handset Passenger Address
Function Degraded
or Intermittent.....233010xx

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

Harness Damaged or
Deteriorated.....252317xx

Harness Difficult to
Extend or Retract252318xx

Harness Does Not
Extend or Retract252312xx

Headrest Cushion or Cover
Damaged / Loose252347xx

Headrest Cushion or
Cover Missing252348xx

Headrest Cushion or Cover
Requires Cleaning.....120252xx

— L —

Life Vest Damaged
or Missing256235xx

LIGHTS MAIN ON / OFF
Switch Does Not Turn
On or Reset Cabin Lights
(Enhanced)33202400

— M —

MAIN ON / MAIN OFF Switches
Do Not Turn On or Reset
Cabin Lights (*Basic*)33202400

— N —

No Smoking Sign
Inoperative.....338031xx

— O —

Onboard Emergency Checklist (*OEC*)
Damaged or Missing25608700

Oxygen (*PSU*) Door or
Panel Damaged.....252520xx

Oxygen (*PSU*) Door Release
Tool Missing.....256086xx

— P —

PLEASE TURN OFF
ELCTRONIC DEVICES
Sign Inoperative338031xx

PNL LIGHT TEST
Fail (*Basic*)237351xx

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

Flight Attendant Seat & Related Items
Home

POWER LAV Switch Does
Not Reset Lavatory
Lights (*Basic*).....332067xx

Power Port Damaged.....442165xx

Power Port Inoperative.....442115xx

— R —

R/L RESET or POWER
READ Switch Does Not
Reset Reading Lights33251500

— S —

SCREEN OFF Switch
Does Not Turn Off
Display (*Enhanced*)23734900

Seat Difficult to Extend
or Retract.....252311xx

Seat Does Not Retract
Automatically.....252313xx

Seat Requires Cleaning120229xx

Seat Rub Strip Damaged /
Loose or Missing.....252315xx

SEAT SETTINGS Menu Display
or Functions Inoperative /
Intermittent (*Enhanced*)23734800

Seat Trim Damaged /
Loose or Missing.....252319xx

SMOKE DETECTION Menu
Display or Function Inoperative /
Intermittent (*Enhanced*)23734500

SMOKE RESET Switch Does
Not Cancel Smoke Alert.....26126300

Storage Compartment
Door Damaged /
Loose or Missing.....252314xx

Storage Compartment Door
Handle or Latch Damaged....252316xx

Storage Compartment Door
Emergency Equipment Placards
Damaged or Missing113066xx

SYS INFO Menu Display or
Function Inoperative /
Intermittent (*Enhanced*)23734500

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

— T —

Temperature Control
Inoperative (*Enhanced*)216015xx

Temperature Control **RESET**
TO COCKPIT Switch Does
Not Transfer (*Enhanced*)21601600

Temperature Indication
Inoperative (*Enhanced*)216035xx

Work Light Damaged
or Missing332045xx

Work Light Does Not
Turn On or Off332046xx

— U —

USB Power Port (*Blue*) Light
Does Not Illuminate
(*USB Operates OK*)442145xx

USB Power Port Damaged442135xx

USB Power Port Inoperative442125xx

— W —

WATER / WASTE **SYSTEM**
INOP Light Illuminated38121000

WATER / WASTE Menu Display
or Functions Inoperative /
Intermittent (*Enhanced*)38330000

XX =	01	02	03	04	05
FLIGHT ATTENDANT SEAT	1L Door	1L Aisle	2L Door	2R Door	3L Door
CABIN LIGHTS	FC or FWD	BC or MID	MC / MCE or AFT		
	06	07	08	09	
FLT ATTENDANT SEAT	3R Door	4L Door	4R Door	Direct View	

Galley & Related Items

CHILLER EQUIPPED AIRCRAFT:

001 - 770, 783 - 799, 850 - 998

ESPRESSO MACHINE EQUIPPED

AIRCRAFT: 783 - 799

— A —

Air Grille (Ceiling)
Damaged or Missing212075xxAir Grille (Ceiling)
Requires Cleaning120275xxAREA LIGHT Circuit
Breaker Popped332052xxArea Light (Ceiling)
Damaged332051xxAREA LIGHT (Ceiling)
Inoperative332050xx

— B —

BUN WARMER Circuit
Breaker Popped253318xxBUN WARMER Inoperative
or Unusable / Power Light
Does Not Illuminate253330xx

— C —

Cart Door Handle or Latch Loose /
Damaged or Missing253075xxCart Door Inoperative
or Unusable253072xxCart Door Latch Does Not
Secure Door Closed253073xx

Cart Door Missing253074xx

Cart Door Requires Cleaning ...253076xx

Cart Door Rub Strip Loose /
Damaged or Missing253077xxCart Door Trim Damaged /
Loose or Missing253078xxCart Restraint Damaged
or Missing253070xxCart Restraint Requires
Adjustment253071xxCeiling Panel or Trim Loose /
Damaged or Missing252840xxCeiling Panel or Trim
Requires Cleaning120258xxCertificate of Sanitation Damaged /
Illegible / Missing or Holder
Damaged / Missing25308300Chiller Annunciator
Light Inoperative253413xxChiller Circuit Breaker
Popped253418xx

XX =

GALLEY Location (G1, G2, etc.)

Chiller Flapper Door Damaged or Loose (<i>Cart Storage Area</i>)...253415xx	Coffee Maker Inoperative or Unusable / POWER Light Does Not Illuminate253210xx
Chiller FAULT Light Illuminated253410xx	Coffee Maker Water Leak.....253211xx
Chiller Fan Noisy or Inoperative253412xx	Cold Water High Pressure253232xx
Chiller Inoperative or Unusable253417xx	Cold Water Inoperative or Low Pressure.....253231xx
Circuit Breaker Panel Cover (<i>Ceiling</i>) Damaged or Missing245050xx	Compartment Door Handle or Latch Damaged / Loose or Missing.....253050xx
Circuit Breaker Panel Cover (<i>Ceiling</i>) Latch Broken or Does Not Secure Cover Closed.....245051xx	Compartment Door Inoperative or Unusable253051xx
Coffee Maker Annunciator Light Inoperative.....253213xx	Compartment Door Latch Does Not Secure Door Closed.....253053xx
Coffee Maker Arcing or Smoking.....253215xx	Compartment Door Missing253052xx
Coffee Maker Basket or Pot Damaged / Missing or Unusable253216xx	Compartment Door Requires Cleaning253056xx
Coffee Maker Brews Improperly or Overflows253212xx	Compartment Door Trim Loose / Damaged or Missing253054xx
COFFEE MAKER xx or CM xx Circuit Breaker Popped.....253218xx	Compartment Requires Cleaning120257xx
Coffee Maker Damaged or Loose in Rail.....253217xx	Compartment Placard Damaged or Missing253055xx
Coffee Maker Hot Plate Inoperative253214xx	Counter Top or Work Area Damaged.....253020xx
	Counter Top or Work Area Requires Cleaning120239xx
	Curtain Damaged.....252720xx

XX =

GALLEY Location (*G1, G2, etc.*)

Curtain Incorrect or
Wrong Material252724xx

Curtain Missing252721xx

Curtain Rail / Slider / Snap /
Stop Damaged or Missing....252723xx

Curtain Requires Cleaning120237xx

Curtain Tieback Damaged or
Does Not Secure Curtain252725xx

Curtain Tieback Missing252726xx

Curtain Tieback Requires
Cleaning120238xx

— D —

Document Clip Damaged
or Missing253081xx

Drain Screen Latch Does Not
Secure Screen Open383513xx

Drain Screen Latch Loose /
Damaged or Missing383514xx

Drain Screen or Lanyard
Missing.....383511xx

Drain Slow or Clogged.....383510xx

— E —

Electrical Power Inoperative245001xx

Escape Path Light or Luminescent
Strip (EPL) Damaged335045xx

Escape Path Light or Luminescent
Strip (EPL) Inoperative335085xx

Espresso Machine Annunciator
Light Inoperative253223xx

Espresso Machine Circuit
Breaker Popped253228xx

Espresso Machine Damaged
or Loose in Rail253224xx

Espresso Machine **FAULT**
Light Illuminated.....253221xx

Espresso Machine Inoperative
or Unusable253220xx

Espresso Machine
Water Leak253222xx

Excessive Odor.....218030xx

— F —

Floor Covering (*Moon*
Mat) Damaged.....252620xx

Floor Covering (*Moon Mat*)
Requires Cleaning120236xx

Floor Covering (*Moon*
Mat) Retainer Strip
Damaged or Loose252622xx

Floorboard Soft or Damaged253040xx

— G —

Galley Requires Cleaning120230xx

XX =

GALLEY Location (*G1, G2, etc.*)

Galley & Related Items
Home

Gasper Vent Control
Damaged or Missing212068xx

Gasper Vent Does Not
Turn On or Off212048xx

Gasper Vent Requires
Cleaning212058xx

— H —

Hot Water High Pressure253236xx

Hot Water Inoperative
or Low Pressure253235xx

— I —

Insects Reported in Galley125020xx

Insert / Extract Device
Damaged or Unusable
(Compartment)253060xx

— M —

MASTER SWITCH Guard
Damaged or Missing245006xx

Mirror Damaged or Missing.....253082xx

— O —

Oven Arcing or Smoking.....253315xx

OVEN xx Circuit
Breaker Popped253318xx

Oven Controls Damaged
or Loose253317xx

Oven Door Damaged
or Loose253316xx

Oven Door Difficult
to Open or Close.....253314xx

Oven Inoperative
or Unusable253310xx

Oven Requires Cleaning120231xx

Oven Temperature Control
Inoperative or Incorrect.....253311xx

Oven Timer Inoperative
or Incorrect253312xx

Oven Vent Fan Noisy
or Inoperative253313xx

— P —

Potable Water Leak.....381011xx

Potable Water Requires
Servicing38120000

Potable Water Supply Inoperative
or Low Pressure.....381010xx

Potable Water Tastes
or Smells Bad38200000

Pull Out Shelf Damaged
or Loose253030xx

Pull Out Shelf Does Not
Extend or Retract.....253032xx

XX =
GALLEY Location (G1, G2, etc.)

Galley & Related Items

Home

Pull Out Shelf Requires
Cleaning253034xx

Pull Out Shelf Restraint
Damaged or Missing253033xx

Pull Out Shelf Missing253031xx

— R —

Rodents Reported in Galley125021xx

— S —

Serving Cart Damaged
or Missing12031000

Serving Cart Latch
Damaged or Missing12031100

Stowable Table Damaged253035xx

Stowable Table Does Not
Deploy Securely253037xx

Stowable Table Requires
Cleaning253039xx

Stowable Table Restraint Latch
Damaged or Missing253038xx

Stowable Table Missing253036xx

— T —

Trash Compartment
Requires Cleaning120233xx

Trash Container Full /
Requires Servicing253013xx

Trash Container Missing253011xx

Trash Door or Flapper
Damaged or Does Not
Close Automatically253010xx

Trash Door or Flapper
Missing253012xx

— U —

Utility Outlet or Cover
Damaged245010xx

— W —

Wall Panel or Trim Loose /
Damaged or Missing252841xx

Wall Panel or Trim
Requires Cleaning120259xx

Waste Water Leak383512xx

WORKTOP LIGHT Circuit
Breaker Popped332058xx

Worktop Light Damaged332056xx

WORKTOP LIGHT BRT / DIM
Function Inoperative332057xx

WORKTOP LIGHT
Inoperative332055xx

XX =

GALLEY Location (G1, G2, etc.)

In-Flight Entertainment Systems

IFE AUDIO / VIDEO-EQUIPPED

AIRCRAFT: 001 - 032, 783 - 799

PBS-EQUIPPED AIRCRAFT:

150 - 199, 507 - 587, 850 - 998

— A —

Audio / Video File Server
Inoperative or Unusable.....44203500Audio / Video Media
Out of Currency12040200Audio Distorted
or Poor Quality.....44827xxxAudio Headset Jack
Damaged or Unusable.....44821xxx

Audio Inoperative.....44820xxx

Audio Language Mismatch.....44829xxx

Audio Not Synchronized
With Video Display.....44828xxxAudio / Video Handset or Video
Touch Screen Does Not
Control CHANNEL44823xxxAudio / Video Handset or Video
Touch Screen Does Not
Control VOLUME44824xxx

— B —

Boarding Music Distorted
or Poor Quality.....44205300Boarding Music Does Not
Automatically Turn Off
With Cabin Door Closed44205400

Boarding Music Inoperative.....44205100

Boarding Music CHANNEL
Control Inoperative44205500Boarding Music VOLUME
Control Inoperative44205200

— E —

Entertainment (*Moving Map*)
Inoperative or Missing44813xxxEntertainment (*Movies / eXTV*)
Distorted or Poor Quality.....44812xxxEntertainment (*Movies / eXTV*)
Inoperative or Missing44811xxx

— H —

Headphone (*First Class / Noise
Cancel*) Damaged.....44830100Headphone (*First Class Noise Cancel*)
Reported Inoperative.....44830200

XXX =

PASSENGER SEAT Location (e.g., 07A, 21C, 32F)

Headphone Kit (*First Class / Noise Cancel*) or Contents Missing / Requires Servicing.....44830300

— I —

IFE Control Panel Blank or Inoperative.....44208200

IFE Control Panel Damaged44208300

IFE Control Panel Does Not **START FLIGHT**44208400

IFE Control Panel Erratic / Intermittent / Freezes Up44208100

IFE Control Panel Touch Function Inoperative or Intermittent ...44208500

IFE MASTER POWER
Light Does Not Illuminate (*FAP*).....44200300

IFE MASTER POWER
Switch Guard Damaged or Missing44200400

IFC SYS PWR Light Disagrees With Wireless Internet System Status (*ACP*).....44302200

Inflight Entertainment (*IFE*)
Complete Audio System Distorted or Poor Quality.....44201100

Inflight Entertainment (*IFE*)
Complete Audio System Inoperative44201000

Inflight Entertainment (*IFE*)
Complete Audio / Video System Inoperative.....44200100

Inflight Entertainment (*IFE*)
System Intermittent / Erratic or Freezes Up.....44200200

Inflight Entertainment (*IFE*)
System Reset Accomplished.....44200500

Informational Announcement Distorted or Poor Quality44204100

Informational Announcement Inoperative or Missing44204000

INTERNET Light Does Not Illuminate (*FAP*)44302100

— P —

PBS Does Not Display TIME TO DESTINATION44207800

PBS Does Not Interrupt Message With Flight Crew Passenger Address Microphone Key.....44207300

PBS Does Not **START FLIGHT**.....44207600

PBS Panel Damaged.....44207100

PBS Panel Display Degraded or Unusable44207200

PBS Panel Inoperative.....44207000

XXX =

PASSENGER SEAT Location (*e.g., 07A, 21C, 32F*)

PBS Panel Keypad
Degraded or Unusable.....44207400

PBS Panel Touch Function
Inoperative or Intermittent ...44207500

PBS Panel Volume Control
Inoperative or Intermittent ...44207700

PAX INTERNET Disagrees
With Wireless Internet
System Status (ACP).....44302100

PED POWER Light Does
Not Illuminate (FAP).....44210300

Portable Electronic Device (PED)
(First Class) Damaged.....44830600

Portable Electronic Device
(PED) (First Class)
Reported Inoperative.....44830700

Portable Electronic Devices (PED)
(First Class) Missing
or Not Provisioned44830800

Portable Electronic Device (PED)
Holder Tray Damaged /
Loose or Missing.....44817xxx

Portable Electronic Device (PED)
Retention Clip Damaged /
Loose or Missing.....44815xxx

Portable Electronic Device
(PED) Retention Clip
Does Not Retract When
Released (Spring Broken)44816xxx

Power Port Complete System
Inoperative or Unusable44210000

Power Port In-Use (Blue)
Light Inoperative44215xxx

Power Port Damaged44216xxx

Power Port Inoperative44211xxx

POWER PORTS PED POWER
Switch Guard Damaged
or Missing (Aft Galley)
(700 - 778, 801 - 840)44210900

— S —

Safety Announcement Poor
Quality or Distorted.....44202100

Safety Announcement Missing
or Inoperative44202000

— U —

USB Power Port (Blue) Light
Does Not Illuminate
(USB Operates OK).....44214xxx

USB Power Port Damaged44213xxx

USB Power Port Inoperative44212xxx

— V —

Video Display Blank
or Inoperative44801xxx

XXX =

PASSENGER SEAT Location (e.g., 07A, 21C, 32F)

Video Display Distorted
or Poor Quality.....44803xxx

Video Display Intermittent /
Erratic or Freezes Up44802xxx

Video Display **NO SD CARD**
FOUND Message44800xxx

Video Display Requires
Cleaning44805xxx

Video Display Screen
Damaged44804xxx

Video Display Trim
Damaged or Missing44806xxx

— W —

WATCH NOW...CONNECT TO
WI-FI SIGNAL Placard
Damaged or Missing25830xxx

Wireless Internet Inoperative ...44301000

Wireless Internet Reported
Intermittent or Slow44301100

Wireless Internet Unavailable
(*Network Not Visible*).....44301500

Wireless Internet Unavailable
(*Network Visible / Portal*
Page Does Not Display
on Electronic Devices)44301200

Wireless Internet Unavailable
(*Network Visible / Does*
Not Connect to Electronic
Devices)44301300

Wireless Internet Unavailable (*Does*
Not Connect to Satellite)44301400

XXX =

PASSENGER SEAT Location (e.g., 07A, 21C, 32F)

Lavatory & Related Items

— A —

Air Grille (Ceiling)
Damaged or Missing212076xx

Air Grille (Ceiling)
Requires Cleaning120276xx

Ashtray (External) Damaged
or Missing525006xx

Ashtray (Internal) Damaged
or Missing525007xx

— B —

Baby Changing Table
Damaged or Loose254070xx

Baby Changing Table
Missing254071xx

Baby Changing Table
Requires Cleaning120242xx

— C —

Cabinet Door Inoperative
or Unusable254050xx

Cabinet Door Latch Does Not
Secure Door Closed254053xx

Cabinet Door Missing254052xx

Cabinet Door or Latch
Damaged254051xx

Cabinet Door Trim Damaged /
Loose or Missing254054xx

Cabinet Panel or Trim Loose /
Damaged or Missing254090xx

Cabinet Placard Damaged
or Missing254091xx

Ceiling Light Damaged
or Missing332061xx

Ceiling Light Inoperative332060xx

Ceiling Panel or Trim Loose /
Damaged or Missing252850xx

Ceiling Panel or Trim
Requires Cleaning120247xx

Coat Hook Damaged
or Missing254082xx

Counter Top or Sink
Damaged254010xx

Counter Top or Sink
Requires Cleaning120241xx

— D —

Deodorant Clip Damaged
or Missing254083xx

XX =

LAVATORY Location (L1, L2, etc. or OA, OH, etc.)

Lavatory & Related Items
[Home](#)
— E —

Entry Door Damaged
or Loose52500xx

Entry Door Difficult
to Open or Close525001xx

Entry Door (*Bi-Fold*) Does
Not Close Automatically.....525005xx

Entry Door Handle / Knob
Damaged or Loose525002xx

Entry Door Latch / Lock
Damaged or Loose525003xx

Entry Door Latch Does Not
Secure Door Closed525008xx

Entry Door Vent Screen
Damaged or Loose525004xx

Excessive Odor.....218040xx

— F —

Flight Attendant Call Button
Does Not Activate Chime234173xx

Flight Attendant Call Button
Damaged or Missing234175xx

Flight Attendant Call
Light Does Not
Illuminate234171xx

Flight Attendant Call Light
Does Not Reset234172xx

Floor Panel or Trim
Damaged or Missing254030xx

— G —

Gasper Vent Control
Damaged or Missing212046xx

Gasper Vent Does Not
Turn On or Off212066xx

Gasper Vent Requires
Cleaning212056xx

Grab Bar Damaged
or Missing.....254085xx

Grab Bar Loose.....254086xx

— L —

LAV xx **INOP** Light
Illuminated (*FAP*)383011xx

Lavatory Requires Cleaning120240xx

— M —

Mirror Amenity Shelf
Damaged or Missing254042xx

Mirror Amenity Shelf
Requires Cleaning254043xx

Mirror Damaged254040xx

Mirror Light Damaged
or Lens Missing.....332066xx

XX =
LAVATORY Location (*L1, L2, etc. or OA, OH, etc.*)

Lavatory & Related Items
Home

Mirror Light Inoperative 332065xx

Mirror Requires Cleaning..... 254041xx

— N —

No Smoking Sign

Inoperative 338041xx

— O —

 Occupied Light Damaged
or Missing 332069xx

Occupied Light Inoperative..... 332068xx

 Oxygen (PSU) Panel
or Door Damaged..... 252530xx

— P —
PLEASE TURN OFF ELECTRONIC DEVICES

Sign Inoperative 338041xx

Potable Water Leak 381040xx

 Potable Water Requires
Servicing 38120000

 Potable Water Supply
Inoperative 381030xx

 Potable Water Tank Damaged
or Leaking..... 38105200

 Potable Water Tank Does
Not Drain or Fill..... 38105100

 Potable Water Tastes
or Smells Bad 38200000

— R —
RETURN TO SEAT

Sign Inoperative 338040xx

— S —

Sink Drain Noisy 383521xx

Sink Drain Slow or Clogged..... 383520xx

 Sink Drain Stopper Inoperative
or Missing..... 383522xx

Sink Faucet Damaged 381034xx

 Sink Faucet Hot Water
Temperature Too High..... 381031xx

 Sink Faucet Hot Water
Temperature Too Low 381032xx

 Sink Faucet Water
Pressure Too High 381036xx

 Sink Faucet Water
Pressure Too Low 381037xx

 Sink Faucet Inoperative
(Cold Water) 381033xx

 Sink Faucet Inoperative
(Hot Water) 381035xx

 Sink Faucet Timer Turns
Water Off Too Fast 381038xx

XX =

LAVATORY Location (L1, L2, etc. or OA, OH, etc.)

Lavatory & Related Items

[Home](#)

Sink Faucet Timer Turns
Water Off Too Slow 381039xx

Smoke Detector Aural Alert /
SMOKE Indication (*Smoke
Confirmed or Reported*) 261261xx

Smoke Detector Aural Alert /
SMOKE Indication
(*Smoke Unconfirmed
or False Warning*) 261260xx

Smoke Detector Damaged 261262xx

Smoke Detector Security Seal
Broken or Missing 261265xx

SMOKE RESET Switch Does
Not Cancel Smoke Alert 261263xx

Soap Dispenser Damaged
or Leaking 121311xx

Soap Dispenser Empty /
Requires Servicing 121310xx

Soap Dispenser Missing /
Requires Servicing 121312xx

Speaker Cover Damaged 233031xx

Speaker Inoperative
or Degraded 233030xx

— T —

Threshold Light (*Door*)
Inoperative 332064xx

Toilet Bowl Requires
Cleaning 120245xx

Toilet Does Not Flush
or Flushes Continuously 383001xx

Toilet Flush Switch / Trim
Damaged or Missing 383005xx

Toilet Flush Switch Does
Not Illuminate 383006xx

Toilet Flushes OK but
No Rinse Water 383003xx

Toilet Paper Holder
Damaged or Missing 254080xx

Toilet Paper Holder Cover
Damaged or Missing 254081xx

Toilet Seat or Cover
Damaged or Loose 254060xx

Toilet Seat or Cover Does Not
Remain in Raised Position ... 254061xx

Toilet Seat or Cover Missing 254062xx

Toilet Seat or Cover
Requires Cleaning 120246xx

Toilet Shroud Security
Seal Broken or Missing 254064xx

Toilet Shroud or Trim Loose /
Damaged or Missing 252851xx

Toilet Shroud or Trim
Requires Cleaning 120248xx

XX =

LAVATORY Location (*L1, L2, etc. or 0A, 0H, etc.*)

Toilets Do Not Flush on the
Ground but Operate
Normally in Flight.....38300200

WATER QUANTITY
Indication Inoperative38100100

Toilets Inoperative / **SYS INOP** or
VACUUM SYSTEM
DISABLED - GROUND
SERVICE Indication.....38121000

Trash Container Full /
Requires Servicing254023xx

Trash Container Missing254021xx

Trash Door or Flapper
Damaged or Does Not
Close Automatically.....254020xx

Trash Door or Flapper
Missing.....254022xx

— W —

Wall Panel or Trim Loose /
Damaged or Missing252852xx

Wall Panel or Trim
Requires Cleaning.....120249xx

WASTE QUANTITY
Indication Inoperative38330000

Waste Tank Damaged
or Leaking38305200

Waste Tank Does Not Drain
(Manual Service OK)38305100

Waste Water Leak.....383010xx

XX =

LAVATORY Location (L1, L2, etc. or 0A, 0H, etc.)

Miscellaneous Cabin Items
S1 Closet: *Aft of 1L Entry Door*
S2 Closet: *Aft of 1R Entry Door*
S3 Closet: *Forward of 2L Entry Door*
G2 Storage: *Inboard Sidewall of Galley*
— C —

Ceiling Light Mood or Scene
Function Inoperative
(First Class Cabin)
(400 - 469, 783 - 799)332095FC

Ceiling Light Mood or Scene
Function Inoperative
(Business Class Cabin)
(783 - 799) 332095BC

Ceiling Light Mood or Scene
Function Inoperative
(Main Class Cabin)
(400 - 469, 783 - 799) 332095MC

Ceiling Panel / Trim
Damaged or Loose252810xx

Ceiling Panel or Trim
Requires Cleaning120215xx

Class Divider / Windscreen
Panel or Trim Damaged
or Loose 252820xx

Class Divider / Windscreen
Requires Cleaning 120216xx

Closet Damaged (*Exterior*) 252445xx

Closet Damaged (*Interior*) 252455xx

Closet Door Latch / Trim
Damaged or Missing 252415xx

Closet Door Difficult to
Latch or Unlatch 252425xx

Closet Door Difficult
to Open or Close 252435xx

Closet Door Hold Open Latch
Damaged or Does Not
Secure Door Open 252495xx

Closet Light Damaged
or Missing 332076xx

Closet Light Inoperative 332077xx

Closet Requires Cleaning
(*Exterior*) 252465xx

XX =	01	03	04	06	07	09
CABIN AREA	1st Class Left	1st Class Right	Business Class Left	Business Class Right	Mid Cabin Left	Mid Cabin Right
	10	12	13	14	15	
	Aft Cabin Left	Aft Cabin Right	Forward Aisle	Mid Aisle	Aft Aisle	
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley (G2) Location					

Miscellaneous Cabin Items

[Home](#)

Closet Requires Cleaning
(Interior)252475xx

Closet Rub Strip Damaged /
Loose or Missing (Door)252844xx

Closet Rub Strip Damaged / Loose
or Missing (Sidewall)252843xx

Curtain (Class Divider)
Damaged25271000

Curtain (Class Divider) Incorrect
or Wrong Material.....25271400

Curtain (Class Divider)
Missing.....25271100

Curtain (Class Divider)
Rail / Slider / Snap / Stop
Damaged or Missing25271300

Curtain (Class Divider)
Requires Cleaning.....12021100

Curtain Tieback Damaged25271500

Curtain Tieback Does
Not Secure Curtain.....25271800

Curtain Tieback Missing25271600

Curtain Tieback Requires
Cleaning12021200

— D —

Doghouse Storage
Area Damaged.....252446xx

Doghouse Storage Area Emer-
gency Equipment Placard
Damaged or Missing113016xx

Doghouse Storage Area
Requires Cleaning252466xx

Doghouse Storage Area Sliding
Drawer Latch / Trim
Damaged or Missing252416xx

Doghouse Storage Area Sliding
Drawer Difficult to
Latch or Unlatch.....252426xx

Doghouse Storage Area Sliding
Drawer Difficult
to Open or Close.....252436xx

— E —

Emergency EXIT Light
(Ceiling) Damaged335010xx

Emergency EXIT Light
(Ceiling) Inoperative335011xx

XX =	01	03	04	06	07	09
CABIN AREA	1st Class Left	1st Class Right	Business Class Left	Business Class Right	Mid Cabin Left	Mid Cabin Right
	10	12	13	14	15	
	Aft Cabin Left	Aft Cabin Right	Forward Aisle	Mid Aisle	Aft Aisle	
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley (G2) Location					

— F —

Flight Attendant Call
Chime Inoperative.....23403000

Fasten Seat Belt / No Smoking /
No Electronic Devices
Chime Inoperative.....33800500

Flight Deck Door Area
Light Disagrees With
Door and Engine Status33201900

Flight Deck Door Area
Light Inoperative.....33201800

Floorboard Soft or Damaged....25204000

— G —

Gasper Ventilation
System Inoperative.....21205900

— H —

Hangar Tag Holder (*Forward Closet*)
Damaged or Missing25245900

— I —

Insects Reported in Cabin 125010xx

Interphone System
(*General Problem*)23400000

Interphone System Weak /
Degraded or Intermittent23400300

— N —

Noise or Vibration (*Unusual*) ...218020xx

— P —

Passenger Address System
(*General Problem*)23300000

Passenger Address System Weak /
Degraded or Intermittent23300300

Passenger Cabin
Requires Cleaning120210xx

Poor Heating or Cooling.....216010xx

Pull Out Shelf (*SI Closet*)
Damaged or Loose25206500

Pull Out Shelf (*SI Closet*) Does
Not Extend or Retract.....25206700

Pull Out Shelf (*SI Closet*)
Restraint Latch
Damaged or Missing25206800

XX =	01	03	04	06	07	09
CABIN AREA	1st Class Left	1st Class Right	Business Class Left	Business Class Right	Mid Cabin Left	Mid Cabin Right
	10	12	13	14	15	
	Aft Cabin Left	Aft Cabin Right	Forward Aisle	Mid Aisle	Aft Aisle	
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley (G2) Location					

Miscellaneous Cabin Items

[Home](#)

Pull Out Shelf (SI Closet)
Missing.....25206600

— R —

Rodents Reported in Cabin 125011xx

— S —

Sidewall Panel / Trim
Damaged or Loose252830xx

Sidewall Panel / Trim
Requires Cleaning..... 120217xx

Sidewall Panel Upper Retaining
Clip Damaged or Missing252831xx

Smoke / Fumes / Odor
in Cabin (Acrid)21801100

Smoke / Fumes / Odor
in Cabin (Burning)21801200

Smoke / Fumes / Odor
in Cabin (Chemical)21801300

Smoke / Fumes / Odor
in Cabin (Chlorine)21801400

Smoke / Fumes / Odor
in Cabin (Electrical)21801500

Smoke / Fumes / Odor
in Cabin (Fuel / Oil)21801600

Smoke / Fumes / Odor
in Cabin (Hot)21801000

Smoke / Fumes / Odor in Cabin
(Musty / Dirty Socks).....21801700

Smoke / Fumes / Odor in Cabin
(Sulfur / Rotten Eggs).....21801800

Smoke / Fumes / Odor
in Cabin (Sweet)21801900

Storage Compartment CLOSE
AND LATCH... or CLOSE
AND SECURE... Placard
Damaged or Missing113018xx

Storage Compartment
Door Damaged252447xx

Storage Compartment
Door Difficult to
Latch or Unlatch.....252427xx

Storage Compartment
Door Difficult to
Open or Close.....252437xx

Storage Compartment
Door Latch / Trim
Damaged or Missing252417xx

XX =	01	03	04	06	07	09
CABIN AREA	1st Class Left	1st Class Right	Business Class Left	Business Class Right	Mid Cabin Left	Mid Cabin Right
	10	12	13	14	15	
	Aft Cabin Left	Aft Cabin Right	Forward Aisle	Mid Aisle	Aft Aisle	
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley (G2) Location					

Storage Compartment Emergency
Equipment Placard
Damaged or Missing 113017xx

Storage Compartment
Requires Cleaning.....252467xx

— V —

Ventilation Screen Requires
Cleaning (*SI Closet*)21203500

— W —

Water Leak or Condensation217010xx

XX =	01	03	04	06	07	09
CABIN AREA	1st Class Left	1st Class Right	Business Class Left	Business Class Right	Mid Cabin Left	Mid Cabin Right
	10	12	13	14	15	
	Aft Cabin Left	Aft Cabin Right	Forward Aisle	Mid Aisle	Aft Aisle	
CLOSET or STORAGE	1L Closet (S1), 1R Closet (S2), 2L Closet (S3) or Galley (G2) Location					

Passenger Seat & Related Items

— A —

Air Grille (*Lower Sidewall*) Loose /
Damaged or Missing21207xxx

Air Grille (*Lower Sidewall*)
Requires Cleaning25896xxx

Air Grille (*PSU*) Damaged /
Loose or Missing21208xxx

Air Grille (*PSU*) Requires
Cleaning25897xxx

Armrest Cover Upholstery
Damaged25842xxx

Armrest Cover Upholstery
Missing25843xxx

Armrest Damaged or Loose25844xxx

Armrest Difficult to Move25845xxx

Armrest Hinged Tray Table
Cover Does Not Spring
Closed (*Spring Broken*)25847xxx

Armrest Leveling Requires
Adjustment25841xxx

Armrest Missing25846xxx

Armrest Trim (*Aft*)
Damaged or Loose25863xxx

Armrest Trim (*Aft*) Missing25864xxx

Armrest Trim (*Forward*)
Damaged or Loose25861xxx

Armrest Trim (*Forward*)
Missing25862xxx

— C —

Carpet Damaged or Worn
(*Main Aisle*)25265xxx

Carpet Damaged or Worn
(*Passenger Seat*)25267xxx

Carpet Requires Cleaning
(*Main Aisle*)25266xxx

Carpet Requires Cleaning
(*Passenger Seat*)25268xxx

Ceiling Light Inoperative
(*Individual Lamp or LED*) ...33209xxx

Ceiling Light Inoperative (*LED
Strip or Light Assembly*)33208xxx

Ceiling Light (*LED Strip
or Light Assembly*)
Damaged or Loose33200xxx

Ceiling Light or Lens
Discolored33207xxx

Cocktail Table Damaged
or Loose25228xxx

XXX =

PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items
Home

Cocktail Table Latch
 Damaged or Missing25229xxx

Cocktail Table Level
 Requires Adjustment.....25227xxx

Cocktail Table Missing.....25220xxx

Cocktail Table Requires
 Cleaning25852xxx

Cushion (Seat) Reported
 Uncomfortable25812xxx

Cushion (Seat Back) Reported
 Uncomfortable25815xxx

Cushion / Cover (Seat)
 Damaged or Loose25814xxx

Cushion / Cover (Seat Back)
 Damaged or Loose25811xxx

Cushion or Cover (Seat)
 Requires Cleaning.....25856xxx

Cushion or Cover (Seat Back)
 Requires Cleaning.....25857xxx

— E —

Electrical Function Control
 Panel Damaged or
 Unusable (783 - 799)25891xxx

Emergency Light (Ceiling)
 Inoperative33507xxx

Emergency Light or Lens
 (Ceiling) Damaged.....33505xxx

Escape Path Light (EPL)
 or Luminescent Strip
 Damaged or Loose33504xxx

Escape Path Light (EPL)
 or Luminescent
 Strip Inoperative.....33508xxx

— F —

Fasten Seat Belt Sign
 Inoperative.....33801xxx

FASTEN SEAT BELT WHILE
 SEATED Placard Damaged
 or Missing (Seat Back)25836xxx

Flight Attendant Call Button
 Damaged or Missing23415xxx

Flight Attendant Call Button
 Does Not Activate Chime.....23413xxx

Flight Attendant Call Light
 Does Not Illuminate23411xxx

Flight Attendant Call Light
 Does Not Reset.....23412xxx

Footrest Cushion / Cover
 Damaged or Loose25876xxx

Footrest Cushion or Cover
 Requires Cleaning25877xxx

Footrest Damaged
 or Unusable25879xxx

XXX =
PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items
[Home](#)

Footrest Does Not Manually
Deploy or Stow25878xxx

Footrest Electrical Function
Inoperative (783 - 799)25892xxx

— G —

Gasper Vent Control
Damaged or Missing21206xxx

Gasper Vent Does Not
Turn On or Off21204xxx

Gasper Vent Requires
Cleaning21205xxx

— H —

Hat Rack Light Inoperative
(*Individual LED*) (150 - 199,
507 - 587, 850 - 998).....33211xxx

Hat Rack Light Inoperative
(*Light Assembly*) (150 - 199,
507 - 587, 850 - 998).....33210xxx

Hat Rack Light Damaged or Loose
(*Light Assembly*) (150 - 199,
507 - 587, 850 - 998).....33212xxx

Headrest Cushion / Cover
Damaged or Loose25871xxx

Headrest Cushion or
Cover Missing25872xxx

Headrest Cushion or Cover
Requires Cleaning25859xxx

Headrest Difficult to Operate ...25873xxx

Headrest Does Not
Extend or Retract.....25874xxx

Headrest Side Cushions
Do Not Adjust25875xxx

— L —

Life Vest Damaged
or Missing.....25623xxx

Life Vest Storage Compartment
Door or Pouch Damaged25624xxx

Life Vest Storage Compartment
Security Seal Broken
or Missing.....25625xxx

LIFE VEST UNDER YOUR
SEAT Placard Damaged
or Missing (*Seat Back*)25837xxx

Literature Pocket / Net or
Holder Damaged25826xxx

Literature Pocket / Net or
Holder Requires Cleaning25858xxx

Literature Pocket / Net Pulled
Away From Seat or Spring
Broken / Damaged.....25828xxx

Literature Missing or
Out of Currency.....12111xxx

XXX =
PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items

Home

LITERATURE ONLY
 Placard Damaged or
 Missing (*Seat Back*)25838xxx
 Lost Article Reported99999xxx
 Luggage Restraint Bar
 Damaged or Missing25217xxx
 Lumbar Electrical Function
 Inoperative (783 - 799)25893xxx

— N —

Night Light (*In-Seat*) Does Not Turn
 On or Off (783 - 799)33252xxx
 No Smoking Sign
 Inoperative33802xxx

— O —

Overhead Bin Bag Position
 Diagram Placard
 Damaged or Missing11305xxx
 Overhead Bin Bezel / Latch
 Damaged or Missing25241xxx
 Overhead Bin Damaged
 (*Compartment*)25245xxx
 Overhead Bin Door
 Damaged or Loose25244xxx
 Overhead Bin Door Difficult
 to Latch or Unlatch25242xxx

Overhead Bin Door Difficult
 to Open or Close25243xxx
 Overhead Bin Door
 Hold Open Function
 Inoperative or Weak25249xxx
 Overhead Bin Door Missing25240xxx
 Overhead Bin Emergency
 Equipment Placard
 Damaged or Missing11301xxx
 Overhead Bin Filler Trim
 Damaged or Missing25884xxx
 Overhead Bin Loose
 or Noisy During
 Ground Operations25248xxx
 Overhead Bin Lower Edge Trim
 Damaged or Missing25881xxx
 Overhead Bin Side Edge Trim
 Damaged or Missing25882xxx
 Overhead Bin Upper Edge Trim
 Damaged or Missing25883xxx
 Overhead Bin Requires
 Cleaning (*Exterior*)25246xxx
 Overhead Bin Requires
 Cleaning (*Interior*)25247xxx
 Overhead Bin RESERVED FOR
 FIRST / BUSINESS Placard
 Damaged or Missing11302xxx

XXX =

PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items
[Home](#)

Overhead Bin RESERVED FOR
FLAGSHIP BUSINESS Placard
Damaged or Missing
(783 - 799)..... 11304xxx

Overhead Bin RESERVED FOR
MAIN CABIN EXTRA Placard
Damaged or Missing 11303xxx

Oxygen (PSU) Door or
Panel Damaged 25255xxx

— P —

Passenger Seat
(General Problem) 25210xxx

Passenger Seat Requires
Cleaning 12022xxx

Passenger Service Unit (PSU)
Requires Cleaning..... 25850xxx

Placard (Seat Number)
Damaged or Missing
(Seat Armrest) 25211xxx

Placard (Seat Number)
Damaged or Missing
(Overhead Bin)..... 11306xxx

**PLEASE TURN OFF
ELECTRONIC DEVICES**
Sign Inoperative..... 33802xxx

Portable Electronic Device (PED)
Holder Tray Damaged /
Loose or Missing..... 44817xxx

Portable Electronic Device (PED)
Retention Clip Damaged /
Loose or Missing..... 44815xxx

Portable Electronic Device
(PED) Retention Clip
Does Not Retract When
Released (Spring Broken)..... 44816xxx

Power Port In-Use (Blue)
Light Inoperative..... 44215xxx

Power Port Damaged..... 44216xxx

Power Port Inoperative..... 44211xxx

Privacy Partition Damaged
(783 - 799)..... 25831xxx

Privacy Partition Difficult
to Reposition or Does
Not Remain in Selected
Position (783 - 799)..... 25832xxx

PRIVACY PLEASE Light
Inoperative (783 - 799)..... 25835xxx

— R —

Reading Light (In-Seat)
Damaged (783 - 799)..... 33257xxx

Reading Light (In-Seat)
Does Not Turn On or
Off (783 - 799) 33256xxx

Reading Light (PSU) Does
Not Turn On or Off..... 33251xxx

XXX =
PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items
[Home](#)

Reading Light (PSU) Lens
 Damaged or Missing33254xxx

Reading Light (PSU) Does
 Not Adjust or Requires
 Adjustment33253xxx

Recline Button Damaged
 or Missing25216xxx

Recline Electrical Function
 Inoperative (783 - 799)25894xxx

Recline Does Not Lock /
 Seat Does Not Remain
 in TTL Position25215xxx

Recline Inoperative
 or Unusable25214xxx

Recline Requires Adjustment ...25218xxx

— S —

Seat Aisle Trim Assist Step
 Damaged or Missing25867xxx

Seat Aisle Trim Damaged /
 Loose or Missing25865xxx

Seat Aisle Trim Requires
 Cleaning25853xxx

Seat Aisle Trim Rub Strip Loose /
 Damaged or Missing25868xxx

Seat Back Trim Damaged /
 Loose or Missing25866xxx

Seat Back Trim Requires
 Cleaning25854xxx

Seat Belt Airbelt Function Inoperative
 (001 - 032, 125 - 157,
 193 - 199, 400 - 587,
 783 - 799, 850 - 998)25824xxx

Seat Belt Damaged or Frayed...25822xxx

Seat Belt Difficult to
 Latch or Unlatch.....25821xxx

Seat Belt Missing.....25823xxx

Seat Belt Requires Cleaning25855xxx

Seat Does Not Lock or Remain
 in Upright / TTL Position.....25215xxx

Seat Loose or Rattles
 in Floor Track.....25212xxx

Sidewall / Window Light Inoperative
 (Individual Lamp or LED) ...33202xxx

Sidewall / Window Light
 Inoperative (LED Strip
 or Light Assembly)33203xxx

Sidewall / Window Light (LED
 Strip or Light Assembly)
 Damaged / Loose.....33201xxx

Sidewall / Window Light
 or Lens Discolored33204xxx

Speaker (PSU) Cover
 Damaged25251xxx

XXX =
PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Passenger Seat & Related Items
[Home](#)

Speaker (PSU) Inoperative
or Distorted23302xxx

Storage Compartment
Door / Net Damaged
or Missing (783 - 799)25833xxx

STOW DEVICE HOLDER FOR
TAXI, TAKEOFF & LANDING
Placard Damaged or
Missing (Seat Back)25839xxx

— T —

Track Cover (Floor)
Damaged or Loose25264xxx

Track Cover (Floor) Missing ...25263xxx

Tray Table Damaged
or Loose25221xxx

Tray Table Difficult to Extend
or Retract (Slide Function)
or Slide Rails Damaged25224xxx

Tray Table Difficult to Stow
or Requires Adjustment.....25222xxx

Tray Table Latch / Bezel
Damaged or Missing25225xxx

Tray Table Leveling
Requires Adjustment.....25223xxx

Tray Table Missing.....25226xxx

Tray Table Requires
Cleaning25851xxx

TTL Indicator Light Inoperative
(783 - 799).....25898xxx

— U —

USB Power Port (Blue) Light
Does Not Illuminate
(USB Operates OK).....44214xxx

USB Power Port Damaged44213xxx

USB Power Port Inoperative44212xxx

— W —

WATCH NOW...CONNECT TO
WI-FI SIGNAL Placard
Damaged or Missing25830xxx

Window Cosmetic Pane (Reveal)
Damaged or Missing25201xxx

Window Cosmetic Pane (Reveal)
Requires Cleaning25202xxx

Window Damaged56201xxx

Window Fogged or Moisture
Between Panes56204xxx

Window Noisy or Leaking.....56203xxx

Window Shade Damaged
or Loose.....25801xxx

Window Shade Does Not Remain
in Selected Position25804xxx

Window Shade Missing.....25803xxx

XXX =

PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Window Shade Requires
Cleaning25805xxx

Window Shade Sticking or
Difficult to Operate25802xxx

Work Station Trim Damaged
or Deteriorated25834xxx

XXX =

PASSENGER SEAT Location (e.g., 06A, 15C, 32F, etc.)

Air Conditioning & Pressurization

ENHANCED / NX AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 587, 777 - 799, 850 - 998

BASIC AIRCRAFT:

102 - 124, 161 - 192, 601 - 680,
700 - 776, 801 - 840

— A —

Active Pressurization Indication
SYS xx or **MAN** Inoperative
(*CAB PRESS* Page)213047xx

AIR COND Panel Light
Plate Inoperative33105200

Air Conditioning HOT AIR
FAULT / **OFF** Light /
Lens Damaged or Missing ...21608300

Air Conditioning HOT AIR
FAULT Light Does Not
Test or Lamps Inoperative ...21608100

Air Conditioning HOT AIR
OFF Light Does Not
Test or Lamps Inoperative ...21608200

Air Conditioning **HOT**
AIR Valve Indication
Inoperative (*COND* Page) ...21602500

Auto Pressurization Control
(*General Problem*)21300100

Auto Pressurization **SYS 1**
FAULT or **SYS 2 FAULT**
Message / Amber Indication
(*CAB PRESS* Page).....213002xx

Auto Pressurization **SYS 1 + 2**
FAULT Message / **MODE**
SEL AUTO FAULT Light
Illuminated / Amber Indication
(*CAB PRESS* Page).....21300203

AVNCS SYS FAULT Message /
BLOWER and **EXTRACT**
FAULT Lights Illuminated
In Flight.....21200100

AVNCS SYS FAULT Message /
BLOWER and **EXTRACT**
FAULT Lights Illuminated
During Ground Operation
(*QRH Reset OK*)21200200

AVNCS SYS FAULT Message /
BLOWER and **EXTRACT**
FAULT Lights Illuminated
During Ground Operation
(*QRH Reset No Help*)21200300

AVNCS SMOKE Message / **GEN 1**
LINE SMOKE and **BLOWER /**
EXTACT Fan **FAULT**
Lights Illuminated26125100

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

— B —

BLOWER FAULT / OVRD Light /
Lens Damaged or Missing ...21208700

BLOWER Fan Indication
Inoperative (**CAB PRESS**
Page) (Enhanced)21200600

BLOWER FAULT Message /
FAULT Light Illuminated / Amber
VENT or **BLOWER** Indication
(**CAB PRESS** Page)21200400

BLOWER FAULT Light Does Not
Test or Lamps Inoperative ...21208500

BLOWER OVRD Light Does Not
Test or Lamps Inoperative ...21208600

— C —

Cabin < **P** Indication
Inoperative or Erratic
(**CAB PRESS** Page)21304200

xx CAB FAN FAULT
Message / Amber **FAN**
Indication (**COND** Page)212011xx

CAB FANS OFF Light / Lens
Damaged or Missing21209200

CAB FANS OFF Light Does Not
Test or Lamps Inoperative ...21209100

xx CAB DUCT OVHT Message /
HOT AIR FAULT Light
Illuminated / Amber
Indication (**COND** Page)216002xx

Cabin **ALT** Indication
Inoperative or Erratic
(**CAB PRESS** Page)21304100

Cabin Does Not Maintain
Pressurization21302200

Cabin **FAN** Indication Inoperative
(**COND** Page)212013xx

CABIN PRESS Panel Light
Plate Inoperative33105300

Cabin Pressurization
Fluctuating21302100

Cabin **V/S** Indication
Inoperative or Erratic
(**CAB PRESS** Page)21304300

Cargo Heat HOT AIR FAULT /
OFF Light / Lens
Damaged or Missing21408300

xx CARGO DUCT OVHT
Message / **HOT AIR FAULT**
Light Illuminated / Amber
Indication (**COND** Page)
(Reset OK)214011xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

Air Conditioning & Pressurization

[Home](#)

xx CARGO DUCT OVHT
 Message / HOT AIR **FAULT**
 Light Illuminated / Amber
 Indication (**COND** Page)
 (Reset No Help)214012xx

Cargo Heat HOT AIR **FAULT**
 Light Does Not Test or
 Lamps Inoperative21408100

Cargo Heat HOT AIR **OFF**
 Light Does Not Test or
 Lamps Inoperative21408200

Cargo Heat **HOT** AIR Valve
 Indication Inoperative
 (**COND** Page)214016xx

Cargo Heat ISOL VALVE
FAULT / **OFF** Light / Lens
 Damaged or Missing214086xx

Cargo Heat ISOL VALVE
FAULT Light Does Not Test
 or Lamps Inoperative214084xx

Cargo Heat ISOL VALVE
OFF Light Does Not Test or
 Lamps Inoperative214085xx

CARGO HEAT Panel Light
 Plate Inoperative33105400

Cargo Isolation Valve Position
 Indication Inoperative
 (**COND** Page)214019xx

Cargo Temperature Control
 Valve Position Indication
 Inoperative (**COND** Page) ...214017xx

CKPT DUCT OVHT Message /
 HOT AIR **FAULT** Light
 Illuminated / Amber
 Indication (**COND** Page)21600300

COND CTL xx-A FAULT
 Message (**Enhanced**)216041xx

COND CTL xx-B FAULT
 Message (**Enhanced**)216042xx

xx CRG HEAT FAULT
 Message / Compartment
 Temperature Amber **xx**
 Indication (**COND** Page)

xx CRG HEAT FAULT
 Message / Duct Temperature
 Amber **xx** Indication
 (**COND** Page).....

xx CRG HEAT FAULT
 Message / Temperature
 Control Valve Amber **xx**
 Indication (**COND** Page)214013xx

xx CRG ISOL VALVE
 Message / ISOL VALVE
FAULT Light Illuminated....214014xx

xx CRG VENT
FAULT Message214015xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

— D —

DITCHING **ON** Light / Lens
Damaged or Missing21308500

DITCHING **ON** Light Does Not
Test or Lamps Inoperative ...21308400

DITCHING Switch Guard
Damaged or Missing21306500

— E —

ECON FLOW **ON** Light / Lens
Damaged or Missing (507 -
587, 783 - 789, 850 - 998)....21508700

ECON FLOW **ON** Light
Does Not Test or Lamps
Inoperative (507 - 587,
783 - 789, 850 - 998).....21508600

EXCESS CAB ALT Message / Red
ECAM Indication / Warning Horn
(Altitude Exceedance)21303100

EXCESS CAB ALT Message /
Red Indication (**CAB PRESS**
Page) / Warning Horn Disagree
With Cabin Status21303200

EXCESS RESIDUAL PR
Message.....21303300

EXTRACT Fan Indication
Inoperative (**CAB PRESS**
Page) (Enhanced)21200800

EXTRACT FAULT / OVRD Light /
Lens Damaged or Missing ...21209000

EXTRACT FAULT Light Does Not
Test or Lamps Inoperative....21208800

EXTRACT FAULT Message /
FAULT Light Illuminated / Amber
VENT or **EXTRACT** Indication
(**CAB PRESS** Page).....21200500

EXTRACT OVRD Light Does Not
Test or Lamps Inoperative....21208900

— F —

Foot Air Distribution
Inoperative or Weak214001xx

— G —

GALLEY FAN
Fault Message.....

Gasper Vent Control
Damaged or Missing212021xx

Gasper Vent Does Not
Turn On or Off212022xx

Gasper Vent Requires
Cleaning212023xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

— H —

HOT AIR FAULT Message / Air Conditioning
HOT AIR FAULT Light Illuminated / Amber Indication (*COND* Page)21602300

HOT AIR FAULT Message / Cargo Heat
HOT AIR FAULT Light Illuminated / Amber Indication (*COND* Page)21401800

— L —

LAV + GALLEY FAN FAULT Message.....21201400

LDG ELEV AUTO / MAN Indication Inoperative (*CAB PRESS* Page)21304900

LDG ELEV AUTO / MAN Indication Inoperative (*ENGINE* Page)21305100

LDG ELEV FAULT Message.....21304800

LDG ELEV Indication Inoperative (*CAB PRESS* Page)21304500

LDG ELEV Indication Inoperative (*CRUISE* Page)21305200

LDG ELEV Selector Loose / Damaged / Missing or Inoperative.....21304600

LO DIFF PR Message / Amber Indication (*CAB PRESS* Page).....21303500

— M —

MAN LDG ELEV Message Disagrees With Switch Position.....21301400

MAN V/S CTL Switch Does Not Return to Center When Released.....21301200

MAN V/S CTL Switch Does Not Reposition Outflow Valve21301300

Manual Pressurization Control (*General Problem*)21301100

MODE SEL AUTO FAULT / MAN Light / Lens Damaged or Missing21308300

MODE SEL AUTO FAULT Light Does Not Test or Lamps Inoperative.....21308100

MODE SEL AUTO MAN Light Does Not Test or Lamps Inoperative.....21308200

— N —

Noise or Vibration (*Unusual*) in Air Conditioning System.....21802100

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

— O —

OFV NOT OPEN Message.....21303400

Outflow VALVE Position
Indication Inoperative
or Erratic21304400

— P —

Pack Bypass Valve Position
Indication Inoperative
(**BLEED Page**)215071xx

Pack Compressor Outlet
Temperature Indication Inoperative
(**BLEED Page**)215072xx

PACK FAULT / OFF Light /
Lens Damaged or Missing ...215083xx

PACK FAULT Light Test Fail
or Lamps Inoperative215081xx

PACK xx FAULT Message /
FAULT Light Illuminated
After Engine Shutdown.....215006xx

PACK xx FAULT Message /
FAULT Light Illuminated /
Bypass Valve Amber **xx**
Indication (**BLEED Page**) ...215001xx

PACK xx FAULT Message /
FAULT Light Illuminated /
Flow Control Valve Amber **xx**
Indication (**BLEED Page**) ...215002xx

PACK xx FAULT Message /
FAULT Light Illuminated /
Pack Flow Amber **xx**
Indication (**BLEED Page**) ...215003xx

PACK xx FAULT Message / **FAULT**
Light Illuminated / Pack Outlet
Temperature Amber **xx**
Indication (**BLEED Page**) ...215004xx

PACK xx FAULT Message / **FAULT**
Light Illuminated / Compressor
Outlet Temperature Amber **xx**
Indication (**BLEED Page**) ...215005xx

PACK xx FAULT Message /
FAULT Light Illuminated /
Flow Control Valve Does Not
Close During Engine Start ...215011xx

PACK xx FAULT Message /
FAULT Light Illuminated /
Flow Control Valve Does Not
Open After Engine Start215012xx

Pack Flow Fluctuates or Does
Not Regulate Properly215013xx

Pack Flow Control Valve Position
Indication Inoperative
(**BLEED Page**)215073xx

Pack Flow Indication Inoperative
(**BLEED Page**)215075xx

Pack Flow Indication Inoperative
(**CAB PRESS Page**)215076xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

PACK xx FLOW REDUCED
 Message Disagrees With Aircraft
 Configuration (400 - 469)215015xx

PACK FLOW Selector Damaged /
 Loose / Missing or Inoperative
 (001 - 128, 400 - 469,
 601 - 770, 801 - 840).....21501600

PACK FLOW HI Mode Inoperative
 (001 - 128, 400 - 469,
 601 - 770, 801 - 840).....21501700

PACK FLOW LO Mode Inoperative
 (001 - 128, 400 - 469,
 601 - 770, 801 - 840).....21501800

PACK FLOW NORM Mode
 Inoperative (001 - 032,
 102 - 128, 400 - 469,
 601 - 770, 801 - 840).....21501900

PACK OFF Light Test Fail
 or Lamps Inoperative215082xx

PACK xx OFF Message Disagrees
 With Switch Position215010xx

Pack Outlet Temperature
 Indication Inoperative
 (*BLEED Page*)215074xx

PACK xx OVHT Message /
FAULT Light Illuminated /
 Compressor Outlet Amber
 Indication (*BLEED Page*) ...215021xx

PACK xx OVHT Message /
FAULT Light Illuminated /
 Pack Outlet Amber Indication
 (*BLEED Page*).....215022xx

PACK xx REGUL FAULT
 Message In Flight.....215023xx

PACK xx REGUL FAULT
 Message During Ground
 Operation (*QRH Reset OK*)..215024xx

PACK xx REGUL FAULT
 Message During Ground
 Operation (*QRH Reset*
No Help)215025xx

Poor Airflow Distribution
 on the Flight Deck21203100

Poor Heating or Cooling
 on the Flight Deck21600100

— R —

RAM AIR ON Light / Lens
 Damaged or Missing21508500

RAM AIR ON Light Does Not
 Test or Lamps Inoperative....21508400

RAM AIR ON Message / Amber
 Indication (*BLEED Page*)
 Disagree With RAM AIR
 Switch Position.....21503200

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

Air Conditioning & Pressurization

[Home](#)

RAM AIR Switch Guard
Damaged or Missing21503600

RAM AIR Valve Position
Indication Inoperative
(**BLEED** Page)21507700

— S —

SAFETY VALVE OPEN Message
Amber SAFETY Indication
(**CAB PRESS** Page)21306300

SAFETY Valve Position
Indication Inoperative
(**CAB PRESS** Page)21306400

SKIN VALVE FAULT
Message.....21200900

Smoke / Fumes / Odor in Cabin -
Dissipates With APU
Bleed Turned OFF.....21800300

Smoke / Fumes / Odor in Cabin -
Dissipates With Engine
Bleed Turned Off218001xx

Smoke / Fumes / Odor in Cabin -
Dissipates After Engine
Power Reduction.....218002xx

Smoke / Fumes / Odor in Cabin -
Dissipate With CABIN
FANS Turned Off.....21800600

Smoke / Fumes / Odor in Cabin -
Dissipates With CABIN FANS
and PACKS Turned Off.....21800700

Smoke / Fumes / Odor in Cabin -
Dissipates With IFE
System Turned Off21800400

Smoke / Fumes / Odor in Cabin -
Dissipates With PACKS
Turned Off.....21800500

Smoke / Fumes / Odor in Cabin -
Dissipates Without Flight
or Cabin Crew Action.....21800900

— T —

Temperature Indication High / Low
or Fluctuating (**CKPT**).....2160310C

Temperature Indication High /
Low or Fluctuating
(**CKPT Duct**)2160310D

Temperature Indication High /
Low or Fluctuating
(**FWD / AFT Cabin**).....216032xx

Temperature Indication High /
Low or Fluctuating
(**FWD / AFT Cabin Duct**)216033xx

Temperature Indication
High / Low or Fluctuating
(**FWD / AFT Cargo**)214021xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

Air Conditioning & Pressurization

[Home](#)

Temperature Indication High /
Low or Fluctuating
(FWD / AFT Cargo Duct)214022xx

Temperature Indication
Inoperative (CKPT)..... 2160340C

Temperature Indication
Inoperative (CKPT Duct) 2160340D

Temperature Indication Inoperative
(FWD / AFT Cabin)216038xx

Temperature Indication Inoperative
(FWD / AFT Cabin Duct).....216039xx

Temperature Indication Inoperative
(FWD / AFT Cargo)214023xx

Temperature Indication Inoperative
(FWD / AFT Cargo Duct) 214024xx

Temperature Selector Damaged /
Loose / Missing or
Inoperative (CABIN)216018xx

Temperature Selector Damaged /
Loose / Missing or Inoperative
(CARGO HEAT)214027xx

Temperature Selector Damaged /
Loose / Missing or
Inoperative (COCKPIT).....21601700

Temperature Selector Inoperative
or Uncontrollable
(CABIN)216012xx

Temperature Selector Inoperative
or Uncontrollable
(CARGO HEAT)214026xx

Temperature Selector Inoperative
or Uncontrollable
(COCKPIT)21601100

TRIM AIR SYS FAULT Message /
Amber Cabin Valve
Indication (**COND** Page)216022xx

TRIM AIR SYS FAULT Message /
Amber **CKPT** Valve
Indication (**COND** Page)21602100

Trim Air Valve Position Indication
Inoperative (Cabin)
(**COND** Page).....216027xx

Trim Air Valve Position Indication
Inoperative (Cockpit)
(**COND** Page).....21602600

— V —

Ventilation Louver Missing
or Damaged212032xx

Ventilation Louver Does
Not Turn On or Off.....212033xx

Ventilation Louver
Requires Cleaning212034xx

VENTILATION Panel Light
Plate Inoperative.....33105400

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

Ventilation System **VENT** /
BLOWER / **EXTRACT** /
INLET / **OUTLET** Indication
 Inoperative (**CAB** **PRESS**
Page) (Enhanced)21201700

Ventilation System **VENT** /
EXTRACT Indication
 Inoperative (**CAB** **PRESS**
Page) (Basic)21201600

— Z —

ZONE **REGUL** **FAULT**
 Message / Green **ALTN**
MODE Message (**COND**
Page) (Basic)21604300

ZONE **REGUL** **FAULT** Message /
 Green **PACK** **REG** Message
(COND Page) (Basic)21604400

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	All	1st Obsv	2nd Obsv
CABIN or CARGO	Forward	Aft	Both		
PACK or AUTO PRZN	No.1 or L/H	No.2 or R/H	Both		

APU

— A —

APU AUTO EXTING Panel
Light Plate Inoperative.....33100800

APU AVAIL Message / AVAIL
Light / Green AVAIL Indication
(APU Page) Disagrees
With APU Status49102100

APU Does Not Shutdown / **FAULT**
Light Extinguished.....49100900

APU Does Not Start / **FAULT**
Light Extinguished.....49100400

APU **FAULT** Light Illuminated /
APU Does Not Start49100100

APU Inflight Start Successful ..49050100

APU Inflight Start Failed49050200

APU Panel Light Plate
Inoperative33105300

APU Parameter Display
(APU Page) Disagrees
With APU Status and
MASTER Switch Position ...49700300

AUTO SHUT DOWN Message /
FAULT Light Illuminated /
APU Auto Shutdown.....49100200

— C —

Compressor Stall49101000

— D —

Drain Mast Damaged
or Missing.....49301100

— E —

EGT Indication High /
Low or Fluctuating.....49700200

EGT Indication Inoperative49700100

EGT Overtemperature / Amber
or Red Indication.....49100800

EMER SHUT DOWN Message /
FAULT Light Illuminated /
APU Auto Shutdown.....49100700

Excessive Noise or Vibration ...49100600

Excessive Oil Consumption49121100

— F —

Fire / Smoke or Sparks
From Exhaust49100500

FLAP OPEN Indication
(APU Page) Disagrees
With APU Status49701100

FLAP OPEN Indication
Inoperative (APU Page).....49101100

Fuel Leak Reported49300100

FUEL LO PR Indication
(APU Page) Disagrees
With APU Status49701200

FUEL LO PR Amber
Indication (*APU Page*)49101200

— L —

LOW OIL LEVEL Indication
(*APU Page*) Disagrees
With APU Oil Status49701300

LOW OIL LEVEL Amber
Indication (*APU Page*)49120200

— M —

MASTER FAULT Light Test
Fail or Lamps Inoperative....49108100

MASTER FAULT / ON Light /
Lens Damaged or Missing ...49108300

MASTER ON Light Test Fail
or Lamps Inoperative49108200

— N —

N Indication High / Low
or Fluctuating49700600

N Indication Inoperative.....49700500

N Overspeed / Amber
or Red Indication.....49100300

— O —

Oil Filter Differential Pressure
Switch Popped49911100

Oil Leak Reported49910100

Oil Servicing Required.....49120300

— S —

Smoke / Fumes / Odor in Cabin -
Dissipates With APU
Bleed Turned OFF21800300

START AVAIL Light Does Not
Test or Lamps Inoperative....49108400

START AVAIL / ON Light / Lens
Damaged or Missing49108600

START ON Light Does Not
Test or Lamps Inoperative....49108500

Autopilot

— A —

A/THR Engage Switch
Light Inoperative.....22308100

A/THR LIMITED Message....22300900

A/THR OFF Message Disagrees
With Autothrust Status
(*QRH Reset OK*).....22300400

A/THR OFF Message Disagrees
With Autothrust Status
(*QRH Reset No Help*).....22300500

A/THR OFF Message / Uncommanded
Autothrust Disconnect.....22300600

Aircraft Does Not Align With
Runway During Approach
In **APPR** Mode22402100

Aircraft Does Not Engage Both
Autopilots During Approach
In **APPR** Mode22402200

ALT Display Degraded
or Inoperative22103100

ALT Selector Inoperative22102100

ALT Selector Pull to Set
Function Inoperative22102200

AP xx Engage Switch
Light Inoperative.....221081xx

AP OFF Message Disagrees
With Autopilot Status 221008xx

AP OFF Message / Uncommanded
Autopilot Disconnect..... 221009xx

APPR Mode Switch Engage
Light Inoperative 22108700

Autoland Approach and
Landing Successful..... 22400100

Autoland Approach or Landing
Failed With **AUTOLAND**
Lights Illuminated 22400200

Autoland Approach or Landing
Failed With **AUTOLAND**
Lights Extinguished..... 22400300

AUTOLAND Light / Lens
Damaged or Missing 22408200

AUTOLAND Light Press to Test
Fail or Lamps Inoperative ... 22408100

Autopilot Disconnect Aural
Warning Inoperative 22105200

Autopilot Disconnect
Does Not Reset With
Side Stick Switch..... 221042xx

Autopilot Does Not Automatically
Engage After Takeoff..... 221003xx

Autopilot Does Not Disconnect
With Side Stick Switch..... 221041xx

XX	01	02	03
AUTOPILOT	No.1	No.2	Both
FLIGHT CREW	Captain	F/O	Both

Autopilot

Autopilot Does Not Disconnect
With **AP xx** Switch.....221045xx

Autopilot Does Not Engage
With **AP xx** Switch.....221001xx

Autopilot Does Not Hold Selected
Course in **LOC** Mode221015xx

Autopilot Does Not Hold
Selected Pitch Attitude221005xx

Autopilot Does Not Hold
Selected Roll Attitude221007xx

Autopilot Does Not Increase Rate of
Descent in **EXPD** Mode.....221019xx

Autopilot Pitch Oscillations221004xx

Autopilot Roll Commands
Jerky or Uneven221000xx

Autopilot Roll Oscillations.....221006xx

Autothrust Does Not Arm
With **A/THR** Switch Selected
On and Thrust Levers
Not in A/THR Range.....22300100

Autothrust Does Not Engage With
A/THR Switch On / Thrust
Levers in A/THR Range.....22300200

Autothrust Does Not Disconnect
With Throttles Retarded22304300

Autothrust Does Not Disconnect
With Throttle Instinctive
Disconnect Switch.....223042xx

Autothrust Does Not Disconnect
With **A/THR** Switch 22304100

Autothrust Overcontrols
or Hunts 22300300

— C —

CAPABILITY DOWNGRADE
Message22401100

— E —

ENG GA SOFT FAULT
Message (400 - 469) 22106600

EFIS Control Panel Light Plate
or Switch Background
Light Inoperative 342271xx

EXPD Mode Switch Engage
Light Inoperative 22108800

— F —

FAC 1 or 2 FAULT Message /
FAULT Light Illuminated... 221091xx

FAC 1 + 2 FAULT Message /
FAULT Lights Illuminated /
Amber ECAM **ALTN**
LAW Indication..... 22109103

FAC FAULT Light Does
Not Press to Test or
Lamps Inoperative..... 221083xx

XX	01	02	03
AUTOPILOT	No.1	No.2	Both
FLIGHT CREW	Captain	F/O	Both

Autopilot

[Home](#)

FAC **FAULT** / **OFF** Light /
Lens Damaged or Missing ...221085xx

FAC **OFF** Light Does
Not Press to Test or
Lamps Inoperative.....221084xx

FCU **xx FAULT** Message In
Flight (*QRH Reset OK*)221055xx

FCU **xx FAULT** Message In Flight
(*QRH Reset No Help*)221056xx

FCU **xx FAULT** Message On
Ground (*QRH Reset OK*)221057xx

FCU **xx FAULT** Message On Ground
(*QRH Reset No Help*)221058xx

FD Switch Does Not
Activate Command
Indication (*EFIS CP*)342504xx

Flight Control Unit (*FCU*) Panel
Light Plate or Display /
Switch Background
Light Inoperative.....22107100

Flight Director Command
Indication Does Not Provide
Correct Guidance342503xx

Flight Director Command
Indication Does Not
Remain Displayed.....342508xx

Flight Director Indication
Inoperative or Unusable342501xx

Flight Path Vector Indication
Inoperative or Unusable342511xx

Flight Mode Annunciator (*FMA*)
AP / FD Vertical Mode
Indication Inoperative.....226011xx

Flight Mode Annunciator (*FMA*)
AP / FD Lateral Mode
Indication Inoperative..... 226012xx

Flight Mode Annunciator
(*FMA*) A/THR Mode
Indication Inoperative..... 226013xx

Flight Mode Annunciator (*FMA*)
Approach / Landing Capabilities
Indication Inoperative..... 226014xx

Flight Mode Annunciator
(*FMA*) **AP** **xx** Status
Indication Inoperative..... 226001xx

Flight Mode Annunciator
(*FMA*) **A/THR** Status
Indication Inoperative..... 226002xx

Flight Mode Annunciator
(*FMA*) **FD** **xx** Status
Indication Inoperative..... 226003xx

— G —

GO AROUND Mode Does
Not Engage (*TO/GA*) 221061xx

XX	01	02	03
AUTOPILOT	No.1	No.2	Both
FLIGHT CREW	Captain	F/O	Both

Autopilot

[Home](#)

— H —

HDG - TRK Changeover
Selector Inoperative22102600

HDG - TRK Display Degraded
or Inoperative22103300

HDG - TRK Selector
Inoperative.....22102300

HDG - TRK Selector Pull to
Set Function Inoperative22102400

— L —

LAT Managed Mode Light
Extinguished / Uncommanded
Reversion to Non-
Managed Mode.....22107600

LOC Mode Switch Engage
Light Inoperative.....22108900

LVL / CH Managed Mode
Light Extinguished /
Uncommanded Reversion
to Non-Managed Mode22107700

— M —

METRIC ALT Display
Selector Inoperative22102500

— P —

PFD **FD** Flag in View / Flight
Director Indication Blank 342502xx

PFD **FPV** Flag in View / Flight
Director Indication Blank 342512xx

PFD **SEL ALT** Flag in View /
Selected Altitude
Indication Blank 221034xx

PFD **SEL SPD** Flag in View /
Selected Airspeed
Indication Blank 223032xx

Pitch Trim Does Not Trim
With Autopilot 22200100

— R —

Rudder Pedals Do Not Lock
With Autopilot Engaged221011xx

— S —

Side Sticks Do Not Lock
With Autopilot Engaged 221012xx

SPD / MACH Changeover
Selector Inoperative..... 22302200

SPD / MACH Display Degraded
or Inoperative 22303400

SPD / MACH Selector
Inoperative..... 22302100

XX	01	02	03
AUTOPILOT	No.1	No.2	Both
FLIGHT CREW	Captain	F/O	Both

Autopilot

[Home](#)

SPD / MACH Selector Pull
to Set Inoperative22302300

SPD Managed Mode Light
Extinguished / Uncommanded
Reversion to Non-
Managed Mode.....22107800

YAW DAMPER xx Message
(QRH Reset OK) 225002xx

YAW DAMPER xx Message
(QRH Reset No Help) 225003xx

YAW DAMPER
SYS Message..... 22500400

— T —

TAKEOFF Mode Does
Not Engage (TO/GA).....221062xx

TCAS MODE FAULT
Message.....34454100

— V —

V/S - FPA Changeover
Selector Inoperative22102700

V/S - FPA Display Degraded
or Inoperative22103200

V/S - FPA Selector
Inoperative.....22102800

V/S - FPA Selector LEVEL OFF
Push Function Inoperative....22103000

V/S - FPA Selector Pull to
Set Function Inoperative22102900

— Y —

Yaw Damper Inoperative
or Ineffective225001xx

XX	01	02	03
AUTOPILOT	No.1	No.2	Both
FLIGHT CREW	Captain	F/O	Both

Communications

ATSU-EQUIPPED AIRCRAFT:

001 - 032, 101 - 199, 400 - 601,
663 - 680, 700 - 778, 821 - 998

FIXED ELT-EQUIPPED AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 601, 673 - 680, 771 - 778,
783 - 799, 834 - 998

— A —

ACARS FAULT Message
(Non-ATSU Equipped).....23220100

ACARS MENU Page Unusable
or Inoperative (MCDU)
(Non-ATSU Equipped).....232208xx

ACARS STBY Message
(Non-ATSU Equipped).....23220200

AOC MENU Pages Unusable
or Inoperative (MCDU)
(ATSU Equipped).....232209xx

ATC FAULT Message
(400 - 469).....23221300

ATC MENU Page Unusable
or Inoperative (MCDU)
(400 - 469).....232210xx

ATC MSG Light Does Not Reset
Aural / Visual Alert (DCDU)
Reset OK(400 - 469)232212xx

ATC MSG Light / Lens Damaged
or Missing (400 - 469)..... 232282xx

ATC MSG Light Test Fail
or Lamps Inoperative
(400 - 469)..... 232281xx

ATSU DATALINK MENU
Page Inoperative or
Unusable (MCDU)
(QRH Reset OK)..... 232205xx

ATSU DATALINK MENU
Page Inoperative or
Unusable (MCDU)
(QRH Reset No Help) 232206xx

ATSU FAULT Message
(ATSU Equipped)..... 23220300

ATSU INIT FAULT Message
(ATSU Equipped)..... 23220400

ATSU INVALID DATA
Message (MCDU)
(QRH Reset OK) 232205xx

ATSU INVALID DATA
Message (MCDU)
(QRH Reset No Help) 232206xx

ATSU / ACARS Does Not Uplink /
Downlink Messages 23220700

AUDIO 3 XFRD Message Disagrees
With AUDIO SWITCHING
Selector Position..... 23502900

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Audio Control Panel **ATT**
Call Light Inoperative234011xx

Audio Control Panel **CAB**
Microphone Selector
or Light Inoperative.....234017xx

Audio Control Panel
Damaged.....235021xx

Audio Control Panel **HF 1**
Microphone Selector
or Light Inoperative.....235018xx

Audio Control Panel **HF 2**
Microphone Selector or
Light Inoperative235019xx

Audio Control Panel **INT**
Microphone Selector
or Light Inoperative.....234016xx

Audio Control Panel **MECH**
Call Light Inoperative234021xx

Audio Control Panel **PA**
Microphone Selector
or Light Inoperative.....233005xx

Audio Control Panel **SAT** Micro-
phone Selector or Light
Inoperative (400 - 469).....23502000

Audio Control Panel **VHF 1**
Microphone Selector or
Light Inoperative235014xx

Audio Control Panel **VHF 2**
Microphone Selector or
Light Inoperative 235015xx

Audio Control Panel **VHF 3**
Microphone Selector or
Light Inoperative 235016xx

Audio Control Panel **HF 1**
Reception Inoperative /
Weak or Intermittent..... 235023xx

Audio Control Panel **HF 2**
Reception Inoperative /
Weak or Intermittent..... 235024xx

Audio Control Panel **PA**
Reception Inoperative..... 233006xx

Audio Control Panel Push to
Talk (PTT) Inoperative 235012xx

Audio Control Panel **SAT**
Reception Inoperative / Weak
or Intermittent (400 - 469)... 235030xx

Audio Control Panel **VHF 1**
Reception Inoperative /
Weak or Intermittent..... 235025xx

Audio Control Panel **VHF 2**
Reception Inoperative /
Weak or Intermittent..... 235026xx

Audio Control Panel **VHF 3**
Reception Inoperative /
Weak or Intermittent..... 235027xx

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Communications

[Home](#)

Audio Control Panel HF 1
 SELCAL **CALL** Alert or
RESET Inoperative.....232115xx

Audio Control Panel HF 2
 SELCAL **CALL** Alert or
RESET Inoperative.....232116xx

Audio Control Panel VHF 1
 SELCAL **CALL** Alert or
RESET Inoperative.....232112xx

Audio Control Panel VHF 2
 SELCAL **CALL** Alert or
RESET Inoperative.....232113xx

Audio Control Panel VHF 3
 SELCAL **CALL** Alert or
RESET Inoperative.....232114xx

Audio Control Panel Light Plate
 or Switch Background
 Light Inoperative235071xx

AUDIO SWITCHING Panel
 Light Plate Inoperative33106100

AUDIO SWITCHING Selector
 Damaged / Loose /
 Missing or Inoperative23502800

— B —

Boom Headset Degraded /
 Weak or Intermittent.....235041xx

Boom Headset Inoperative
 or Missing.....235042xx

Boom Headset or
 Jack Damaged..... 235043xx

BROADBAND SYSTEM Switch
 Does Not Disable Wireless
 Internet System (*ACP IFC*
SYS PWR Blue Light
Does Not Illuminate) 44300700

BROADBAND SYSTEM
 Switch Guard Damaged
 or Missing..... 44300600

— C —

Cabin ALL / FWD / MID /
 EXIT / AFT CALLS
 Function Inoperative..... 23403100

Cabin EMER **CALL**
 Function Inoperative..... 23403200

Cabin EMER **CALL** Switch Guard
 Damaged or Missing 23403600

Cabin EMER **CALL** Light
 Does Not Test or
 Lamps Inoperative 23403300

Cabin EMER **CALL** / **ON** Light /
 Lens Damaged or Missing... 23403500

Cabin EMER **CALL** **ON**
 Light Does Not Test or
 Lamps Inoperative..... 23403400

Cabin Interphone System
 (*General Problem*)..... 23400000

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Communications

[Home](#)

Cabin Interphone System Inoperative
(*QRH Reset OK*)23400100

Cabin Interphone System Inoperative
(*QRH Reset No Help*)23400200

Cabin Interphone System Weak /
Degraded or Intermittent23400300

CABIN READY Message Disagrees
With Cabin Status.....23401500

Call Buzzer Inoperative
(*Flight Deck*)23401200

Call Buzzer Sounds Continuously
(*Flight Deck*)23401300

CALLS Panel Light
Plate Inoperative.....33105700

CIDS **xx** **FAULT** Message
(*QRH Reset OK*)237301xx

CIDS **xx** **FAULT** Message
(*QRH Reset No Help*)237302xx

COMPANY **FAULT**
Message.....23221400

CVR FAULT Message.....23701100

CVR **HEADSET** Panel Light
Plate Inoperative.....33100800

— D —

DATALINK Aural
Alert Inoperative23221100

Datalink CDU (*DCDU*) Display
BRT / **DIM** Function
Inoperative (*400 - 469*)..... 232234xx

Datalink CDU (*DCDU*)
Damaged (*400 - 469*)..... 232231xx

Datalink CDU (*DCDU*)
Display Degraded or
Inoperative (*400 - 469*)..... 232232xx

Datalink CDU (*DCDU*)
Keypad Degraded or
Inoperative (*400 - 469*)..... 232233xx

Datalink CDU (*DCDU*) Switch
Background Light
Inoperative (*400 - 469*)..... 232271xx

— E —

ELT **ON** **TEST** Light / Lens
Damaged or Missing
(*Fixed ELT*) 25600400

ELT Panel Light Plate
Inoperative..... 33100900

ELT **ON** **TEST** Light Illuminated
With **ELT** Switch in **ARMED**
Position (*Fixed ELT*) 25600100

ELT **TEST** Fail (*Fixed ELT*) 25600200

EVAC **COMMAND** Switch Does
Not Activate Alert..... 23408200

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

EVAC **COMMAND** Switch
Does Not Cancel Alert.....23408300

EVAC **COMMAND** Switch Guard
Damaged or Missing23408700

EVAC **HORN SHUT OFF** Switch
Does Not Cancel Aural
Alert (*QRH Reset OK*).....23408400

EVAC **HORN SHUT OFF** Switch
Does Not Cancel Aural Alert
(*QRH Reset No Help*)23408500

EVAC Light Does Not Test
or Lamps Inoperative23408600

EVAC Light / Aural Indication
Inoperative (*Flight Deck*)23408100

EVAC **ON** Light Does Not Test
or Lamps Inoperative23408800

EVAC Panel Light
Plate Inoperative.....33105700

— F —

Flight Interphone System
Inoperative or Unusable23500100

Flight Interphone System Weak /
Degraded or Intermittent23500300

— G —

Ground Crew MECH Call
Horn Inoperative23402500

Ground Crew MECH Call Horn
Sounds Continuously..... 23402600

Ground Crew Flight Interphone
Function Degraded /
Weak or Intermittent..... 23402400

Ground Crew Flight Interphone
Function Inoperative..... 23402300

Ground Crew Service Interphone
Function Degraded /
Weak or Intermittent..... 23402700

Ground Crew Service Interphone
Function Inoperative..... 23402200

— H —

Hand Microphone Degraded /
Weak or Intermittent..... 235044xx

Hand Microphone Inoperative
or Missing..... 235045xx

Hand Microphone or
Jack Damaged..... 235046xx

Handset Degraded / Weak
or Intermittent..... 23400800

Handset Inoperative
or Missing..... 23400600

Handset or Jack Damaged 23400700

Headphone Degraded /
Weak or Intermittent..... 235047xx

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Communications

[Home](#)

Headphone Inoperative
or Missing.....235048xx

Headphone or Jack Damaged ...235049xx

HF Communication
Inoperative or Unusable231101xx

HF Communication Does Not
Transmit (*Reception OK*)231102xx

HF Communication
Reception Degraded /
Weak or Intermittent.....231103xx

HF xx DATA FAULT
Message.....231141xx

HF xx EMITTING Message...231131xx

HF SELCAL Inoperative232102xx

— L —

LOUD SPEAKER Degraded /
Weak or Intermittent.....235033xx

LOUD SPEAKER
Inoperative.....235031xx

LOUD SPEAKER Panel
Light Plate Inoperative331023xx

LOUD SPEAKER Volume
Selector Damaged / Loose /
Missing or Inoperative235032xx

— O —

Oxygen Mask Microphone
Degraded / Weak
or Intermittent..... 235050xx

Oxygen Mask Microphone
Inoperative..... 235051xx

Oxygen Mask Microphone
or Jack Damaged 235052xx

— P —

Passenger Address
(*General Problem*)..... 23300000

Passenger Address Inoperative
(*QRH Reset OK*)..... 23300100

Passenger Address Inoperative
(*QRH Reset No Help*) 23300200

Passenger Address System Weak /
Degraded or Intermittent 23300300

Printer Damaged 23225100

Printer Does Not Print /
Poor Print Quality..... 23225700

Printer Paper Door Damaged or
Does Not Secure Closed..... 23225400

PRINTER NOT AVAILABLE
Message (*MCDU*) /
Printer Inoperative 23225200

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Communications

[Home](#)

Printer Paper Low /
Servicing Required.....23225300

Printer SLEW Function
Inoperative.....23225600

— R —

Radio Management
Panel Damaged.....231221xx

Radio Management Panel
Frozen or Inoperative
(*QRH Reset OK*)231229xx

Radio Management Panel
Frozen or Inoperative
(*QRH Reset No Help*)231230xx

Radio Management Panel
Frequency Display Inoperative
or Degraded (*ACTIVE*)231222xx

Radio Management Panel
Frequency Display Inoperative
or Degraded (*CRS / STBY*) ...231223xx

Radio Management Panel
HF AM (*USB*) Switch
Light Inoperative231114xx

Radio Management Panel Does
Not Turn On or OFF231224xx

Radio Management Panel Frequency
Selector Damaged / Loose /
Missing or Inoperative
(*Inner Selector*)231227xx

Radio Management Panel Frequency
Selector Damaged / Loose /
Missing or Inoperative
(*Outer Selector*) 231228xx

Radio Management Panel
Frequency Function
Transfer Inoperative 231225xx

Radio Management Panel
HF 1 Tuning Selector
or Light Inoperative.....231115xx

Radio Management Panel
HF 2 Tuning Selector
or Light Inoperative.....231116xx

Radio Management Panel
Light Plate or Display /
Switch Background
Light Inoperative 231271xx

Radio Management Panel
SEL (*Offside Tuning*)
Light Inoperative 231226xx

Radio Management Panel
VHF 1 Tuning Selector
or Light Inoperative..... 231214xx

Radio Management Panel
VHF 2 Tuning Selector
or Light Inoperative..... 231215xx

Radio Management Panel
VHF 3 Tuning Selector
or Light Inoperative..... 231216xx

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Communications

[Home](#)

RCDR Panel Light
Plate Inoperative.....33105700

— S —

SATCOM / SELCAL Aural
Alert Inoperative23211100

SATCOM DATA FAULT
Message (400 - 469)23151100

SATCOM Does Not Transmit
(Reception OK)
(400 - 469)23150500

SATCOM Inoperative or
Unusable (QRH Reset
OK) (400 - 469)23150100

SATCOM Inoperative or
Unusable (QRH Reset
No Help) (400 - 469)23150200

SATCOM FAULT Message
(QRH Reset OK)
(400 - 469)23150300

SATCOM FAULT Message
(QRH Reset No Help
(400 - 469)23150400

SATCOM MENU Pages
Unusable or Inoperative
(MCDU) (400 - 469)231508xx

SATCOM Reception Weak /
Degraded or Intermittent
(400 - 469)23150600

Sidestick RAD / INT Push
to Talk (PTT) Inoperative235011xx

SINGLE PTT STUCK
Message 23501000

Static Discharger Missing
or Damaged 23600100

Static Noise in Communications
When Operating in Clouds ...23601100

SVCE INT OVRD Panel
Light Plate Inoperative 33100800

— T —

TOILET OCCPD Light / Lens
Damaged or Missing 33208200

TOILET OCCPD Light
Disagrees With Forward
Lavatory Status..... 33207500

TOILET OCCPD Light Does Not
Test or Lamps Inoperative... 33208100

TOILET Panel Light
Plate Inoperative..... 33103500

— U —

Underwater Locator Beacon (LF-ULB)
Reported Damaged or
Missing (400 - 469) 23705100

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

— V —

VHF xx EMITTING
 Message231231xx

VHF 3 DATA FAULT
 Message23124100

VHF 3: VOICE Message Disagrees
 With VHF Data Selection.....23120400

VHF Communication
 Inoperative.....231201xx

VHF Communication Does Not
 Transmit (*Reception OK*)231202xx

VHF Communication Reception
 Degraded / Weak
 or Intermittent.....231203xx

VHF SELCAL Inoperative232101xx

Voice RCDR GND CTL ON
 Light Does Not Illuminate
 When Switch Pushed.....23700300

Voice RCDR GND CTL ON
 Light / Lens Damaged.....23708200

Voice RCDR GND CTL ON
 Light Does Not Test or
 Lamps Inoperative.....23708100

Voice RCDR CVR Has No
 ERASE Indication23700200

Voice RCDR CVR Has
 No TEST Indication23700100

XX =	01	02	03	04
FLIGHT CREW	Captain	F/O	All	Observer
VHF / HF SYSTEM	No.1	No.2	No.3	Both or All

Conditional Inspections / Maintenance Required

— A —

Airframe Bird Strike.....905508xx

Airframe Vibration or Noise
Condition During Takeoff....905581xx

Airframe Vibration or Noise
Condition During Climb905582xx

Airframe Vibration or Noise
Condition During Cruise.....905583xx

Airframe Vibration or Noise
Condition During Descent ...905584xx

Airframe Vibration or Noise
Condition During Landing...905585xx

Airframe Vibration With Flaps /
Slats Extended (*OK With
Flaps / Slats Retracted*).....90558600

Airframe Vibration With Flight
Control Oscillation Indication
(*See ARM Code for Associated
Flight Control Surface*).....90558700

Airframe Vibration With Autopilot
Engaged (*OK With
Autopilot Selected Off*).....905588xx

— E —

Engine Bird Strike /
Parameters Normal.....90550100

Engine Bird Strike /
Parameters Abnormal905501xx

Engine Vibration Condition
(*Audible or Tactile*)720061xx

— F —

Flap or Slat Extension
Overspeed Condition.....90550400

— H —

Hail Condition90551200

Hard or Overweight
Landing Condition90551000

High Energy Stop Condition90551100

— L —

Landing Gear Extension
Overspeed Condition.....90550600

Lightning Strike Condition.....90550900

XX =	01	02	03	04	05
CABIN	Flight Deck	Fwd Cabin	Mid Cabin	Aft Cabin	All
AUTOPILOT, ENGINE or SIDE	No.1 or L/H	No.2 or R/H	Both		

— R —

Request Avionics AMT
Assistance99998888

Request Cabin Service
Assistance99990000

Request General AMT
Assistance99999999

— S —

Smoke / Fumes / Odor in
Cabin - Dissipates With
APU Bleed Turned OFF.....21800300

Smoke / Fumes / Odor in
Cabin - Dissipates With
Engine Bleed Turned Off.....218001xx

Smoke / Fumes / Odor in
Cabin - Dissipates After
Engine Power Reduction.....218002xx

Smoke / Fumes / Odor in
Cabin - Dissipate With
CABIN FANS Turned Off ...21800600

Smoke / Fumes / Odor in
Cabin - Dissipates With
CABIN FANS and
PACKS Turned Off21800700

Smoke / Fumes / Odor in
Cabin - Dissipates With
IFE System Turned Off.....21800400

Smoke / Fumes / Odor in
Cabin - Dissipates With
PACKS Turned Off21800500

Smoke / Fumes / Odor in Cabin -
Dissipates Without Flight
or Cabin Crew Action.....21800900

Snow or Ice Operational
Condition.....90550700

Speed Brake Extension
Overspeed Condition.....90550500

— T —

Tail Strike Indicated
or Reported.....32700100

Tow Bar Reported Broken
During Pushback32201100

Turbulence or Overspeed
Condition.....90550200

— V —

Volcanic Ash Condition90550300

XX =	01	02	03	04	05
CABIN	Flight Deck	Fwd Cabin	Mid Cabin	Aft Cabin	All
AUTOPILOT, ENGINE or SIDE	No.1 or L/H	No.2 or R/H	Both		

Windshield (Forward)

Requires Cleaning..... 120202xx

Windows (Side) Require

Cleaning 120203xx

XX =	01	02	03	04	05
CABIN	Flight Deck	Fwd Cabin	Mid Cabin	Aft Cabin	All
AUTOPILOT, ENGINE or SIDE	No.1 or L/H	No.2 or R/H	Both		

Doors

— A —

xx AFT AVIONICS Door Message /
Indication (**DOOR** Page)
Disagree With Door Status... 527042xx

xx AFT CABIN Door Message /
Indication (**DOOR** Page)
Disagree With Door Status... 527002xx

Aft Cabin Door **SLIDE** Indication
(**DOOR** Page) Disagrees
With Slide Arm Status..... 256122xx

xx AFT EMER EXIT Door
Message / Indication (**DOOR**
Page) Disagree With Door
Status (102 - 199, 507 - 680,
783 - 799, 850 - 998)..... 527023xx

— B —

Bulk Cargo Door Assist Lanyard
Damaged or Missing 52304100

Bulk Cargo Door Exterior
Damaged 52300300

Bulk Cargo Door Handle
Does Not Close
Flush With Door 52301100

Bulk Cargo Door Reported
Difficult to Latch or Lock 52300200

Bulk Cargo Door Reported
Difficult to Open or Close 52300100

— C —

Cabin Entry Door Exterior Handle
Flap Damaged or Missing 521031xx

Cabin Entry Door Exterior
Hinge Cover Damaged
or Missing 521032xx

Cabin Entry Door Scuff Plate
Damaged or Loose 521036xx

Cabin Entry Door Scuff
Plate Missing 521037xx

Cargo Door Control Panel Door
Damaged or Missing 523021xx

Cargo Door Control Panel
Door Latch Damaged /
Loose or Missing 523022xx

xx CARGO Door Message /
Indication (**DOOR** Page)
Disagree With Door Status... 527031xx

Cargo Door Scuff Plate
Damaged or Loose 523016xx

XX =	01	02	03	04
CABIN or FLIGHT DECK DOOR	No.1 or L/H	No.2 or R/H	Both	
CARGO DOOR	Forward	Aft	Bulk	All

Cargo Door Scuff
Plate Missing.....523017xx

CKPT DOOR CONT Panel
Light Plate Inoperative
(Overhead)33105500

COCKPIT DOOR **FAULT**
Light Does Not Test or
Lamps Inoperative52508100

COCKPIT DOOR **FAULT** and
Pressure Sensor **CHAN** **xx**
Lights Illuminated.....525020xx

COCKPIT DOOR **FAULT** /
STRIKE TOP / **MID** or
BOT Lights Illuminated525013xx

COCKPIT DOOR **FAULT** /
OPEN Light / Lens
Damaged or Missing52508300

COCKPIT DOOR **OPEN**
Light Disagrees With
Door Status.....52502200

COCKPIT DOOR **OPEN**
Light Does Not Test or
Lamps Inoperative52508200

COCKPIT DOOR Panel
Light Plate Inoperative
(Aisle Stand)33105000

COCKPIT DOOR Switch Guard
Damaged or Missing52503500

— E —

xx EMER EXIT Door Message /
Indication (**DOOR** Page)
Disagree With Door Status
(001 - 032, 400 - 469,
700 - 778, 800 - 840)527021xx

Emergency Exit **SLIDE** Indication
(**DOOR** Page) Disagree
With Slide Arm Status256123xx

External Power Access Door
Damaged or Missing52400100

External Power Access Door
Latch Damaged /
Loose or Missing.....52400200

— F —

Flight Deck Door
(General Problem)52501100

Flight Deck Door Access
Keypad Damaged or
Inoperative.....52501400

Flight Deck Door Buzzer
Inoperative.....52501800

Flight Deck Door Buzzer
Sounds Continuously52501200

Flight Deck Door Dead Bolt
Inoperative or Unusable52501500

XX =	01	02	03	04
CABIN or FLIGHT DECK DOOR	No.1 or L/H	No.2 or R/H	Both	
CARGO DOOR	Forward	Aft	Bulk	All

Flight Deck Door Decompression
Hatch Offset or Loose52501900

Flight Deck Door Difficult
to Open or Close52501700

Flight Deck Door Does Not Latch
or Difficult to Operate.....52501600

Flight Deck Door Remains
Locked With NORM
Selected and Correct
Keypad Code Entered52503100

Flight Deck Door Remains
Locked With UNLOCK
Selected52503200

Flight Deck Door Unlocked
With NORM Selected and
Incorrect Code Entered52503300

Flight Deck Door Unlocked
With LOCK Selected52503400

Forward Cabin Door **SLIDE**
Indication (**DOOR** Page)
Disagree With Slide
Arm Status256121xx

xx FWD AVIONICS Door Message /
Indication (**DOOR** Page)
Disagree With Door Status...527041xx

xx FWD CABIN Door Message /
Indication (**DOOR** Page)
Disagree With Door Status...527001xx

xx FWD EMER EXIT Door
Message / Indication (**DOOR**
Page) Disagree With Door
Status (102 - 199, 507 - 680,
783 - 799, 850 - 998).....527022xx

— H —

High Pressure Pneumatic Access
Door Damaged or Missing ...52401100

High Pressure Pneumatic Access
Door Latch Damaged /
Loose or Missing.....52401200

Hydraulic Service Access Door
Damaged or Missing52405100

Hydraulic Service Access
Door Latch Damaged /
Loose or Missing.....52405200

— O —

xx OVERWING EXIT FAULT -
FLIGHT LOCK ENGAGED
Message (400 - 469).....527025xx

xx OVERWING EXIT FAULT -
FLIGHT LOCK CTL FAULT
Message (400 - 469).....527026xx

xx OVERWING EXIT FAULT -
FLIGHT LOCK NOT AVAIL
Message (400 - 469).....527027xx

XX =	01	02	03	04
CABIN or FLIGHT DECK DOOR	No.1 or L/H	No.2 or R/H	Both	
CARGO DOOR	Forward	Aft	Bulk	All

xx OVERWING EXIT
 Message (400 - 469).....527024xx

— P —

Potable Water Service Door
 Damaged or Missing52404100

Potable Water Service Door
 Latch Damaged /
 Loose or Missing.....52404200

Preconditioned Air Access
 Door Damaged or Missing...52403100

Preconditioned Air Access
 Door Latch Damaged /
 Loose or Missing.....52403200

— T —

Toilet Service Door
 Damaged or Missing52402100

Toilet Service Door Latch Damaged /
 Loose or Missing.....52402200

— V —

Viewer (Flight Deck Door)
 Damaged or Unusable.....56400100

Viewer Cover (Flight Deck Door)
 Damaged or Missing56400200

XX =	01	02	03	04
CABIN or FLIGHT DECK DOOR	No.1 or L/H	No.2 or R/H	Both	
CARGO DOOR	Forward	Aft	Bulk	All

Electrical Power

— A —

AC BUS xx FAULT Message /
Amber Indication
(*ELEC Page*)242021xx

AC ESS BUS ALTN Message
Disagrees With AC ESS
FEED Switch Position24202200

AC ESS BUS FAULT Message /
FAULT Light Illuminated /
Amber Indication (*ELEC*
Page) (*OK With AC ESS*
FEED Switch ALTN)24202300

AC ESS BUS FAULT Message /
FAULT Light Illuminated /
Amber Indication (*ELEC*
Page) (*No Help With AC ESS*
FEED Switch ALTN)24202400

AC ESS BUS SHED
Message / Amber **SHED**
Indication (*ELEC Page*)24505300

AC ESS FEED ALTN
Light Does Not Test
or Lamps Inoperative24209000

AC ESS FEED FAULT /
ALTN Light / Lens
Damaged or Missing24209100

AC ESS FEED FAULT
Light Does Not Test
or Lamps Inoperative24208900

Aircraft Battery Voltage
Low / Amber Indication
(*ELEC Page*)24302100

Aircraft Does Not Accept
External Power24400100

APU AC Generation
(*General Problem*)24203100

APU GEN FAULT Light
Does Not Test or
Lamps Inoperative.....24208100

APU GEN FAULT / OFF Light /
Lens Damaged or Missing ...24208300

APU GEN FAULT Message / **FAULT**
Light Illuminated / Amber
Indication (*ELEC Page*)24203200

APU GEN Indication Inoperative
(*ELEC Page*)24203400

APU GEN OFF Light Does Not
Test or Lamps Inoperative.....24208200

APU GEN OVERLOAD
Message / **GALY & CAB**
FAULT Light Illuminated....24501200

XX =	01	02	03
ENGINE or BUS	No.1 or L/H	No.2 or R/H	Both

— B —

BAT **FAULT** Light Does Not Test or Lamps Inoperative ...243081xx

BAT xx FAULT Message / **FAULT** Light Illuminated / Amber Indication (*ELEC Page*)243002xx

BAT **FAULT** / **OFF** Light / Lens Damaged or Missing ...243083xx

BAT xx Indication Inoperative (*ELEC Page*)243004xx

BAT xx Indication Degraded or Inoperative (*Overhead*)....243006xx

BAT xx Indicator Background Light Inoperative (*Overhead*)243071xx

BAT **OFF** Light Does Not Test or Lamps Inoperative243082xx

BAT xx OFF Message Disagrees With Battery Switch Position243001xx

BATTERY Voltage Indication Displays **888**.....243013xx

BATTERY Voltage Indication Inoperative (*ELEC Page*)243012xx

BCL xx FAULT Message243011xx

BUS TIE **OFF** Light / Lens Damaged or Missing24208700

BUS TIE **OFF** Light Does Not Test or Lamps Inoperative ...24208800

— C —

CAB Electrical Distribution Inoperative.....24500200

C/B TRIPPED ON ELEC BAY xx Message245092xx

C/B TRIPPED ON OVHD PANEL Message.....24509100

C/B TRIPPED ON REAR PANEL J - M Message.....24509300

C/B TRIPPED ON REAR PANEL N - R Message.....24509400

C/B TRIPPED ON REAR PANEL S - V Message24509500

C/B TRIPPED ON REAR PANEL W - Z Message24509600

COMMERCIAL Electrical Distribution Inoperative24500300

COMMERCIAL **OFF** Light Does Not Test or Lamps Inoperative24508100

COMMERCIAL **OFF** Light / Lens Damaged or Missing ...24508200

— D —

DC BAT BUS FAULT Message / Amber Indication (*ELEC Page*)24600100

XX =	01	02	03
ENGINE or BUS	No.1 or L/H	No.2 or R/H	Both

Electrical Power

[Home](#)

DC BUS xx FAULT
 Message / Amber
 Indication (*ELEC Page*)246002xx

DC EMER CONFIG
 Message / Amber
 Indication (*ELEC Page*)24600300

DC ESS BUS FAULT
 Message / Amber
 Indication (*ELEC Page*)24600400

DC ESS BUS SHED Message /
 Amber **SHED** Indication
 (*ELEC Page*)24601100

— E —

ELEC Panel Light
 Plate Inoperative33105600

EMER CONFIG Message /
RAT & EMER GEN FAULT
 Light Illuminated24350300

EMER ELEC PWR Panel
 Light Plate Inoperative.....33105700

EMER GEN 1 LINE OFF
 Message Disagrees
 With Switch Position24350400

EMER GEN Indication
 Inoperative (*ELEC Page*)24350600

EMER GEN TEST Fail.....24350500

EMER GEN TEST Switch Guard
 Damaged or Missing24351000

Emergency AC Generation
 (*General Problem*)24350200

Engine AC Generation
 (*General Problem*)242001xx

Engine GEN xx FAULT Message /
FAULT Light Illuminated /
 Amber ECAM Indication.....242003xx

Engine GEN FAULT / OFF Light /
 Lens Damaged or Missing ...242086xx

Engine GEN FAULT Light
 Does Not Test or
 Lamps Inoperative.....242084xx

Engine GEN xx Indication
 Inoperative (*ELEC Page*)242005xx

Engine GEN OFF Light Does Not
 Test or Lamps Inoperative.....242085xx

Engine GEN xx OFF Message /
OFF Light Illuminated /
 Amber **OFF** Indication
 (*ELEC Page*) Disagree
 With Switch Position.....242002xx

Engine GEN xx OVERLOAD
 Message / **GALY & CAB**
FAULT Light Illuminated....245011xx

ESS BUSSES ON BAT
 Message / Amber Indication
 (*ELEC Page*)24350700

ESS TR FAULT Message / Amber
 Indication (*ELEC Page*)24351200

XX =	01	02	03
ENGINE or BUS	No.1 or L/H	No.2 or R/H	Both

ESS TR Indication Inoperative
(*ELEC* Page)24351400

EXT PWR AVAIL / ON Light /
Lens Damaged or Missing ...24408300

EXT PWR AVAIL Light
Disagrees With External
Power Configuration24401200

EXT PWR AVAIL Light Test
Fail or Lamps Inoperative24408100

EXT PWR ON Light
Disagrees With External
Power Configuration24401300

EXT PWR ON Light Test Fail
or Lamps Inoperative24408200

EXT PWR Indication Inoperative
(*ELEC* Page)24401600

External Power Connector /
Pins or Guide Reported
Damaged24402100

External Power Uncommanded
Disconnect.....24400200

— G —

Galley (*GALY*) Electrical
Distribution Inoperative24500100

GALY & CAB FAULT /
OFF Light / Lens
Damaged or Missing24508500

GALY & CAB FAULT Light Test
Fail or Lamps Inoperative24508300

GALY & CAB OFF Light Test
Fail or Lamps Inoperative24508400

GEN 1 LINE OFF Light Test
Fail or Lamps Inoperative24358100

GEN 1 LINE SMOKE /
OFF Light / Lens
Damaged or Missing24358200

— I —

IDG Differential Pressure
Switch Popped.....241021xx

IDG xx DISCONNECTED
Message / Amber DISC
Indication (*ELEC* Page) /
Uncommanded Disconnect ..241001xx

IDG Drain Mast Damaged.....241202xx

IDG Oil Leak Reported241201xx

IDG FAULT Light Does Not
Test or Lamps Inoperative241081xx

IDG FAULT Light / Lens
Damaged or Missing241082xx

IDG xx Indication Inoperative
(*ELEC* Page)241003xx

XX =	01	02	03
ENGINE or BUS	No.1 or L/H	No.2 or R/H	Both

IDG xx OIL LO PR Message /
FAULT Light Illuminated /
 Amber **LO PR** Indication
 (*ELEC Page*)241011xx

IDG xx OIL OVHT Message /
FAULT Light Illuminated / Amber
 Indication (*ELEC Page*)241012xx

IDG RISE Indication Inoperative
 (*ELEC Page*)241013xx

IDG Switch Guard Damaged
 or Missing241006xx

IDG Temperature Indication
 Inoperative (*ELEC Page*)241014xx

— R —

Ram Air Turbine Generator
 Function Inoperative24350100

RAT & EMER GEN FAULT Light /
 Lens Damaged or Missing ...24358200

RAT & EMER GEN FAULT
 Light Does Not Test or
 Lamps Inoperative24358100

RAT FAULT Message29203100

RAT MAN ON Switch Guard
 Damaged or Missing29203600

RAT OUT Message Disagrees
 With Switch Position29203200

— S —

STATIC INV FAULT
 Message / Amber Indication
 (*ELEC Page*)24352100

STAT INV Indication Inoperative
 (*ELEC Page*)24352200

— T —

TR xx FAULT Message / Amber
 Indication (*ELEC Page*)243511xx

TR xx Indication Inoperative
 (*ELEC Page*)243512xx

XX =	01	02	03
ENGINE or BUS	No.1 or L/H	No.2 or R/H	Both

Engines

CFM-POWERED AIRCRAFT:

001 - 032, 102 - 199, 700 - 778

IAE-POWERED AIRCRAFT:

507 - 587, 601 - 680, 783 - 998

LEAP 1A-POWERED AIRCRAFT:

400 - 469

— A —

All Parameters Displayed
After Engine Shutdown.....771099xx

All Parameters High /
Low or Fluctuating.....732007xx

Approach Idle Speed High /
Low or Fluctuating.....732002xx

— B —

Bird Strike With Left Engine
Parameters Abnormal.....90550101

Bird Strike With Right Engine
Parameters Abnormal.....90550102

— C —

Compressor Stall / **ENG xx**
STALL Message at High
Engine Power (*OK After*
Power Reduction).....720001xx

Compressor Stall / **ENG xx**
STALL Message at High
Engine Power (*No Help*
After Power Reduction).....720002xx

Compressor Stall / **ENG xx** **STALL**
Message During Acceleration
or Deceleration (*OK After*
Power Reduction).....720005xx

Compressor Stall / **ENG xx**
STALL Message During
Reverse Thrust (*OK After*
Power Reduction).....783005xx

Compressor Stall / **ENG xx** **STALL**
Message During Acceleration
or Deceleration (*No Help*
After Power Reduction).....720006xx

Compressor Stall / **ENG xx**
STALL Message During
Reverse Thrust (*No Help*
After Power Reduction).....783006xx

— E —

EGT Indication Analog
Display Inoperative772003xx

EGT Indication Digital
Display Inoperative772001xx

EGT Indication
Displays 15°C772005xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

EGT Over MAX Limit
During Start / Amber
Flashing Indication..... 720023xx

EGT Indication Low
or Fluctuating 772004xx

ENG xx AC FADEC SUPPLY
Message (*IAE*)..... 732016xx

ENG xx AIR EXCHANGER
FAULT Message (*IAE*) 793025xx

ENG xx BEARING 4 OIL
SYS Message (*IAE*) 793026xx

ENG xx BLEED STATUS
FAULT Message (*CFM*)..... 752001xx

ENG xx COMPRESSOR
VANE Message..... 752002xx

ENG xx COWL Message Disagrees
With Latch Status (*LEAP*).... 711031xx

ENG xx CTL SYS FAULT
Message (*LEAP*) 732031xx

ENG xx CTL VALVE
FAULT Message..... 752003xx

ENG DUAL FAILURE
Message Disagrees
With Engine Status..... 720005xx

ENG xx EIU FAULT
Message..... 732009xx

ENG xx EGT Discrepancy
Message / Amber
CHECK Indication..... 720022xx

ENG xx EGT EXCEEDED
DURING AIR START
Message (*IAE*) 720024xx

ENG xx EGT OVER
LIMIT Message / Red
Flashing Indication..... 720021xx

ENG xx EPR MODE FAULT
Message / Reversion
to N1 Mode (*IAE*)..... 774009xx

ENG xx EPR DISCREPANCY /
Amber **CHECK**
Indication (*IAE*)..... 720011xx

ENG xx FADEC A or ENG xx
FADEC B FAULT Message
(*QRH Reset OK*)..... 732012xx

ENG xx FADEC A or ENG xx
FADEC B FAULT Message
(*QRH Reset No Help*) 732013xx

ENG xx FADEC ALTERNATOR
Message (*CFM*)..... 732016xx

ENG xx FADEC BLOWER
FAULT Message (*LEAP*) 732032xx

ENG xx FADEC
FAULT Message 732011xx

ENG FADEC GND PWR
Switch **ON** Light / Lens
Damaged or Missing 732082xx

ENG FADEC GND PWR
Switch **ON** Light Test Fail
or Lamps Inoperative 732081xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

ENG FADEC GND PWR Panel
Light Plate Inoperative..... 33100800

ENG xx FADEC HI TEMP
Message (CFM) 732015xx

ENG xx FADEC IDENT FAULT
Message (LEAP) 732033xx

ENG xx FADEC OVHT
Message (IAE)..... 732015xx

ENG xx FADEC PLUG FAULT
Message (CFM / IAE) 732014xx

ENG xx FADEC SYS FAULT
Message (LEAP) 732034xx

ENG xx FAIL Message Disagrees
With Engine Status..... 720004xx

ENG xx FAIL Message /
Uncommanded Shutdown.... 720003xx

ENG FAULT Light Test Fail
or Lamps Inoperative 801181xx

ENG xx FF DISCREPANCY
Message / Amber
CHECK Indication..... 720071xx

ENG FIRE / FAULT Light /
Lens Damaged or Missing ... 801182xx

ENG xx FUEL CTL
FAULT Message..... 732028xx

ENG xx FUEL FILTER
CLOG Message / Amber
CLOG Indication..... 733011xx

ENG xx FUEL FILTER -
PARTLY CLOGGED
Message (LEAP)..... 733031xx

ENG xx FUEL HEAT SYS
Message (IAE) 731012xx

ENG xx FUEL LEAK
Message (LEAP)..... 731002xx

ENG xx FUEL RETURN
VALVE Message (CFM)..... 732017xx

ENG xx FUEL SENSOR
FAULT Message (LEAP) 733032xx

ENG xx FUEL STRAINER
CLOG Message (LEAP) 733033xx

ENG xx FUEL VALVE
FAULT Message / FAULT
Light Illuminated (IAE) 731011xx

ENG GA SOFT FAULT
Message (LEAP)..... 22106600

ENG xx HIGH VIBRATION
Message (LEAP)..... 720063xx

ENG xx HOT AIR DET FAULT
Message (LEAP)..... 752031xx

ENG xx HOT AIR DET LEAK
Message (LEAP)..... 752032xx

ENG xx HOT FUEL
Message (IAE) 731013xx

ENG xx HP FUEL VALVE
FAULT Message / FAULT
Light Illuminated (CFM)..... 731011xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

ENG xx HP FUEL VALVE
FAULT Message / **FAULT**
 Light Illuminated (*LEAP*) 731031xx

ENG xx IGN A FAULT
 or **ENG xx IGN B**
FAULT Message..... 741001xx

ENG Ignition MODE Selector
 Damaged / Loose /
 Missing or Inoperative 741011xx

ENG xx LOW N1 Message
 Disagrees With Engine
 Status (*CFM*)..... 732002xx

ENG MAN START Panel
 Light Plate Inoperative
 (*Overhead*) 33105400

ENG MAN START ON
 Light / Lens Damaged
 or Missing 801184xx

ENG MAN START ON
 Light Does Not Test or
 Lamps Inoperative 801183xx

ENG MAN START Switch Guard
 Damaged or Missing 801108xx

ENG 1 / ENG 2 MASTER Switch
 Cap Missing / Deteriorated .. 762002xx

ENG 1 / ENG 2 MASTER
 Switch Damaged / Loose /
 Missing or inoperative 762001xx

ENG xx MINOR FAULT
 Message (*LEAP*) 732035xx

ENG xx N1 DISCREPANCY
 Message / Amber
CHECK Indication..... 720033xx

ENG xx N1 OVER LIMIT
 Message / Red Flashing
 Indication..... 720031xx

ENG N1 MODE ON Light /
 Lens Damaged or
 Missing (*IAE*) 774082xx

ENG N1 MODE ON Light
 Test Fail or Lamps
 Inoperative (*IAE*)..... 774081xx

ENG N1 MODE Switch
 Guard Damaged or
 Missing (*IAE*) 774014xx

ENG xx N2 DISCREPANCY
 Message / Amber
CHECK Indication..... 720034xx

ENG xx N2 OVER LIMIT
 Message / Red Flashing
 Indication..... 720032xx

ENG xx NO LIGHT UP
 Message (*LEAP*)..... 741031xx

ENG xx OIL CHIP DETECTED
 Message (*LEAP*)..... 793033xx

ENG xx OIL FILTER
CLOG Message / Amber
CLOG Indication..... 793031xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

**ENG xx OIL FILTER -
PARTLY CLOGGED**
Message (*LEAP*) 793034xx

**ENG xx OIL HI
TEMP** Message 793022xx

ENG xx OIL LO PR Message /
Red Indication 793003xx

**ENG xx OIL LO SENSOR
FAULT** Message (*LEAP*) 793005xx

ENG xx OIL LO TEMP
Message (*IAE*) 793029xx

**ENG xx ONE TLA
FAULT** Message 761021xx

**ENG xx OVSPD PROT
FAULT** Message 732004xx

ENG xx OVTHR PROT FAULT
Message (*LEAP*) 732036xx

ENG xx PROBES FAULT
Message (*CFM*) 732018xx

ENG xx REV INHIBITED
Message 783513xx

**ENG xx REV ISOL
FAULT** Message 783514xx

ENG xx REV LOCKED
Message (*LEAP*) 783531xx

ENG xx REV MINOR FAULT
Message (*LEAP*) 783532xx

ENG xx REV PRESSURIZED
Message (*CFM / IAE*) 783515xx

ENG xx REV PRESSURIZED
Message (*LEAP*) 783535xx

**ENG xx REV SWITCH
FAULT** Message 783517xx

**ENG REV SET Message
Disagrees With Reverser
Lever Position 78351600**

**ENG xx REVERSE CTL
FAULT** Message (*LEAP*) 783533xx

**ENG xx REVERSE
UNLOCKED Message /
Amber REV Indication 783511xx**

**ENG xx REVERSER
FAULT** Message 783512xx

**ENG SAT ABOVE FLEX
TEMP** Message Disagrees
With Aircraft Status 72002500

**ENG xx SENSOR
FAULT** Message 732019xx

**ENG xx SHUTDOWN
Message 732006xx**

ENG xx START FAULT Message /
FAULT Light Illuminated
(*MAN START OK*) 801101xx

ENG xx START FAULT Message /
FAULT Light Illuminated /
(*MAN START No Help*) 801102xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

Engines

[Home](#)

ENG MASTER Panel Light Plate
Inoperative (*Aisle Stand*)..... 33104800

ENG xx START VALVE
FAULT Message / FAULT
Light Illuminated 801301xx

ENG xx SYSTEM FAULT
Message (*IAE*)..... 752004xx

ENG xx THR LEVER ABV IDLE
Message Disagrees With
Thrust Lever Position..... 783021xx

ENG xx THR LEVER
DISAGREE Message..... 761022xx

ENG xx THR LEVER
FAULT Message..... 761023xx

ENG xx THR LEVERS
NOT SET Message 76102400

ENG THRUST LOCKED
Message..... 76102500

ENG xx TIP CTL FAULT
Message (*LEAP*) 752033xx

ENG TO THRUST
DISAGREE Message 76102600

ENG TYPE DISAGREE
Message..... 732014xx

ENG VIB SYS FAULT
Message (*CFM*) 77300200

Engine NAC Temperature
High / Flashing Indication ... 754001xx

Engine NAC Temperature
Indication Inoperative 754002xx

EPR Amber REV Indication
Disagrees With Thrust
Reverser Status (*IAE*) 783501xx

EPR Green REV Indication
Disagrees With Thrust
Reverser Status (*IAE*) 783502xx

EPR AVAIL Indication
Disagrees With Engine
Start Status (*IAE*)..... 801311xx

EPR Command or
Transient Indication
Inoperative (*IAE*)..... 771005xx

EPR Indication Analog Display
Inoperative (*IAE*)..... 771002xx

EPR Indication Digital Display
Inoperative (*IAE*)..... 771001xx

EPR Indication High / Low
or Fluctuating (*IAE*) 720011xx

EPR Rating Limit Indication
Inoperative (*IAE*)..... 771004xx

Excessive Oil Consumption 791211xx

Exhaust Tailpipe / Ring Damaged
or Requires Inspection..... 781001xx

— F —

Fan Blade Attrition Liner
Damaged or Worn 720012xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

Fan Blade Spinner Damaged / Loose
or Requires Inspection 720016xx

Fan Blades Damaged or
Require Inspection 720017xx

Fan Cowl Damaged or Requires
Inspection (*Left Side*) 711011xx

Fan Cowl Damaged or Requires
Inspection (*Right Side*) 711012xx

Fan Cowl Latch Damaged
or Unsecured (*CFM / IAE*) ... 711013xx

Fan Cowl Latch Mechanical
Indication Disagrees With
Latch Status (*LEAP*) 711014xx

F. F. Indication Digital
Display Inoperative 733001xx

F. USED Indication Digital
Display Inoperative 733002xx

F. USED Indication Degraded /
Dashes in View 733003xx

Fire / Smoke or Sparks
From Exhaust 720007xx

FUEL FILTER CLOG
Indication Inoperative 733012xx

Fuel Flow High / Low
or Fluctuating 733004xx

Fuel Leak Reported
(*Engine or Pylon*) 731001xx

— G —

Ground Idle Speed High /
Low or Fluctuating 732001xx

— I —

IGN A, IGN B or IGN AB
Indication Inoperative 741004xx

IGNITION Message Disagrees With
MODE Selector Position 74100300

Inlet Cowl Acoustic Liner Damaged
or Requires Inspection 711001xx

Inlet Cowl Exterior Damaged
or Requires Inspection 711002xx

Inlet Cowl Leading Edge Damaged
or Requires Inspection 711003xx

— N —

N1 / N2 Compressors Locked
Together / Rattling Noise When
Rotated Manually (*CFM*) 720099xx

N1 Command or Transient Indication
Inoperative (*CFM*) 771015xx

N1 Indication Amber **REV** Message
Disagrees With Thrust
Reverser Status (*CFM*) 783503xx

N1 Indication Green **REV** Message
Disagrees With Thrust
Reverser Status (*CFM*) 783504xx

N1 Indication Analog
Display Inoperative 771012xx

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

N1 Indication Digital
Display Inoperative.....771011xx

N1 Indication Degraded / Amber
Dash Replaces Last Digit.....771013xx

N1 Indication Green **B**
Message Disagrees With
Thrust Bump Status.....732022xx

N1 Over MAX Limit / Amber
Flashing Indication.....720035xx

N1 Thrust Limit Indication
Inoperative771014xx

N2 Indication Digital
Display Inoperative.....771021xx

N2 Indication Degraded / Amber
Dash Replaces Last Digit.....771023xx

N2 Over MAX Limit / Amber
Flashing Indication.....720036xx

— O —

OIL FILTER **CLOG**
Indication Inoperative793032xx

Oil Leak or Coking
Reported in Tailpipe.....792002xx

Oil Leak Reported from
Engine Cowl or Drain792001xx

OIL **PSI** Indication Analog
Display Inoperative.....793002xx

OIL **PSI** Indication Digital

Display Inoperative793001xx

OIL **PSI** Indication High /
Low or Flashing793004xx

OIL **QT** Indication Analog
Display Inoperative793012xx

OIL **QT** Indication Digital
Display Inoperative793011xx

OIL **QT** Indication High /
Low or Flashing793014xx

Oil Servicing Required791201xx

Oil Tank Cap / Lanyard
Damaged or Missing791001xx

Oil Tank Sight Glass
Damaged or Unreadable.....793016xx

OIL °C Temperature
Indication Inoperative793021xx

OIL °C Temperature
Indication Fluctuating793023xx

OIL °C Temperature Indication
High or Flashing.....793024xx

— P —

Pylon Fairing Panel Damaged
or Requires Inspection
(Left Side)541001xx

Pylon Fairing Panel Damaged

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

or Requires Inspection
(Right Side) 541002xx

— S —

Slow or No Acceleration
in Forward Thrust 732005xx

Slow or No Acceleration
in Reverse Thrust 783004xx

Smoke / Fumes / Odor in Cabin -
Dissipates With Engine
Bleed Turned Off 218001xx

Smoke / Fumes / Odor in Cabin -
Dissipates After Engine
Power Reduction 218002xx

Start **PSI** Indication
Inoperative 801303xx

Start Valve Position
Indication Inoperative 801302xx

— T —

Thrust Bump Function
Inoperative 732021xx

Thrust Bump Switch Guard
Damaged or Missing 732026xx

Thrust Lever Angle Indication
Inoperative (ECAM) 761029xx

Thrust Lever Binding

or Difficult to Move 761004xx

Thrust Lever Damaged
or Loose 761005xx

Thrust Lever Has
No Response 761003xx

Thrust Lever Position Panel
Light Plate Inoperative 33104600

Thrust Limit Inoperative
in Selected Mode 77401100

Thrust Limit EPR Mode
Function Inoperative
(Reversion to NI Mode -
Reset OK) (IAE) 77401200

Thrust Limit EPR Mode
Function Inoperative
(Reversion to NI Mode -
Reset No Help) (IAE) 77401300

Thrust Mode Display
Inoperative 77400100

Thrust Mode Display **FLX**
Temperature Indication
Inoperative 77400400

Thrust Reverser Cowl
Damaged or Requires
Inspection (Left Side) 783011xx

Thrust Reverser Cowl
Damaged or Requires

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

Inspection (*Right Side*).....783012xx
 Thrust Reverser Cowl Fire
 Seal Damaged or
 Leaking (*Left Side*).....783013xx
 Thrust Reverser Cowl Fire
 Seal Damaged or
 Leaking (*Right Side*)783014xx
 Thrust Reverser Cowl Latch
 Damaged or Unsecured.....783015xx
 Thrust Reverser Does Not
 Deploy or Retract.....783001xx
 Thrust Reverser Lever Binding
 or Difficult to Move783003xx
 Thrust Reverser Lever
 Damaged or Loose783007xx
 Thrust Reverser Lever
 Has No Response783008xx
 Thrust Reverser Slow to
 Deploy or Retract.....783002xx
 Total Air Temperature
 Indication Inoperative34110100

Acceleration732010xx
 Uncommanded Thrust
 Rollback732008xx

— V —

VIB N1 or N2 Indication High /
 Flashing Indication.....720062xx
VIB N1 or N2 Indication
 Inoperative.....773001xx
 Vibration (*Audible / Tactile*)720061xx

— U —

Uncommanded Continuous Ignition
 After Engine Start741005xx
 Uncommanded Thrust

XX =	01	02	03
ENGINE	No.1 or L/H	No.2 or R/H	Both

Equipment & Furnishings

ENHANCED AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 587, 778, 783 - 799, 850 - 998

— A —

Ashtray Damaged
or Missing251040xx

Assist Handle Damaged
or Missing251045xx

— B —

Baggage Storage
Area Unusable.....25103800

Boom Headset Holder
Damaged or Missing251061xx

— C —

Ceiling / Sidewall Panel or
Trim Loose / Damaged
or Missing252800xx

Ceiling / Sidewall Panel or
Trim Requires Cleaning120207xx

Certificate of Airworthiness Damaged /
Illegible / Missing or Holder
Damaged / Missing25102600

Certificate of Registration Damaged /
Illegible / Missing or Holder
Damaged / Missing25102500

Crash Axe (Including Bracket /
Cover and Holder)
Damaged or Missing25101300

Cup Holder Damaged
or Missing.....251037xx

— D —

Display Unit Cleaning Supplies
Require Servicing
(Cloth / Spray).....120287xx

— E —

Escape Strap Damaged
or Missing.....251014xx

Escape Strap Door Damaged
or Does Not Close251016xx

Escape Strap Requires
Stowage251015xx

ELT ON TEST Light / Lens
Damaged or Missing
(Enhanced)25600400

ELT ON TEST Light Illuminated
With ELT Switch in ARMED
Position (Enhanced)25600100

XX =	01	02	03	04	05
FLIGHT CREW or SIDE	L/H or Captain	R/H or F/O	Both or All	1st Observer	2nd Observer

Equipment & Furnishings

[Home](#)

ELT Panel Light Plate
Inoperative 33100900

ELT TEST Fail (*Enhanced*) 25600200

— F —

Fire Extinguisher Bracket
Damaged 26231400

Fire Extinguisher Damaged
or Missing 26231100

Fire Extinguisher Discharged
or Low Pressure 26231200

Fire Extinguisher Out of
Date or Unreadable 26231500

Fire Extinguisher Tamper
Seal Broken or Missing 26231300

Flight Deck Requires
Cleaning 12020100

Flight Forms (*Yellow*)
Book / Contents
Damaged or Missing 25102400

Floor Covering or
Carpet Damaged 252601xx

Floor Covering or Carpet
Requires Cleaning 252602xx

Floor Covering or
Carpet Wet 252603xx

Footrest Damaged
or Missing 251020xx

Footrest Difficult to
Extend or Retract 251021xx

Footrest Does Not Remain
in Selected Position 251022xx

— G —

Glareshield Bumper or Crash
Pad Damaged or Missing 251030xx

Glareshield Chart Holder
Damaged or Missing 25103600

Glareshield Damaged 25103500

— H —

Handset Holder Damaged
or Missing 25106200

Headphone Holder
Damaged or Missing 251063xx

— I —

I-Pad Mount (*ASG*)
Damaged or Missing 462501xx

— L —

Life Vest Damaged
or Missing 256201xx

XX =	01	02	03	04	05
FLIGHT CREW or SIDE	L/H or Captain	R/H or F/O	Both or All	1st Observer	2nd Observer

Equipment & Furnishings

[Home](#)

Life Vest Storage Compartment /
Cover Damaged /
Loose or Missing 256202xx

LIFE VEST Placard
Damaged or Missing 113006xx

— M —

Microphone Holder
Damaged or Missing 251064xx

Mirror Damaged or Missing
(If Installed) 25104600

Miscellaneous Checklist / Form
Damaged or Missing 25102300

Miscellaneous Storage
Compartment Unusable 25104700

— O —

Observer Seat (Primary) Difficult
to Deploy or Stow 25105100

Observer Seat Difficult to
Extend or Retract 251052xx

Oxygen Mask / Hose
Damaged or Missing 351022xx

Oxygen Mask Difficult
to Release 351024xx

Oxygen Mask Headgear Does Not
Inflate / Deflate or Leaks 351025xx

OXYGEN MASK Placard
Damaged or Missing 113007xx

Oxygen Pressure Low / Amber
Indication (**DOOR** Page)
Servicing Required 35100200

Oxygen Regulator / Storage
Box or Door Damaged 351021xx

Oxygen Regulator Inoperative
or No Flow 351003xx

Oxygen TEST / RESET Fail 351023xx

— P —

PBE Container or
Cover Damaged 35301500

PBE Damaged or Missing 35301100

PBE Humidity Indicator Discolored
or Vacuum Pack Damaged ... 35301200

PBE Tamper Seal
Broken or Missing 35301300

Portable Oxygen Bottle
Bracket Damaged 35300500

Portable Oxygen Bottle
Damaged or Missing 35300200

Portable Oxygen Bottle
Mask / Hose Disconnected
or Missing 35300300

XX =	01	02	03	04	05
FLIGHT CREW or SIDE	L/H or Captain	R/H or F/O	Both or All	1st Observer	2nd Observer

Equipment & Furnishings

[Home](#)

Portable Oxygen Bottle
Used or Low Pressure 35300100

Power Port Damaged..... 442105xx

Power Port Inoperative
or Unusable 442101xx

— Q —

Quick Reference Card (*QRC*)
Damaged or Missing 251027xx

— S —

Seat Armrest Damaged
or Missing 251007xx

Seat Armrest Inoperative
or Difficult to Adjust 251008xx

Seat Belt Damaged
or Missing 251001xx

Seat Cushion / Cover
Damaged or Missing 251072xx

Seat Back Cushion / Cover
Damaged or Missing 251075xx

Seat Cushion / Cover
Requires Cleaning 120204xx

Seat Back Cushion / Cover
Requires Cleaning 120205xx

Seat Cushion Reported
Uncomfortable 251071xx

Seat Back Cushion
Reported Uncomfortable 251074xx

Seat Electrical Functions
Inoperative (*All*) 251081xx

Seat Headrest Damaged
or Unusable 251076xx

Seat Headrest Requires
Cleaning 120206xx

Seat Horizontal Adjustment
Electrical Function
Inoperative 251082xx

Seat Horizontal Adjustment
Manual Function
Inoperative 251003xx

Seat Lumbar or Tilt
Adjustment Inoperative 251009xx

Seat Recline Adjustment
Inoperative 251006xx

Seat Shoulder Harness Damaged
or Retract Clips Missing 251005xx

Seat Shoulder Harness Difficult
to Extend or Retract 251002xx

Seat Vertical Adjustment Electrical
Function Inoperative 251083xx

Seat Vertical Adjustment Manual
Function Inoperative 251004xx

Sidestick Dust Boot
Damaged or Missing 271055xx

XX =	01	02	03	04	05
FLIGHT CREW or SIDE	L/H or Captain	R/H or F/O	Both or All	1st Observer	2nd Observer

Equipment & Furnishings

[Home](#)

Sidestick or Panel Damaged.....251032xx

Sliding Window Chart Holder
Damaged or Missing251034xx

Smoke Goggles Missing or
Storage Area Unusable.....256003xx

Software or Storage
Compartment Unusable25104900

Spare Lamp Kit
Requires Refill33120100

Sunshade (Roll Up)
Damaged or Missing251042xx

Sunvisor Damaged
or Missing251043xx

Sunvisor Track Damaged /
Loose or Missing251041xx

— U —

Underwater Locator Beacon (LF-ULB)
Reported Damaged, Missing or
Test Failed (400 - 469).....25600800

Underwater Locator Beacon
(LF-ULB) Reported
Transmitting (400 - 469).....25600900

USB Power Port Damaged.....442106xx

USB Power Port Inoperative
or Unusable442102xx

— W —

WASTE / NO CIGARETTE
DISPOSAL Placard
Damaged or Missing113008xx

Waste Compartment
Cover Damaged /
Loose or Missing251011xx

Waste Compartment
Requires Cleaning251012xx

Window / Windshield Panel
or Trim Damaged /
Loose or Missing252801xx

Window / Windshield Panel or
Trim Requires Cleaning120208xx

Work Table Damaged
or Missing251056xx

Work Table Difficult
to Deploy or Stow251057xx

Work Table Does Not Remain
in Selected Tilt Position251058xx

XX =	01	02	03	04	05
FLIGHT CREW or SIDE	L/H or Captain	R/H or F/O	Both or All	1st Observer	2nd Observer

Fire Protection

— A —

APU AUTO EXTING Panel
Light Plate Inoperative.....33100800

APU FIRE DET
FAULT Message.....26102500

APU LOOP A Message.....26102300

APU LOOP B Message.....26102400

APU FIRE Message / APU FIRE
Light Illuminated (*False Warning
or Fire Unconfirmed*).....26102700

APU FIRE Message / APU FIRE
Light Illuminated (*Fire
Reported or Confirmed*).....26102100

APU FIRE Light / Lens
Damaged or Missing.....26108100

APU FIRE Light Switch Guard
Damaged or Missing.....26102800

APU Fire Warning
Horn Inoperative.....26102200

AVNCS SMOKE Message / GEN 1
LINE SMOKE and BLOWER /
EXTACT Fan FAULT Lights
Illuminated.....26124100

— C —

Cargo AGENT Switch Guard
Damaged or Missing
(604, 850 - 867).....262131xx

Cargo AGENT DISCH or DISCH
Switch Guard Damaged or
Missing (001 - 199, 400 - 601,
647 - 840, 868 - 998).....262132xx

Cargo xx BTL 1 SQUIB FAULT
Message / BTL 1 or DISCH 1
Light Illuminated In Flight
(400 - 469, 604, 850 - 867) ..262124xx

Cargo xx BTL 1 SQUIB FAULT
Message / BTL 1 or DISCH 1
Light Illuminated On Ground
(*QRH Reset OK*) (604,
400 - 469, 850 - 867).....262125xx

Cargo xx BTL 1 SQUIB FAULT
Message / BTL 1 or DISCH 1
Light Illuminated On Ground
(*QRH Reset No Help*) (604,
400 - 469, 850 - 857)262126xx

Cargo xx BTL 2 SQUIB FAULT
Message / BTL 2 or DISCH 2
Light Illuminated In Flight
(400 - 469, 604, 850 - 867) ..262127xx

XX =	01	02	03
CARGO	Forward	Aft	Both
ENGINE or SQUIB	No.1 or L/H	No.2 or R/H	Both

Cargo **xx BTL 2 SQUIB FAULT**
 Message / **BTL 2** or **DISCH 2**
 Light Illuminated On Ground
 (QRH Reset OK) (604,
 400 - 469, 850 - 867).....262128xx

Cargo **xx BTL 2 SQUIB FAULT**
 Message / **BTL 2** or **DISCH 2**
 Light Illuminated On Ground
 (QRH Reset No Help) (604,
 400 - 469, 850 - 867).....262129xx

CARGO **BTL 1 / BTL 2** or
DISCH 1 / DISCH 2 Light /
 Lens Damaged or Missing (604,
 400 - 469, 850 - 867)261285xx

CARGO **DISCH AGENT 2**
 Light / Lens Damaged or
 Missing (604, 850 - 867).....26128600

CARGO **SMOKE / DISCH** Light /
 Lens Damaged or Missing
 (001 - 199, 507 - 601,
 647 - 840, 868 - 998).....261283xx

CARGO **SMOKE** Light / Lens
 Damaged or Missing (604,
 400 - 469, 850 - 867).....261284xx

xx CARGO SMOKE Message /
CARGO SMOKE
 Light Illuminated261221xx

CARGO **SMOKE** Panel Light
 Plate Inoperative33105400

CARGO **SMOKE** **TEST**
 Fail - **xx CARGO**
SMOKE Message.....261231xx

CARGO **SMOKE** **TEST**
 Fail - **DISCH** Light
 (001 - 199, 507 - 601,
 647 - 840, 868 - 998).....261232xx

CARGO **SMOKE** **TEST** Fail -
BTL 1 / DISCH 1 or **BTL 2 /**
DISCH 2 Light (604,
 400 - 469, 850 - 867).....261234xx

CARGO **SMOKE** **TEST** Fail -
DISCH AGENT 2
 Light (604, 850 - 867)26213600

CARGO **SMOKE** **TEST**
 Fail - Cargo **ISOL**
VALVE Does Not Close.....261235xx

CARGO **SMOKE** **TEST**
 Fail - **SMOKE** Light.....261233xx

xx CRG DET FAULT
 Message In Flight.....261224xx

xx CRG DET FAULT
 Message On Ground
 (QRH Reset OK).....261225xx

xx CRG DET FAULT
 Message On Ground
 (QRH Reset No Help)261226xx

XX =	01	02	03
CARGO	Forward	Aft	Both
ENGINE or SQUIB	No.1 or L/H	No.2 or R/H	Both

xx CRG BTL FAULT
 Message / **DISCH** Light
 Illuminated In Flight
 (001 - 199, 507 - 601,
 647 - 840, 868 - 998).....262121xx

xx CRG BTL FAULT Message /
DISCH Light Illuminated On
 Ground (QRH Reset OK)
 (001 - 199, 507 - 601,
 647 - 840, 868 - 998).....262122xx

xx CRG BTL FAULT Message /
DISCH Light Illuminated On
 Ground (QRH Reset No Help)
 (001 - 199, 507 - 601,
 647 - 840, 868 - 998).....262123xx

— E —

ENG xx FIRE DET
FAULT Message.....261014xx

ENG FIRE / FAULT Light /
 Lens Damaged or Missing
 (ENG Panel).....801107xx

ENG FIRE Light / Lens
 Damaged or Missing
 (FIRE Panel)261082xx

ENG FIRE Light Switch
 Guard Damaged or
 Missing (FIRE Panel)261018xx

ENG xx LOOP A
FAULT Message.....261012xx

ENG xx LOOP B
FAULT Message261013xx

ENG xx FIRE Message / **ENG**
FIRE Light Illuminated
 (False Warning or
 Fire Unconfirmed).....261017xx

ENG xx FIRE Message / **ENG**
FIRE Light Illuminated (Fire
 Reported or Confirmed)261011xx

— F —

Fire Bell Does Not Cancel With
MASTER WARN Light.....261041xx

Fire Extinguisher Bracket
 Damaged26231400

Fire Extinguisher Damaged
 or Missing.....26231100

Fire Extinguisher Discharged
 or Low Pressure.....26231200

Fire Extinguisher Out of
 Date or Unreadable.....26231500

Fire Extinguisher Tamper Seal
 Broken or Missing26231300

FIRE Panel Light
 Plate Inoperative.....33105900

FIRE TEST Fail - **ENG 1**
AGENT DISCH Light.....261004xx

XX =	01	02	03
CARGO	Forward	Aft	Both
ENGINE or SQUIB	No.1 or L/H	No.2 or R/H	Both

FIRE TEST Fail - ENG 1
AGENT **SQUIB** Light.....261008xx

FIRE TEST Fail - ENG 2
AGENT **DISCH** Light.....261005xx

FIRE TEST Fail - ENG 2
AGENT **SQUIB** Light.....261009xx

FIRE TEST Fail - APU
FIRE Light26100600

FIRE TEST Fail - APU
AGENT **DISCH** Light.....26101000

FIRE TEST Fail - APU
AGENT **SQUIB** Light.....26100000

FIRE TEST Fail - ENG **FIRE**
Light (*ENG Panel*)261003xx

FIRE TEST Fail - ENG **FIRE**
Light (*FIRE Panel*)261002xx

FIRE TEST Fail - Fire
Bell Does Not Sound26100700

FIRE TEST Fail - **MASTER**
WARN Light.....261001xx

— G —

GEN 1 LINE **SMOKE** /
OFF Light / Lens
Damaged or Missing26128200

GEN 1 LINE **SMOKE**
Light Test Fail or
Lamps Inoperative26128100

— L —

LAV + CARGO DET
FAULT Message26127500

LAVATORY SMOKE DET
Message In Flight
(*QRH Reset OK*)26127100

LAVATORY SMOKE DET
Message In Flight
(*QRH Reset No Help*)26127200

LAVATORY SMOKE DET
Message On Ground
(*QRH Reset OK*)26127300

LAVATORY SMOKE DET
Message On Ground
(*QRH Reset No Help*)26127400

LAVATORY SMOKE
Message (*False Warning*
or Smoke Unconfirmed)26126700

LAVATORY SMOKE
Message (*Smoke Confirmed*
or Reported)26126800

— S —

Smoke DET **FAULT**
Message In Flight26122800

Smoke DET **FAULT** Message
During Ground Operation
(*QRH Reset OK*)26122900

XX =	01	02	03
CARGO	Forward	Aft	Both
ENGINE or SQUIB	No.1 or L/H	No.2 or R/H	Both

Smoke **DET** **FAULT** Message
During Ground Operation
(QRH Reset No Help).....26123000

XX =	01	02	03
CARGO	Forward	Aft	Both
ENGINE or SQUIB	No.1 or L/H	No.2 or R/H	Both

Flight Controls

— A —

xx **AIL FAULT** Message / Amber Indication (*F/CTL Page*)271002xx

xx **AIL** Hydraulic Indication Inoperative (*F/CTL Page*) ...271022xx

xx **AIL** Position Indication Inoperative (*F/CTL Page*) ...271021xx

AIL SERVO FAULT Message (*QRH Reset OK*)27100700

AIL SERVO FAULT Message (*QRH Reset No Help*)27100900

Ailerons Do Not Move Full Travel271006xx

Ailerons Do Not Return to Neutral Position271004xx

Ailerons Inoperative or Operate Abnormally271001xx

Ailerons Slow to Respond to Sidestick Input271005xx

Aircraft Rolls With Flaps Extended275001xx

Aircraft Rolls With Speed Brakes Extended276001xx

ALTN LAW Message27901300

— C —

CONFIG FLAPS NOT IN T.O. RANGE Message27550100

CONFIG PITCH TRIM NOT IN T.O. RANGE Message...27550200

CONFIG RUD TRIM NOT IN T.O. RANGE Message27550300

CONFIG xx SIDESTICK NOT IN T.O. RANGE Message...27550400

CONFIG SLATS NOT IN T.O. RANGE Message27550500

CONFIG SPD BRK NOT RETRACTED Message27550600

— D —

DIRECT LAW Message / PFD Flag in View27901200

DUAL INPUT Message / Green **PRIORITY CAPT** and **F/O** Lights Disagree With Sidestick Input27103400

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

— E —

ELAC **FAULT** / **OFF** Light /
Lens Damaged or Missing ...279083xx

ELAC **FAULT** Light Test Fail
or Lamps Inoperative279081xx

ELAC **OFF** Light Test Fail
or Lamps Inoperative279082xx

ELAC **xx FAULT** Message /
ELAC **FAULT** Light
Extinguished.....279021xx

ELAC **xx FAULT** Message /
FAULT Light Illuminated /
Amber Indication (**F/CTL**
Page) (*QRH Reset OK*)279022xx

ELAC **xx FAULT** Message / **FAULT**
Light Illuminated / Amber
Indication (**F/CTL** Page)
(*QRH Reset No Help*)279023xx

ELAC **xx** Indication Inoperative
(**F/CTL** Page).....279027xx

ELAC **xx PITCH FAULT**
Message (*QRH Reset OK*)....279024xx

ELAC **xx PITCH FAULT**
Message (*QRH Reset*
No Help)279025xx

xx ELEV FAULT Message /
Amber Indication
(**F/CTL** Page).....273002xx

xx ELEV Hydraulic Indication
Inoperative (**F/CTL** Page) ...273022xx

xx ELEV Position Indication
Inoperative (**F/CTL** Page) ...273021xx

ELEV SERVO FAULT
Message27300300

Elevator Feel Problem
(*Heavy Elevators*)27301200

Elevators Do Not Move
Full Travel273006xx

Elevators Do Not Return
to Neutral Position.....273004xx

Elevators Inoperative or
Operate Abnormally273001xx

Elevators Slow to Respond
to Sidestick Input.....273005xx

Excessive Aileron
Trim Required271003xx

Excessive Rudder
Trim Required272007xx

— F —

Functional Check Flight OK.....90526100

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

Flight Controls

[Home](#)

Functional Check
Flight Failed90526200

FCDC xx FAULT Message279001xx

FLAP LVR NOT ZERO
Message Disagrees With
Flap Lever Position27501200

Flap Lever Position Indication
Inoperative (*ECAM*)27503200

Flap Position Indication
Inoperative (*ECAM*)27503100

Flap Selected Indication
Inoperative (*ECAM*)27503300

FLAP SYS xx FAULT
Message275002xx

FLAP TIP BRK FAULT
Message / Amber
Indication (*ECAM*)27500500

FLAPS ATTACH
SENSOR Message27500600

FLAPS FAULT
Message / Amber **F**
Indication (*ECAM*)27500300

FLAPS Lever Difficult
to Operate27501100

FLAPS Panel Light
Plate Inoperative33100500

FLAPS LOCKED Message /
Amber **F** **LOCKED**
Indication (*ECAM*)27500400

Flight Control Hydraulic Indication
Inoperative (*F/CTL Page*) ...27900200

FLT CTL Panel Light
Plate Inoperative331058xx

— G —

GND SPLR FAULT
Message27603300

GND SPLR 1 + 2
FAULT Message27603400

GND SPLR 3 + 4
FAULT Message27603500

GND SPLR 5 FAULT
Message27603600

GND SPLR NOT
ARMED Message27603700

GND SPLRS ARMED Message
Disagrees With Aircraft
Configuration27603200

Ground Spoilers Do Not
Deploy on Landing
With Handle Armed27603100

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

— P —

PFD Sidestick Position
Indication Inoperative271033xx

Pitch Trim Inoperative
or Slow to Operate274001xx

Pitch Trim Does Not Trim
With Autopilot.....22200100

PITCH TRIM / MCDU / CG
DISAGREE Message.....27400300

PITCH TRIM Hydraulic
Indication Inoperative
(*F/CTL Page*).....27402200

PITCH TRIM Position
Indication Inoperative
(*F/CTL Page*).....27402100

— R —

RUD Hydraulic Indication
Inoperative (*F/CTL Page*) ...27202200

RUD Position Indication
Inoperative (*F/CTL Page*) ...27202100

RUD TRIM Inoperative
or Slow to Operate272011xx

RUD TRIM Panel Light
Plate Inoperative.....33104900

RUD TRIM Position Indication
Degraded or Inoperative
(*Aisle Stand*)27201600

RUD TRIM Position Indicator
Background Light
Inoperative (*Aisle Stand*)27207100

RUD TRIM RESET Function
Inoperative / Amber
Indication (*F/CTL Page*)27201400

RUD TRIM Selector
Damaged / Loose /
Missing or Inoperative27201800

RUD TRIM Selector Does
Not Return to Center
When Released.....272017xx

RUD TRIM SYS Message /
Amber Indication
(*F/CTL Page*).....27201300

RUD TRV LIM SYS Message /
Amber Indication
(*F/CTL Page*).....27204200

RUD TRV LIM xx
Message272041xx

Rudder Does Not Move
Full Travel272006xx

Rudder Does Not Return
to Neutral Position.....272004xx

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

Rudder Slow to Respond to
Rudder Pedal Input.....272005xx

Rudder Inoperative or
Operates Abnormally272001xx

Rudder Pedal Adjustment
Binding or Jammed272051xx

Rudder Pedal Adjustment Does
Not Reposition Pedals272052xx

Rudder Pedals Binding
or Jammed272053xx

Rudder Pedals Kick
Back in Flight.....272054xx

Rudder Travel Limit Indication
Inoperative (*F/CTL Page*) ...27204300

RUDDER TRIM xx
FAULT Message.....272012xx

Rudder Trim Position Indication
Inoperative (*F/CTL Page*) ...27201500

— S —

SEC **FAULT** / **ON** Light / Lens
Damaged or Missing279086xx

SEC **FAULT** Light Test Fail
or Lamps Inoperative279084xx

SEC **xx FAULT** Message /
FAULT Light Illuminated /
Amber Indication (*F/CTL*
Page) (*QRH Reset OK*)279031xx

SEC **xx FAULT** Message / **FAULT**
Light Illuminated / Amber
Indication (*F/CTL Page*)
(*QRH Reset No Help*)279032xx

SEC **xx** Indication Inoperative
(*F/CTL Page*).....279035xx

SEC **ON** Light Test Fail
or Lamps Inoperative279085xx

Sidestick Binding or
Rough Operation271051xx

Sidestick Does Not Return to
Center When Released271053xx

Sidestick Dust Boot
Damaged or Missing271055xx

xx SIDESTICK FAULT
Message271052xx

SIDESTICK PRIORITY
Message / Red Arrow Light
Illuminated / Aural Alert271056xx

SIDE STICK PRIORITY
CAPT or **F/O** Green Light
Disagrees With **TAKEOVER**
Switch Position.....271057xx

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

SIDE STICK PRIORITY Red Arrow /
Green **CAPT** or **F/O** Light /
Lens Damaged or Missing ...271083xx

SIDE STICK PRIORITY Green
CAPT or **F/O** Light Test Fail
or Lamps Inoperative271081xx

SIDE STICK PRIORITY
Red Arrow Light Test Fail
or Lamps Inoperative271082xx

SIDE STICK PRIORITY Panel
Light Plate Inoperative.....331036xx

Slat Position Indication
Inoperative (*ECAM*)278031xx

SLAT TIP BRK FAULT
Message / Amber
Indication (*ECAM*)27800400

SLATS LOCKED Message /
Amber **S LOCKED**
Indication (*ECAM*)27800300

SLATS FAULT Message /
Amber **S** Indication
(*ECAM*)27800200

SLATS SYS xx
FAULT Message278001xx

SPD BRK 2 FAULT
Message.....27600600

SPD BRK 3 + 4
FAULT Message27600700

SPD BRK DISAGREE
Message27600800

SPD BRK FAULT Message27600500

SPD BRK Position Indication
Inoperative (*F/CTL Page*) ...276022xx

SPD BRK Position
Indication Inoperative
(*WHEEL Page*).....276023xx

SPD BRK STILL
OUT Message27600200

Speed Brake Lever
Difficult to Operate27601100

Speed Brake Lever Does
Not Stow in Detent.....27601300

SPEED BRAKE Panel Light
Plate Inoperative.....33100600

SPEED BRK Message
Disagrees With Aircraft /
Speed Brake Position27602100

SPLR FAULT Message / Amber
Indication (*F/CTL Page*)
(*QRH Reset OK*)276009xx

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

SPLR FAULT Message / Amber
Indication (*F/CTL Page*)
(*QRH Reset No Help*).....276010xx

Spoiler Panel Float
or Vibration276061xx

Spoiler Panel Inoperative276062xx

STABILIZER JAM Message /
Amber Indication
(*F/CTL Page*).....27400200

Stabilizer Trim Position Panel
Light Plate Inoperative.....331045xx

— T —

T.O. CONFIG Switch
Inoperative.....27551100

— U —

Uncommanded Aileron
Movement or Oscillation.....271008xx

Uncommanded Elevator
Movement or Oscillation.....273008xx

Uncommanded Rudder
Movement or Oscillation.....272008xx

— Y —

Yaw Damper Inoperative
or Ineffective225001xx

YAW DAMPER xx Message
(*QRH Reset OK*)225002xx

YAW DAMPER xx Message
(*QRH Reset No Help*)225003xx

YAW DAMPER
SYS Message.....22500400

XX =	01	02	03	04	05
DIRECTION or FLIGHT CREW	L/H or Captain	R/H or F/O	Both	Up	Down
SYSTEM	No.1	No.2	No.3	All	
LEADING EDGE DEVICES or SPOILERS			Location (<i>L1, R4, etc.</i>)		

Fuel

FWD / AFT AUX CENTER TANK - EQUIPPED AIRCRAFT:
 150 - 199, 507 - 587,
 783 - 799, 850 - 998

AFT 1 & 2 AUX CENTER TANK - EQUIPPED AIRCRAFT:
 400 - 469

CENTER TANK PUMP - EQUIPPED AIRCRAFT:
 001 - 019, 102 - 128, 601 - 680,
 700 - 778, 801 - 840

CENTER TANK XFR VALVE - EQUIPPED AIRCRAFT:
 020 - 032, 150 - 199, 507 - 587,
 783 - 799, 850 - 998

— A —

ACT AUTO FAULT / FWD Light / Lens Damaged or Missing
 (150 - 199, 507 - 587,
 783 - 799, 850 - 998)28209800

ACT AUTO FAULT Light Test Fail or Lamps Inoperative
 (150 - 199, 507 - 587,
 783 - 799, 850 - 998)28209600

ACT AUTO FWD Light Test Fail or Lamps Inoperative
 (150 - 199, 507 - 587,
 783 - 799, 850 - 998).....28209700

ACT PUMP LO PR
 Message.....28207100

ACT SYSTEM FAULT
 Message (400 - 499).....28217100

ACT to Center Tank Transfer Indication Inoperative
 (**FUEL** Page)28207500

ACT UNUSABLE Message....28207200

ACT XFR FAULT Message / **ACT AUTO FAULT** Light Illuminated
 (OK With ACT Switch **FWD**)
 (150 - 199, 507 - 587,
 783 - 799, 850 - 998).....28207300

ACT XFR FAULT Message / **ACT AUTO FAULT** Light Illuminated
 (No Help With ACT Switch **FWD**)
 (150 - 199, 507 - 587,
 783 - 799, 850 - 998).....28207400

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

ACT XFR FAULT Message / ACT
XFR **FAULT** Light Illuminated
(OK With ACT Switch
MAN) (400 - 469) 28217300

ACT XFR FAULT Message / ACT
XFR **FAULT** Light Illuminated
(No Help With ACT Switch MAN
and Selector in AFT 1
or AFT 2) (400 - 469) 282174xx

ACT XFR FAULT Message / ACT
XFR **FAULT** Light Illuminated
(No Help With ACT Switch MAN
and Selector in AFT 1
and AFT 2) (400 - 469) 28217500

ACT XFR FAULT / **MAN**
Light / Lens Damaged
or Missing (400 - 469) 28218100

ACT XFR FAULT Light
Test Fail or Lamps
Inoperative (400 - 469) 28218200

ACT XFR MAN Light Test
Fail or Lamps Inoperative
(400 - 469) 28218300

ACT XFR Manual Selector
Damaged / Loose or
Missing (400 - 469) 28216100

ALL ACT ISOL Light Test
Fail or Lamps Inoperative
(400 - 469) 28218500

ALL ACT OVFL / **ISOL**
Light / Lens Damaged
or Missing (400 - 469) 28218400

ALL ACT OVFL Light Illuminated
(OK With ALL ACT Switch
ISOL) (400 - 469) 28216200

ALL ACT OVFL Light Illuminated
(No Help With ALL ACT
Switch ISOL) (400 - 469) 28216300

ALL ACT OVFL Light Test
Fail or Lamps Inoperative
(400 - 469) 28218600

APU LP VALVE FAULT
Message / Amber Indication
(FUEL Page) 28204100

APU Fuel Valve Indication
Inoperative (FUEL Page) 28204200

AUTO CTR xx XFR FAULT
Message / Amber Indication
(FUEL Page) 282061xx

AUTO FEED FAULT Message /
MODE SEL **FAULT** Light
Illuminated (OK With
Switch MAN) 28205100

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

AUTO FEED FAULT Message /
MODE SEL **FAULT** Light
Illuminated (No Help
With Switch **MAN**) 28205200

AUTO TRANSFER FAULT
Message / MODE SEL
FAULT Light Illuminated ... 28206200

— C —

Center Tank Pump / Transfer
Valve Indication Inoperative
(**FUEL Page**) 282040xx

Crossfeed Indication Inoperative
(**FUEL Page**) 28202600

CTR TK PUMP or **XFR Valve**
FAULT / **OFF** Light / Lens
Damaged or Missing 282089xx

CTR TK PUMP or **XFR Valve**
FAULT Light Test Fail or
Lamps Inoperative 282087xx

CTR TK PUMP or **XFR Valve**
OFF Light Disagrees With
Pump Switch Position 282038xx

CTR TK PUMP or **XFR Valve**
OFF Light Test Fail
or Lamps Inoperative 282088xx

CTR TK PUMP xx LO PR Message /
CTR TK PUMP FAULT Light
Illuminated / Amber **LO**
Indication (**FUEL Page**) 282031xx

CTR TK PUMPS LO PR Message /
CTR TK PUMP FAULT Lights
Illuminated / Amber **LO**
Indications (**FUEL Page**) 28203200

CTR TK PUMPS OFF Message
Disagrees With **CTR TK**
PUMP Switch Positions 28203300

CTR TK XFR OFF Message
Disagrees With **CTR TK**
XFR Switch Positions 28203900

— E —

ENG xx LP VALVE OPEN
Message / Amber Indication
(**FUEL Page**) 733021xx

Engine Fuel Valve Indication
Inoperative (**FUEL Page**) 733022xx

— F —

F. USED / FOB DISAGREE
Message 28401100

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

FF 1+2 Indication Inoperative
(*FUEL Page*) (*Enhanced*) ... 73300600

FOB Indication Blank
(*E/WD Page*) 28401700

FOB Indication Erratic or
Fluctuating (*E/WD Page*) 28401800

FOB Indication Blank
(*FUEL Page*) 28400700

FOB Indication Erratic
or Fluctuating
(*FUEL Page*) 28400800

FOB Indication Degraded /
Amber Dash Indication
(*FUEL Page*) 28400900

FQI CH xx FAULT Message
(*QRH Reset OK*) 284005xx

FQI CH xx FAULT Message
(*QRH Reset No Help*) 284006xx

FUEL ACT Panel Light Plate
Inoperative (*400 - 469*) 33106200

Fuel Leak Reported (*APU*) 49300100

Fuel Leak Reported
(*Engine or Pylon*) 731001xx

Fuel Leak Reported (*Wing*) 281002xx

FUEL Panel Light
Plate Inoperative.....33106000

Fuel Overfill or Spill
During Refueling.....282102xx

Fuel Quantity Indication Blank
(*QRH Reset OK*).....284003xx

Fuel Quantity Indication Blank
(*QRH Reset No Help*).....284004xx

Fuel Quantity Indication
Degraded / Amber Dash
Indication (*FUEL Page*) 284010xx

Fuel Quantity Indication
Erratic or Fluctuating
(*QRH Reset OK*).....284001xx

Fuel Quantity Indication
Erratic or Fluctuating
(*QRH Reset No Help*).....284002xx

Fuel Temperature Indication
Inoperative (*FUEL Page*) 28402100

Fuel Upload Disagrees With
PRESELECTED Quantity ... 282103xx

FUEL USED xx Indication
Inoperative (*FUEL Page*) 733007xx

FUEL USED 1+2 Indication
Inoperative (*FUEL Page*) (*Enhanced*).....733008xx

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

FUEL XFEED Message Disagrees
With Switch Position 28202200

Fueling Adaptor Cap
Damaged or Missing 28212100

Fueling Adaptor Leaking 28212200

Fueling Panel ACTUAL
Quantity Display Blank
or Inoperative 28213100

Fueling Panel FQI SELECT
CTR / ACT Selector Damaged
Loose or Missing 28213400

Fueling Panel FQI SELECT CTR /
ACT Selector Inoperative 28213500

Fueling Panel FUEL QTY Display
Blank or Inoperative 282132xx

Fueling Panel HI LVL TEST
Fail / Tank HI LVL Light
Inoperative (*Tank < Full*) 282141xx

Fueling Panel Inoperative
(*OK With FUEL DOOR
SWITCH BYPASS*) 28210100

Fueling Panel Light
Inoperative 33303100

Fueling Panel LTS TEST Fail /
ACTUAL Display Light
Segments Inoperative 28214200

Fueling Panel LTS TEST Fail /
FUEL QTY Display Light
Segments Inoperative 282143xx

Fueling Panel LTS TEST Fail /
PRESELECTED Display Light
Segments Inoperative 28214400

Fueling Panel MODE
SELECT Switch Guard
Damaged or Missing 28210600

Fueling Panel PRESELECTED
INC / DEC Switch
Function Inoperative 28213600

Fueling Panel PRESELECTED
Quantity Display Blank
or Inoperative 28213300

FWD ACT ISOLATED
Message (400 - 469) 28217600

— | —

xx INNER TK HI TEMP
Message / Amber Indication
(*FUEL Page*) 284031xx

xx INNER TK HI TEMP
Message Disagrees With
Indication (*FUEL Page*) 284032xx

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

xx INNER TK LO TEMP
 Message / Amber Indication
 (*FUEL Page*)..... 284041xx

xx INNER TK LO TEMP
 Message Disagrees With
 Indication (*FUEL Page*)..... 284042xx

— M —

MODE SEL FAULT /
MAN Light / Lens
 Damaged or Missing..... 28209500

MODE SEL FAULT Light Test
 Fail or Lamps Inoperative.... 28209300

MODE SEL MAN Light Test
 Fail or Lamps Inoperative.... 28209400

— O —

xx OUTER TK HI TEMP
 Message / Amber Indication
 (*FUEL Page*)..... 284033xx

xx OUTER TK HI TEMP
 Message Disagrees With
 Indication (*FUEL Page*)..... 284034xx

xx OUTER TK LO TEMP
 Message / Amber Indication
 (*FUEL Page*)..... 284043xx

xx OUTER TK LO TEMP
 Message Disagrees With
 Indication (*FUEL Page*)..... 284044xx

xx OUTER XFR CLOSED Message /
 Amber Indication (*FUEL*
Page) (*QRH Reset OK*) 282059xx

xx OUTER XFR CLOSED
 Message / Amber Indication
 (*FUEL Page*) (*QRH*
Reset No Help) 282060xx

xx OUTER XFR OPEN
 Message / Amber
 Indication (*FUEL Page*) 282050xx

OVERFLOW PROT
FAULT Message..... 28203000

— R —

Refuel Valve Inoperative
 (*Open or Closed*)..... 282111xx

REFUEL VALVE Switch Guard
 Damaged or Missing 282116xx

REFUELG Message Disagrees
 With Fueling Door Status..... 28210400

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

— T —

Tank Inter-Cell Transfer Indication
Inoperative (**FUEL**
Page) (A319 / A320) 282054xx

Tank Inter-Cell Transfer Valves Do
Not Latch Open With Fuel
Level Low (A319 / A320) 282058xx

xx **TK PUMP 1+2 LO PR** Message /
TK PUMPS **FAULT** Lights
Illuminated / Amber **LO**
Indication (**FUEL** Page)..... 28201700

xx **TK PUMP 1 LO PR** Message /
TK PUMPS **FAULT** Light
Illuminated / Amber **LO**
Indication (**FUEL** Page)..... 282011xx

xx **TK PUMP 2 LO PR** Message /
TK PUMPS **FAULT** Light
Illuminated / Amber **LO**
Indication (**FUEL** Page)..... 282012xx

TK PUMPS 1 **FAULT** /
OFF Light / Lens
Damaged or Missing..... 282083xx

TK PUMPS 1 **FAULT**
Light Test Fail or
Lamps Inoperative 282081xx

TK PUMPS 1 **OFF** Light Disagrees
With Pump Status.....282013xx

TK PUMPS 1 **OFF** Light Test
Fail or Lamps Inoperative282082xx

xx **TK PUMPS 2 FAULT** /
OFF Light / Lens
Damaged or Missing282086xx

TK PUMPS 2 **FAULT**
Light Test Fail or
Lamps Inoperative.....282084xx

TK PUMPS 2 **OFF** Light Disagrees
With Pump Status.....282014xx

TK PUMPS 2 **OFF** Light Test
Fail or Lamps Inoperative282085xx

— U —

Unwanted Fuel Transfer
(Center to Wing Tank)282001xx

Unwanted Fuel Transfer
(Wing to Center Tank)282002xx

— W —

Wing Tank Pump 1 Indication
Inoperative (**FUEL** Page)282015xx

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

Wing Tank Pump 2 Indication
Inoperative (**FUEL Page**).....282016xx

xx WING TK HI TEMP
Message / Amber Indication
(**FUEL Page**).....284035xx

xx WING TK HI TEMP
Message Disagrees With
Indication (**FUEL Page**).....284036xx

xx WING TK LO LVL Message
Disagrees With Aircraft
Fuel Configuration.....284012xx

xx WING TK LO TEMP
Message / Amber Indication
(**FUEL Page**).....284045xx

xx WING TK LO TEMP
Message Disagrees With
Indication (**FUEL Page**).....284046xx

xx WING TK OVERFLOW
Message / **FAULT** Lights
Illuminated / Amber Indication
(**FUEL Page**).....282055xx

— X —

X FEED VALVE FAULT
Message / Amber Indication
(**FUEL Page**).....28202100

XFEED Valve **OPEN / ON** Light /
Lens Damaged or Missing ...28209200

XFEED Valve **OPEN** Light Test
Fail or Lamps Inoperative20209000

XFEED Valve **ON** Light Test
Fail or Lamps Inoperative28209100

xx XFR VALVE CLOSED Message /
Amber Indication (**FUEL**
Page) (*QRH Reset OK*)282059xx

xx XFR VALVE CLOSED
Message / Amber Indication
(**FUEL Page**) (*QRH*
Reset No Help)282060xx

xx XFR VALVE FAULT Message /
CTR TK XFR **FAULT**
Lights Illuminated / Amber
Indication (**FUEL Page**)282034xx

xx XFR VALVE FAULT
Message / MODE SEL **FAULT**
Light Illuminated / Amber
Indication (**FUEL Page**)282035xx

xx XFR VALVE OPEN
Message / Amber
Indication (**FUEL Page**)282050xx

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

XFR VALVES FAULT Message /
 MODE SEL **FAULT** Light
 Illuminated / Amber
 Indication (**FUEL Page**)..... 28203600

XFR VALVES FAULT
 Message / **FAULT** Lights
 Extinguished / Amber
 Indication (**FUEL Page**)..... 28203700

XX =	01	02	03	04
CENTER TANK or A321 WING TANK	L/H	R/H	All	Center
PUMP, CHANNEL or VALVE	No.1	No.2	Both	
A319 / A320 WING or A321 AUXILIARY TANK	Location (LO, LI, RI, RO, A1, A2)			

Hydraulics

— B —

B ELEC PUMP LO PR Message /
FAULT Light Illuminated /
 Amber **LO** Indication
 (*HYD* Page) (*OK With*
OVRD Switch ON)29200100

B ELEC PUMP LO PR Message /
FAULT Light Illuminated /
 Amber **LO** Indication
 (*HYD* Page) (*No Help*
With OVRD Switch ON)29200200

BLUE ELEC PUMP
FAULT / **OFF** Light /
 Lens Damaged or Missing ...29208300

BLUE ELEC PUMP FAULT
 Light Test Fail or
 Lamps Inoperative29208100

BLUE ELEC PUMP OFF
 Light Test Fail or
 Lamps Inoperative29208200

Blue Pump Operates
 Continuously29200300

BLUE PUMP OVRD ON
 Light / Lens Damaged
 or Missing29208500

BLUE PUMP OVRD ON
 Light Test Fail or
 Lamps Inoperative.....29208400

BLUE PUMP OVRD Panel
 Light Plate Inoperative33100800

— E —

xx ELEC PUMP OVHT Message /
FAULT Light Illuminated /
 Amber **ELEC OVHT**
 Indication (*HYD* Page)292012xx

ELEC Pump Indication
 Inoperative (*HYD* Page)292013xx

ELEC Pump LO Pressure
 Indication Inoperative
 (*HYD* Page)292014xx

ELEC Pump OVHT Indication
 Inoperative (*HYD* Page)292015xx

ENG PUMP FAULT / OFF Light /
 Lens Damaged or Missing ...291083xx

ENG PUMP FAULT Light Test
 Fail or Lamps Inoperative291081xx

ENG PUMP OFF Light Test
 Fail or Lamps Inoperative291082xx

Engine Fire Valve Indication
 Inoperative (*HYD* Page)291013xx

XX =	01	02	03	04
SYSTEM	Blue	Green	Yellow	All
PUMP, WHEEL WELL or WING	No.1 or L/H	No.2 or R/H	Both	

Hydraulics

[Home](#)

Engine Pump Does Not
Depressurize.....291003xx

Engine Pump Indication
Inoperative (**HYD Page**)291011xx

Engine Pump **LO** Pressure
Indication Inoperative
(**HYD Page**)291012xx

— F —

Fluid Loss in Flight
(Quantity Decreasing).....291202xx

— G —

G ENG 1 PUMP LO PR
Message / **FAULT** Light
Illuminated / Amber **LO**
Indication (**HYD Page**)29100100

— H —

HYD LEAK MEASUREMENT
VALVES Panel Light
Plate Inoperative33100800

HYD Panel Light Plate
Inoperative33106000

HYD PTU Message Disagrees
With Switch Position29205300

Hydraulic Leak Reported
(Engine or Pylon)291212xx

Hydraulic Leak Reported
(Tail)29121400

Hydraulic Leak Reported
(Wheel Well)291213xx

Hydraulic Leak Reported
(Wing)291211xx

Hydraulic **PSI** Indication
Inoperative (**HYD Page**)293011xx

Hydraulic Quantity Indication
Inoperative (**HYD Page**)293021xx

— P —

Power Transfer Unit Inoperative
(Green to Yellow).....29205100

Power Transfer Unit Inoperative
(Yellow to Green).....29205900

PTU Indication Inoperative
(**HYD Page**)29205700

PTU FAULT / OFF Light / Lens
Damaged or Missing29208800

PTU FAULT Light Test Fail
or Lamps Inoperative29208600

PTU FAULT Message / **FAULT**
Light Illuminated.....29205200

XX =	01	02	03	04
SYSTEM	Blue	Green	Yellow	All
PUMP, WHEEL WELL or WING	No.1 or L/H	No.2 or R/H	Both	

PTU **OFF** Light Test Fail
or Lamps Inoperative29208700

PTU Operates Continuously.....29205800

— R —

RAT FAULT Message29203100

RAT Indication Inoperative
(*HYD Page*)29203300

RAT MAN ON Switch Guard
Damaged or Missing29203600

RAT OUT Message Disagrees
With Switch Position29203200

Reservoir **LO AIR PRESS**
Indication Inoperative
(*HYD Page*)293041xx

Reservoir **LO LVL** Indication
Inoperative (*HYD Page*)293022xx

Reservoir **OVHT** Indication
Inoperative (*HYD Page*)293032xx

Reservoir Quantity Indicator
(*Direct Reading*)
Inoperative or Unusable293024xx

Reservoir Quantity Indicator
(*Servicing Panel*)
Inoperative or Unusable293025xx

xx RSVR LO AIR PR Message /
PUMP FAULT Light Illuminated /
Amber **LO AIR PRESS**
Indication (*HYD Page*)291041xx

xx RSVR LO LVL Message /
PUMP FAULT Light
Illuminated / Amber
Indication (*HYD Page*)291201xx

xx RSVR OVHT Message /
PUMP FAULT Light
Illuminated / Amber **OVHT**
Indication (*HYD Page*)291042xx

— S —

xx SYS LO PR Message / **FAULT** Light
Illuminated / Amber System
Indication (*HYD Page*)291031xx

System Low Pressure Indication
Inoperative (*HYD Page*)293012xx

— U —

Unwanted Fluid Transfer
Between Systems29121500

XX =	01	02	03	04
SYSTEM	Blue	Green	Yellow	All
PUMP, WHEEL WELL or WING	No.1 or L/H	No.2 or R/H	Both	

— Y —

Y ELEC PUMP LO PR
 Message / **FAULT** Light
 Illuminated / Amber **ELEC**
 Indication (*HYD Page*) 29201100

Y ENG 2 PUMP LO PR
 Message / **FAULT** Light
 Illuminated / Amber **LO**
 Indication (*HYD Page*) 29100200

YELLOW ELEC PUMP
FAULT / ON Light / Lens
 Damaged or Missing 29209100

YELLOW ELEC PUMP
FAULT Light Test Fail
 or Lamps Inoperative 29208900

YELLOW ELEC PUMP
ON Light Test Fail or
 Lamps Inoperative 29209000

XX =	01	02	03	04
SYSTEM	Blue	Green	Yellow	All
PUMP, WHEEL WELL or WING	No.1 or L/H	No.2 or R/H	Both	

Ice & Rain Protection

— A —

ALL PITOT Message30300200

ANTI-ICE Indication Inoperative
(*BLEED* Page).....301013xx

ANTI-ICE Panel Light
Plate Inoperative.....33105300

xx AOA Message.....303021xx

— D —

Drain Mast Heater (*Aft*)
Inoperative.....30700200

Drain Mast Heater (*Forward*)
Inoperative.....30700100

— E —

ENG A.ICE Message Disagrees
With Switch Position.....30201100

ENG xx CTL FAULT and ENG xx
A.ICE VALVE OPEN
Messages (400 - 499)302003xx

ENG xx CTL FAULT and ENG xx
A.ICE MON FAULT
Messages (400 - 499)302004xx

ENG xx OVER PRESS
Message (400 - 499)302005xx

ENG xx VALVE CLSD Message /
FAULT Light Illuminated... 302001xx

ENG xx VALVE OPEN Message /
FAULT Light Illuminated... 302002xx

ENG FAULT / ON Light / Lens
Damaged or Missing 302083xx

ENG FAULT Light Test Fail
or Lamps Inoperative..... 302081xx

ENG ON Light Disagrees
With Switch Position..... 302006xx

ENG ON Light Test Fail
or Lamps Inoperative..... 302082xx

— F —

Forward Window Heat Arcing /
Burning or Inoperative 304003xx

— I —

Ice Indicator Damaged
or Missing..... 30800100

ICE IND Light Inoperative..... 33103300

— P —

xx PITOT Message 303001xx

XX =	01	02	03	04
ENGINE or WING	No.1 or L/H	No.2 or R/H	Both	
PROBES	Captain	F/O	All	Standby

PROBE / WINDOW HEAT AUTO
Function Inoperative In Flight
(OK With Switch in **ON**)30304100

PROBE / WINDOW HEAT AUTO
Function Inoperative On Ground
With Engine Running (No
Help With Switch in **ON**)30304200

PROBE / WINDOW
HEAT **ON** Light / Lens
Damaged or Missing30308200

PROBE / WINDOW HEAT
ON Light Test Fail or
Lamps Inoperative30308100

xx PROBES Message303003xx

PROBE / WINDOW HEAT Panel
Light Plate Inoperative33106000

— R —

Rain Repellent Bottle
Out of Currency30402400

Rain Repellent Pressure
Indication Inoperative30402200

Rain Repellent REFILL
Indication / Servicing
Required30402300

RAIN RPLNT Inoperative304021xx

RAIN RPLNT Light Plate
Inoperative (Left)33105400

RAIN RPLNT Light Plate
Inoperative (Right) 33105700

— S —

Sliding Window Heat Arcing /
Burning or Inoperative 304008xx

Side Window Heat Arcing /
Burning or Inoperative 304009xx

xx L STAT Message303011xx

xx R STAT Message 303012xx

— T —

xx TAT Message 30303100

— W —

xx WINDOW Message
(QRH Reset OK) 304006xx

xx WINDOW Message
(QRH Reset No Help) 304007xx

xx WINDSHIELD Message
(QRH Reset OK) 304001xx

xx WINDSHIELD Message
(QRH Reset No Help) 304002xx

Windshield Wiper Blade
Torn or Damaged 304013xx

Windshield Wiper Does
Not Park Correctly 304014xx

XX =	01	02	03	04
ENGINE or WING	No.1 or L/H	No.2 or R/H	Both	
PROBES	Captain	F/O	All	Standby

Ice & Rain Protection

[Home](#)

Windshield Wiper Does
Not Turn On or Off.....304011xx

Windshield Wiper Speed
Control Inoperative304012xx

Windshield Wiper Vibrates /
Floats or Ineffective.....304015xx

WING A.ICE Message /
White **ANTI-ICE** Indication
(**BLEED** Page) Disagrees
With Switch Position.....30101200

WING A.ICE OPEN
ON GND Message30101100

Wing Anti-Ice Inoperative
or Slow to Operate.....301001xx

WING FAULT / ON Light /
Lens Damaged or Missing....30108300

WING FAULT Light Test Fail
or Lamps Inoperative30108100

WING ON Light Test Fail
or Lamps Inoperative30108200

Wing **HI PR** Message.....30100300

Wing **SYS FAULT** Message /
FAULT Light Illuminated....30100200

Wing **SYS FAULT** Message /
FAULT Light Illuminated
Above FL 310 (*QRH Reset*
OK) (400 - 499)30100800

Wing **SYS FAULT** Message /
FAULT Light Illuminated
Above FL 310 (*QRH Reset*
No Help) (400 - 499) 30100900

Wing **VALVE xx OPEN** Message /
FAULT Light Illuminated... 301004xx

WIPER Light Plate
Inoperative (*Left*) 33105400

WIPER Light Plate
Inoperative (*Right*) 33105700

WIPER Selector Damaged / Loose /
Missing or Inoperative..... 304016xx

XX =	01	02	03	04
ENGINE or WING	No.1 or L/H	No.2 or R/H	Both	
PROBES	Captain	F/O	All	Standby

Landing Gear

ENHANCED / NX AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 587, 777 - 799, 850 - 998

BASIC AIRCRAFT:

102 - 124, 161 - 192, 601 - 680,
700 - 776, 801 - 840

— A —

A/SKID NWS FAULT Message /
Amber **A/SKID** and
STEERING Indications
(*WHEEL Page*) (*Basic*) 32430400

A/SKID NWS FAULT Message /
Amber **ANTI SKID**
and **Y N/W STEERING**
Indications (*WHEEL*
Page) (*Enhanced*) 32430500

A/SKID & N/W STRG Panel
Light Plate Inoperative 33102200

ACCU PRESS Indication
Inoperative 32424100

ACCU PRESS / BRAKES
Pressure Indicator Background
Light Inoperative 32427100

ACCU ONLY or ACCU PRESS
Indication Inoperative
(*WHEEL Page*) 32427600

ANTISKID / NWS OFF
Message Disagrees With
Switch Position..... 32430600

Antiskid Inoperative
or Ineffective 32430100

Alternate GEAR Panel Light
Plate Inoperative..... 331042xx

ALTN BRK FAULT Message /
Amber **ALTN BRK** Indication
(*WHEEL Page*) (*Basic*) 32423300

ALTN BRK FAULT Message / Green
G NORM BRK and Amber **Y**
ALTN BRK Indications (*WHEEL*
Page) (*Enhanced*)..... 32423400

ALTN BRK Indication Inoperative
(*WHEEL Page*) (*Basic*)..... 32427200

ALTN xx RELEASED
Message..... 324308xx

AUTO BRK FAULT Message /
Amber **AUTO BRK** Indication
(*WHEEL Page*)..... 32431200

AUTO BRK LO / MAX / MIN
DECEL / ON Light / Lens
Damaged or Missing 324383xx

AUTO BRK LO / MAX /
MIN DECEL Light Test
Fail or Lamps Inoperative 324381xx

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

AUTO BRK LO / MAX /
MIN **ON** Light Test Fail
or Lamps Inoperative..... 324382xx

AUTO BRK Panel Light
Plate Inoperative 33102200

Autobrake Inoperative
or Ineffective in
Selected Mode 32431100

— B —

Brake Damaged or Worn..... 324201xx

Brake Dragging or Reported
to be Smoking 324203xx

Brake Leaking 324207xx

Brake **RELEASED** Message /
Wheel **REL** Indication
(*WHEEL Page*) 324307xx

Brake Temperature
Indication Inoperative
(*WHEEL Page*) 324511xx

Brake Wear Pin Damaged
or Missing 324202xx

Brakes Noisy / Chattering
or Squealing 324205xx

BRAKES HOT Message / BRK
FAN **HOT** Light Illuminated /
Amber Arc Indication (*WHEEL
Page*) In Flight..... 324502xx

BRAKES HOT Message / BRK
FAN **HOT** Light Illuminated /
Amber Arc Indication (*WHEEL
Page*) On Ground 324501xx

**BRAKES - NWS MINOR
FAULT** Message 32501300

BRAKES Pressure Indicator
Inoperative..... 324241xx

Brakes Spongy or Require
Excessive Pedal Travel..... 324206xx

Braking Uneven / Aircraft
Pulls to the Side..... 324204xx

BRK FAN **HOT** / **ON** Light /
Lens Damaged or Missing ... 32458300

BRK FAN **HOT** Light Test Fail
or Lamps Inoperative 32458100

BRK FAN Message / **ON**
Light Disagree With
Switch Position..... 32450500

BRK FAN **ON** Light Test Fail
or Lamps Inoperative 32458200

BRK FAN Panel Light
Plate Inoperative..... 33102200

BRK Y ACCU LO PR Message /
Amber **ACCU PRESS** Indication
(*WHEEL Page*) 32424300

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

BSCU **CH xx FAULT** Message /
Amber Indication (**WHEEL**
Page) (*QRH Reset OK*) 324302xx

BSCU **CH xx FAULT** Message /
Amber Indication (**WHEEL** Page)
(*QRH Reset No Help*) 324303xx

BSCU **SYS xx FAULT** Message /
Amber Indication (**WHEEL**
Page) (*QRH Reset OK*) 324302xx

BSCU **SYS xx FAULT** Message /
Amber Indication (**WHEEL** Page)
(*QRH Reset No Help*) 324303xx

— C —

CONFIG PARKING
BRAKE Message 27550700

— D —

DOORS NOT CLOSED
Message / Amber Indication
(**WHEEL** Page) 326002xx

— G —

G NORM BRK Indication
Inoperative (**WHEEL**
Page) (*Enhanced*) 32427400

GEAR NOT DOWNLOCKED
Message / **UNLK** Light
Illuminated / Amber
L/G CTL Indication
(**WHEEL** Page) 326004xx

GEAR NOT DOWN Message / Red
Arrow Disagree With Landing
Gear Configuration 32602100

GEAR NOT UNLOCKED Message /
UNLK Light Illuminated /
Amber **L/G CTL** Indication
(**WHEEL** Page) 326003xx

GEAR UNLOCK FAULT Message /
UNLK Light Illuminated /
Amber **UNLOCK** Indication
(**WHEEL** Page) 326005xx

— H —

HYD SEL FAULT Message 32430900

— L —

L/G CTL Indication Inoperative
(**WHEEL** Page) 32307100

Landing Gear Does Not
Extend (**GRAVITY**
GEAR EXTN OK) 323011xx

Landing Gear Door Position
Indication Inoperative
(**WHEEL** Page) 326071xx

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

Landing Gear Does
Not Retract..... 323012xx

Landing Gear Handle
Difficult to Operate..... 32300200

Landing Gear Makes Excessive
Noise During Extension
or Retraction 323014xx

Landing Gear Position
Indication Inoperative
(*WHEEL Page*) 326072xx

Landing Gear Position **SYS**
DISAGREE Message /
Amber Indication
(*WHEEL Page*) 32600900

Landing Gear Slow to
Extend or Retract 323013xx

Landing Gear UP / DOWN
Configuration (*Red Arrow*)
Indication Inoperative 32602400

Landing Gear UP / DOWN
Configuration Panel Light
Plate Inoperative 33102400

Landing Gear **UP LOCK**
Indication Inoperative
(*WHEEL Page*) 326073xx

Landing Gear Warning
Horn Disagrees With
Aircraft Configuration 32602300

LDG GEAR Panel Green
Triangle / **UNLK** Light /
Lens Damaged or Missing ...326083xx

LDG GEAR Panel Green
Triangle Light Disagrees
With Gear Configuration.....326001xx

LDG GEAR Panel Green
Triangle Light Test Fail
or Lamps Inoperative326081xx

LDG GEAR Panel Light
Plate Inoperative.....33102200

LDG GEAR Panel **UNLK**
Light Disagrees With
Gear Configuration.....326007xx

LDG GEAR Panel **UNLK**
Light Test Fail or
Lamps Inoperative.....326082xx

LGCIU xx FAULT Message /
Amber Cross Indication
(*WHEEL Page*) In Flight.....323001xx

LGCIU xx FAULT Message /
Amber **xx** Indication (*WHEEL*
Page) On Ground
(*QRH Reset OK*).....323003xx

LGCIU xx FAULT Message /
Amber **xx** Indication (*WHEEL*
Page) On Ground
(*QRH Reset No Help*).....323004xx

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

— M —

Main Landing Gear (General Problem)	321001xx
MLG Door Damaged or Loose	321021xx
NLG Door Seal Damaged or Missing	321023xx
MLG Makes Excessive Noise During Ground Operation	321004xx
MLG Shimmy or Vibration During Ground Operation	321003xx
MLG Strut Requires Servicing	321201xx
MLG Strut Surface Finish Damaged or Eroded	321014xx
MLG Tire or Wheel Damaged	324101xx
MLG Tire Flat Spot or Skid Damage	324102xx
MLG Tire Low Pressure or Requires Servicing	324103xx
MLG Tire Worn	324104xx
MLG Tires Continue to Spin After Gear Retraction	32421200

— N —

N/W STRG DISC Message Disagrees With Tow Switch Position	32501400
N/W STRG FAULT Message / Amber STEERING Indication (WHEEL Page) (Basic)	32501100
N/W STRG FAULT Message / Amber Y N/W STEERING Indication (WHEEL Page) (Enhanced)	32501200
NLG Door Damaged or Loose	322021xx
NLG Door Placard Deteriorated or Missing	322022xx
NLG Door Seal Damaged or Missing	322023xx
NLG Makes Excessive Noise During Ground Operation	32200500
NLG Rudder Pedal Steering Inoperative	325002xx
NLG Shimmy or Vibration During Ground Operation	32200300
NLG Steering Actuator Reported Leaking	29125100
NLG Steering Tiller Handle Damaged or Worn	325005xx

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

Landing Gear

[Home](#)

NLG Steering Tiller Inoperative
or Difficult to Operate..... 325001xx

NLG Strut Requires
Servicing 32120200

NLG Tire or Wheel
Damaged 324111xx

NLG Tire Low Pressure
or Requires Servicing 324113xx

NLG Tire Worn 324114xx

NLG Tires Continue to Spin
After Gear Retraction 32421100

NORM + **ALTN** **FAULT**
Message / Amber **ALTN**
BRK Indication (**WHEEL**
Page) (Basic A/C) 32423500

NORM + **ALTN** **FAULT**
Message / Amber **G** **NORM**
BRK and **Y** **ALTN** **BRK**
Indications (**WHEEL**
Page) (Enhanced) 32423600

NORM **BRK** **FAULT**
Message (Basic) 32423100

NORM **BRK** **FAULT** Message /
Amber **G** **NORM** **BRK** and
Green **Y** **ALTN** **BRK**
Messages (**WHEEL**
Page) (Enhanced) 32423200

NORM **BRK** Indication Inoperative
(**WHEEL** Page) 32427500

Nose Landing Gear
(General Problem) 32200100

— P —

PARK **BRK** **FAULT**
Message 32422400

PARK **BRK** **LO** **PR**
Message / Parking Brake
Pressure Bleed Down 32422200

PARK **BRK** **ON** Message
Disagrees With Parking
Brake Handle Position 32422300

Parking Brake Difficult
to Set or Release 32422100

PARKING **BRK** Panel Light
Plate Inoperative 33104900

— R —

Rudder **PEDALS** **DISC** Switch
Function Inoperative 325003xx

— S —

SHOCK **ABSORBER**
FAULT Message 32600600

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

STEERING Indication
 Inoperative (**WHEEL**
Page) (Basic) 32507100

— T —

Tail Strike Indicated
 or Reported 32700100

Tow Bar Reported Broken
 During Pushback..... 32201100

Tow Fitting Reported
 Damaged or Loose 32201200

— Y —

Y ALTN BRK Indication
 Inoperative (**WHEEL**
Page) (Enhanced) 32427300

Y N/W STEERING Indication
 Inoperative (**WHEEL**
Page) (Enhanced) 32507200

XX =	01	02	03	04
AUTO BRK SELECTION	LO	MED	MAX	ALL
DIRECTION, GEAR or SYSTEM	No.1 or L/H	No.2 or R/H	Nose	Both or All
BRAKE or TIRE	Location (No.1, No.2, No.3, No.4)			

Lighting

— A —

Air Conditioning Duct /
Accessory Compartment
Service Light Inoperative.....33302400

ANN LT BRT Function
Inoperative.....33109200

ANN LT DIM Function
Inoperative.....33109300

ANN LT TEST Function
Inoperative.....33109100

APU Compartment Service
Light Inoperative.....33302500

AVIONICS COMPT LT
ON Light / Lens
Damaged or Missing33308200

AVIONICS COMPT LT
ON Light Test Fail
or Lamps Inoperative33308100

AVIONICS COMPT LT Panel
Light Plate Inoperative.....33100800

Avionics Compartment Service
Light Inoperative.....333021xx

— B —

BEACON (Red) Light / Lens (Lower)
Damaged or Missing33406400

BEACON (Red) Light
(Lower) Inoperative.....33406200

BEACON (Red) Light / Lens (Upper)
Damaged or Missing33406300

BEACON (Red) Light
(Upper) Inoperative.....33406100

— C —

Cabin Door Exterior Slide
Light Inoperative335026xx

Cabin Door Exterior Slide Light /
Lens Damaged or Missing....335027xx

Cargo Compartment Ceiling
Light Inoperative333001xx

Cargo Compartment Ceiling Light /
Lens Damaged or Missing....333003xx

Cargo Door Area Loading
Light Inoperative333002xx

Cargo Door Area Loading Light /
Lens Damaged or Missing....333004xx

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

CONSOLE / FLOOR Light
Plate Inoperative.....331023xx

CONSOLE Light BRT Function
Inoperative331132xx

CONSOLE Light DIM Function
Inoperative331133xx

CONSOLE Light Inoperative...331131xx

— D —

DOME Light BRT Function
Inoperative.....331142xx

DOME Light DIM Function
Inoperative.....331143xx

DOME Light Inoperative331141xx

— E —

EMER EXIT LT **OFF** Light /
Lens Damaged or Missing ...33508700

EMER EXIT LT **OFF** Light
Disagrees With ARM
Switch Position33502100

EMER EXIT LT **OFF** Light Test
Fail or Lamps Inoperative33508600

EXT LT Panel Light
Plate Inoperative.....33105300

— F —

FLOOR Light BRT Function
Inoperative.....331137xx

FLOOR Light DIM Function
Inoperative.....331138xx

FLOOR Light Inoperative331136xx

Fueling Panel Light
Inoperative.....33303100

— G —

Glareshield Flood
Light Inoperative331012xx

Glareshield Panel Lights
Inoperative.....33103100

— H —

Hydraulic Compartment Service
Light Inoperative33302600

— I —

ICE IND Light Inoperative.....33103300

INT LT Panel Light
Plate Inoperative.....33105300

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

— L —

LAND Light (*Wing*)
 Damaged or Missing334024xx

LAND Light (*Wing*) Does
 Not Extend or Retract.....334022xx

LAND Light (*Wing*)
 Inoperative.....334021xx

LDG LT Message Disagrees With
 LAND Switch Position33402300

LAND Light Switch Cap
 Deteriorated or Missing.....334030xx

LOGO Light Inoperative334091xx

— M —

MAIN PNL FLOOD
 Light Inoperative.....331011xx

MAIN PNL FLOOD LT /
 INTEG LT Panel Light
 Plate Inoperative.....33104300

MAIN PNL FLOOD LT
 Selector Damaged /
 Loose / or Missing.....33101200

MAIN PNL INTEG LT
 Selector Damaged /
 Loose / or Missing.....33101700

MAIN PNL INTEG
 Lights Inoperative33102100

Map Holder / Sliding Table Light
 BRT / DIM Selector Damaged /
 Loose or Missing.....331114xx

Map Holder / Sliding Table
 Light Does Not Adjust.....331112xx

Map Holder / Sliding Table Light Loose /
 Does Not Maintain
 Selected Position331113xx

Map Holder / Sliding Table
 Light Inoperative331111xx

— N —

NAV Position Light Inoperative
 (*Tailcone - White*)33401500

NAV Position Light Inoperative
 (*Wing Tip - Red / Green*)334011xx

NAV Position Light / Lens
 Damaged or Missing
 (*Tailcone - White*)33401600

NAV Position Light / Lens
 Damaged or Missing
 (*Wing Tip - Red / Green*)334013xx

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

NAV Position Light System
Inoperative (*OK With NAV /
LOGO Switch 1 or 2*)334017xx

NAV Position Light System
Inoperative (*No Help With NAV /
LOGO Switch 1 or 2*)334018xx

Navigation Light Near-End-
of-Life LED (*Blue*)
Flashing (*Wing Tip*)334019xx

NO PED or NO SMOKING
Message Disagrees With
Aircraft Configuration
(*AUTO Mode*)33800600

NO PED or NO SMOKING
Signs Disagree With Switch
Position (*ON Mode*)33800700

NOSE T.O. Light / Lens
Damaged or Missing33405400

NOSE T.O. Light Function
Inoperative33405200

NOSE Taxi Light / Lens
Damaged or Missing33405300

NOSE Taxi Light Function
Inoperative33405100

— O —

OVHD INTEG Lights
Inoperative33105100

OVHD INTEG LT Selector Loose /
Damaged or Missing33102000

— P —

PED FLOOD Light
Inoperative33101300

PED FLOOD LT Panel
Light Plate Inoperative33104700

PED FLOOD LT Selector Loose /
Damaged or Missing33101400

PED INTEG LT Panel Light
Plate Inoperative33104300

PED INTEG LT Selector Loose /
Damaged or Missing33101700

PED INTEG Lights
Inoperative33104100

— R —

READING Light Inoperative ...331101xx

READING Light Selector Loose /
Damaged or Missing331102xx

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

READING LT Panel Light
Plate Inoperative.....331010xx

RWY TURN OFF
Light Inoperative.....334031xx

RWY TURN OFF Light
Damaged or Missing334033xx

— S —

SEAT BELTS Message Disagrees
With Aircraft Configuration
(*AUTO Mode*).....33800100

SEAT BELTS Message
Disagrees With Switch
Position (*ON Mode*)33800200

SIGNS Panel Light
Plate Inoperative.....33105300

Spare Lamp Kit
Requires Refill33120100

STBY COMPASS
Light Inoperative.....34237200

STROBE (*White*) Light
Inoperative (*Tailcone*)33407200

STROBE (*White*) Light
Inoperative (*Wing Tip*).....334071xx

STROBE (*White*) Light /
Lens Damaged or
Missing (*Tailcone*).....33407400

STROBE (*White*) Light /
Lens Damaged or
Missing (*Wing Tip*)334073xx

STROBE LT OFF Message
Disagrees Aircraft Configuration
(*AUTO Mode*).....33407500

STROBE LT OFF Message
Disagrees Switch Position
(*ON Mode*).....33407600

Strobe Light Near-End-
of-Life LED (*Blue*) Light
Flashing (*Wing Tip*)334077xx

Strobe Light Near-End-
of-Life LED (*Blue*) Light
Flashing (*Tailcone*).....33407800

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

— W —

Wheel Well Area Light
(MLG) Inoperative333011xx

Wheel Well Area Light
(NLG) Inoperative33301300

WING Illumination Light
Inoperative.....334041xx

WING Illumination Light / Lens
Damaged or Missing334042xx

XX =	01	02	03	04	05	06
PANEL, SIDE or SYSTEM	No.1 or L/H	No.2 or R/H	Both or All	Center	Forward	Aft
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv	
CARGO DOOR	Forward	Aft	Bulk	All		
CABIN DOOR	Location (1L, 1R, 2L, 2R, 4L, 4R)					

Miscellaneous Instruments

— A —

Aural Alerting Inoperative
or Weak 31501100

— C —

CHECK EWD Amber
Message (ECAM) 31502400

CHECK ND xx Amber
Message (ECAM) 315025xx

CHECK PFD xx Amber
Message (ECAM) 315026xx

CHECK SD Amber
Message (ECAM) 31502700

CHRONO Panel Light
Plate Inoperative..... 331036xx

Circuit Breaker Panel (49VU)
(General Problem) 311031xx

Circuit Breaker Panel (121VU)
(General Problem) 311032xx

Circuit Breaker Panel (122VU)
(General Problem) 311033xx

Circuit Breaker Panel (123VU)
(General Problem) 311034xx

Circuit Breaker Panel (124VU)
(General Problem) 311035xx

Circuit Breaker Panel (125VU)
(General Problem) 311036xx

Clock CHR Function Does
Not Start or RST 31201100

Clock **CHR** Indication
Degraded or Inoperative 31201200

Clock Does Not Update With
GPS (Dashes In View)
(Manual SET OK) 31200200

Clock **ET** Function Does
Not RUN / STP / RST..... 31201600

Clock **ET** Indication Degraded
or Inoperative..... 31201700

Clock Inoperative..... 31200100

Clock Light Plate or
Display Background
Light Inoperative 31207100

Clock **UTC** Indication
Degraded or Inoperative 31200300

— D —

DFDR EVENT Panel Light
Plate Inoperative 33104700

DFDR FAULT Message..... 31300100

DMC xx FAULT Message 316021xx

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

Miscellaneous Instruments

[Home](#)

DMC / FWC COM
FAULT Message31602200

— E —

ECAM / ND XFR Selector Does
Not Transfer ECAM Display
to Selected ND Position314051xx

ECAM / ND XFR Selector Loose /
Damaged or Missing31405300

ECAM Panel Light Plate
or Switch Background
Light Inoperative.....31407100

ECAM APU, BLEED, COND,
DOOR / OXY, ELEC, ENG,
F/CTL, FUEL, HYD, PRESS
or WHEEL Page Select Switch
Inoperative (OK With Page
Display Switch in ALL)31400100

ECAM APU Page
Display Inoperative31403100

ECAM BLEED Page
Display Inoperative31403200

ECAM COND Page
Display Inoperative31403300

ECAM CLR Switch Does
Not Clear Messages.....314004xx

ECAM DOOR Page
Display Inoperative31403400

ECAM ELEC Page
Display Inoperative..... 31403500

ECAM EMER CANC Switch
Does Not Cancel Caution
and Warning Messages 31400200

ECAM EMER CANC Switch Guard
Damaged or Missing..... 31400600

ECAM ENG Page
Display Inoperative..... 31403600

ECAM F/CTL Page
Display Inoperative..... 31403700

ECAM FUEL Page
Display Inoperative..... 31403800

ECAM HYD Page
Display Inoperative..... 31403900

ECAM ON ND Message
Disagrees With ECAM / ND
XFR Selector Position 31405200

ECAM PRESS Page
Display Inoperative..... 31404000

ECAM RCL Switch Does
Not Recall Messages..... 31400300

ECAM STS Switch Does
Not Display Status Page 31400500

ECAM WHEEL Page
Display Inoperative..... 31404100

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

Miscellaneous Instruments

[Home](#)

EIS DMC Selector Does Not
Transfer DMC 3 to Selected
Display Position316051xx

EIS DMC Selector Loose /
Damaged or Missing31605200

EFIS Control Panel Light Plate
or Switch Background
Light Inoperative.....342271xx

— F —

Forward Instrument Panel
(General Problem)311001xx

FWC xx FAULT Message
(QRH Reset OK).....315021xx

FWC xx FAULT Message
(QRH Reset No Help).....315022xx

— G —

G LOAD Amber Indication
(ECAM)31502800

GW Indication Inoperative
(ECAM)32307500

GWCG Indication Inoperative
(ECAM)32307600

— L —

LOWER DISPLAY (ECAM) BRT
Selector Damaged / Loose /
Missing or Inoperative..... 31604300

Lower ECAM Display
Unit Damaged..... 31604600

Lower ECAM Display
Degraded..... 31604400

Lower ECAM Display Inoperative
(OK With ECAM / ND XFR
Selector CAPT or F/O) 316047xx

Lower ECAM Display Inoperative
(No Help With ECAM / ND XFR
Selector CAPT or F/O) 316048xx

Lower ECAM Display **INVALID**
DATA Message or Diagonal Line
in View (OK With EIS DMC
Selector CAPT 3 or F/O 3) ..31604100

Lower ECAM Display **INVALID**
DATA Message or Diagonal Line
in View (No Help With EIS DMC
Selector CAPT 3 or F/O 3) ..31604200

Lower ECAM Display Unit
Screen Requires Cleaning 12028400

— M —

MASTER CAUT Light / Lens
Damaged or Missing..... 315005xx

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

Miscellaneous Instruments

[Home](#)

MASTER CAUT Light
Does Not Reset Fault315002xx

MASTER CAUT
Light Inoperative.....315001xx

MASTER WARN Light / Lens
Damaged or Missing315006xx

MASTER WARN Light
Does Not Reset Fault315004xx

MASTER WARN
Light Inoperative.....315003xx

— N —

Navigation Display
Damaged316016xx

Navigation Display
Degraded316014xx

Navigation Display Inoperative
(OK With PFD / ND
XFR Switch Selected)316017xx

Navigation Display Inoperative /
(No Help With PFD / ND
XFR Switch Selected)316018xx

Navigation Display **INVALID DATA**
Message or Diagonal Line in
View (OK With EIS DMC
Selector CAPT 3 or F/O 3)....316011xx

Navigation Display **INVALID DATA**
Message or Diagonal Line in
View (No Help With EIS DMC
Selector CAPT 3 or F/O 3) ..316012xx

Navigation Display Unit Screen
Requires Cleaning.....120281xx

ND BRT / DIM Panel Light
Plate Inoperative331022xx

ND BRT / DIM Selector
Damaged / Loose /
Missing or Inoperative.....316013xx

— O —

OEB / FWC DISCREPANCY
Message31502300

Overhead Instrument Panel
(General Problem)311011xx

— P —

Pedestal Instrument Panel
(General Problem)311021xx

PFD / ND XFR Panel Light
Plate Inoperative331022xx

PFD / ND XFR Selector Does
Not Transfer PFD to
Selected ND Position.....316053xx

PFD / ND XFR Selector Loose /
Damaged or Missing.....316054xx

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

PFD BRT / DIM Panel Light
Plate Inoperative.....331022xx

PFD BRT / DIM Selector
Damaged / Loose /
Missing or Inoperative316003xx

Primary Flight Display
Damaged316006xx

Primary Flight Display
Degraded316004xx

Primary Flight Display
Inoperative / Display
Auto Transfer to ND316005xx

Primary Flight Display Inoperative /
Display Does Not Auto Transfer
to ND (*OK With PFD / ND XFR
Switch Selected*)316007xx

Primary Flight Display Inoperative /
Display Does Not Auto Transfer
to ND (*No Help With PFD / ND
XFR Switch Selected*)316008xx

Primary Flight Display **INVALID
DATA** Message or Diagonal Line
in View (*OK With EIS DMC
Selector CAPT 3 or F/O 3*)...316001xx

Primary Flight Display **INVALID
DATA** Message or Diagonal Line
in View (*No Help With EIS DMC
Selector CAPT 3 or F/O 3*)...316002xx

Primary Flight Display Unit
Screen Requires Cleaning 120280xx

— R —

RCDR GND CTL **ON** Light
Does Not Auto Extinguish
After Engine Start..... 31300300

RCDR GND CTL **ON** Light /
Lens Damaged or Missing ... 31308200

RCDR GND CTL **ON** Light Test
Fail or Lamps Inoperative.... 31308100

RECORDER FAULT
Message 31300200

— S —

SDAC xx FAULT Message..... 316023xx

SWITCHING Panel Light
Plate Inoperative 33104400

— U —

UPPER DISPLAY (*ECAM*) BRT
Selector Damaged / Loose /
Missing or Inoperative..... 31603300

Upper ECAM Display
Unit Damaged..... 31603600

Upper ECAM Display
Degraded..... 31603400

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

Upper ECAM Display Inoperative /
Display Auto Transfer
to Lower Display.....31603500

Upper ECAM Display Inoperative /
Display Does Not Auto Transfer
to Lower Display (*Transfer to
ND OK With ECAM / ND XFR
Selector CAPT or F/O*).....316037xx

Upper ECAM Display Inoperative /
Display Does Not Auto Transfer
to Lower Display (*Transfer to ND
No Help With ECAM / ND XFR
Selector CAPT or F/O*).....316038xx

Upper ECAM Display **INVALID
DATA** Message or Diagonal Line
in View (*OK With EIS DMC
Selector CAPT 3 or F/O 3*)...31603100

Upper ECAM Display **INVALID
DATA** Message or Diagonal Line
in View (*No Help With EIS DMC
Selector CAPT 3 or F/O 3*)...31603200

Upper ECAM Display Unit
Screen Requires Cleaning12028300

UTC Indication Inoperative
(*ECAM*)31200600

XX	01	02	03	04	05	06
PANEL or SIDE	L/H	R/H	Center	Forward	Aft	Both or All
FLIGHT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3	Both		

Navigation

ADS-B IN EQUIPPED AIRCRAFT:

150 - 199, 400 - 587, 783 - 799,
850 - 998 (*post EO 3418E143*
or EO 3418E160)

ADF / STANDBY INSTRUMENT - EQUIPPED AIRCRAFT:

601 - 680, 771 - 778, 801 - 840

ISIS - EQUIPPED AIRCRAFT:

001 - 032, 102 - 199, 400 - 587,
700 - 770, 783 - 799, 850 - 998

ENHANCED AIRCRAFT:

001 - 032, 125 - 157, 193 - 199,
400 - 587, 777 - 799, 850 - 998

BASIC AIRCRAFT:

102 - 124, 161 - 192, 601 - 680,
700 - 776, 801 - 840

— A —

ADF Audio Identifier
Inoperative 34551100

ADF Does Not Tune With
FMGC (*RMP Tuning OK*).... 345521xx

ADIRS Display DATA Selector
Damaged / Loose / Missing
or Inoperative (*Basic*) 34416400

ADIRS Display Degraded or
Inoperative (*Basic*)..... 34416100

ADIRS Display SYS Selector
Damaged / Loose / Missing
or Inoperative (*Basic*)..... 34416300

ADIRS Keypad Degraded
or Inoperative (*Basic*)..... 34416200

ADIRS ON BAT Light / Lens
Damaged or Missing 34418900

ADIRS ON BAT Light Illuminated /
Aural Warning 34410500

ADIRS ON BAT Light Test
Fail or Lamps Inoperative 34419000

ADIRS Panel Light
Plate Inoperative..... 33100700

ADR 1 FAULT or ADR 2 FAULT
Message / FAULT Light
Illuminated (*OK With*
AIR DATA Selector
CAPT 3 or F/O 3) 344101xx

ADR 1 FAULT or ADR 2 FAULT
Message / FAULT Light
Illuminated (*No Help With*
AIR DATA Selector
CAPT 3 or F/O 3) 344102xx

ADR 3 FAULT Message /
FAULT Light Illuminated.... 34410300

ADR FAULT / OFF Light /
Lens Damaged or Missing ... 344183xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

ADR **FAULT** Light Test Fail
or Lamps Inoperative344181xx

ADR **OFF** Light Test Fail
or Lamps Inoperative344182xx

ADR **DISAGREE** Message /
ELAC **FAULT** Lights
Illuminated34410400

ADS-B IN FAIL Message34523200

ADS-B IN UNAVAILABLE
Message.....34523100

ADS-B RPTG xx **FAULT**
Message (400 - 469).....345222xx

AIR DATA Selector Does Not
Transfer DMC 3 to Selected
Display Position341751xx

AIR DATA Selector Loose /
Damaged or Missing34175200

Airspeed Indication Inoperative or
Unusable (*No Help With Backup
SPD / ALT Selected On*)341401xx

Airspeed Indication Inoperative or
Unusable (*OK With Backup SPD ALT
Selected On*) (*Enhanced*)341441xx

ALT Display Degraded
or Inoperative22103100

ALT Selector Inoperative22102100

ALT Selector Pull to Set
Function Inoperative22102200

ALTI **DISCREPANCY**
Message / PFD **CHECK**
ALT Flag in View34160400

Altitude Alert Aural
Indication Inoperative34162600

Altitude Alert Indication Disagrees
With Selected Altitude.....341621xx

Altitude Alert Visual
Indication Inoperative341627xx

Altitude Indication Inoperative or
Unusable (*No Help With Backup
SPD / ALT Selected On*)341601xx

Altitude Indication Inoperative or
Unusable (*OK With Backup SPD ALT
Selected On*) (*Enhanced*).....341641xx

ATC / XPDR xx **FAULT** Message /
ATC Panel ATC or XPDR
FAIL Light Illuminated /
Transponder Inoperative.....345201xx

ATC / XPDR **STBY** Message
Disagrees With ATC
Panel Selector Position.....34520200

ATT **DISCREPANCY**
Message / PFD **CHECK**
ATT Flag in View34210400

ATT HDG Selector Does Not
Transfer DMC 3 to Selected
Display Position342151xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

ATT HDG Selector Loose /
Damaged or Missing34215200

Attitude Indication Inoperative
or Unusable342101xx

— B —

Backup Airspeed Indication Does
Not Display With Switch
Selected **ON** (400 - 469)341442xx

Backup Airspeed Indication Does
Not Display With All ADR
Switches Selected OFF
(Enhanced)341443xx

Backup Altitude (**GPS ALT**)
Indication Does Not Display
With Switch Selected **ON**
(400 - 469)341642xx

Backup Altitude (**GPS ALT**)
Indication Does Not Display
With All ADR Switches
Selected OFF (Enhanced)341643xx

BARO in-Hg / hPa Reference
Selector Inoperative341607xx

BARO Reference Indication
Degraded or Inoperative
(EFIS CP)341608xx

BARO Reference Indicator
Background Light
Inoperative (EFIS CP)341671xx

BARO Selector Inoperative.....341605xx

BARO STD Pull Function
Inoperative.....341606xx

BARO VALUE DISAGREE
Message (400 - 469)34161000

BKUP SPD / ALT Message
Disagrees With Switch
Positions (400 - 469)34144600

BKUP SPD / ALT **ON** Light
Lens Damaged or Missing
(400 - 469)341482xx

BKUP SPD / ALT **ON** Light
Test Fail or Lamps
Inoperative (400 - 469)341481xx

— C —

CDTI AGD Auto / Manual Brightness
Function Inoperative34524400

CDTI AGD Damaged34524100

CDTI AGD Display Degraded
or Inoperative34524200

CDTI AGD Display Disagrees
With ND Traffic List34523700

CDTI AGD Displays
False Target34523600

CDTI AGD Does Not Display
Known Target34523500

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

CDTI AGD False **ITP MIN**
RANGE Message34523400

CDTI AGD False **TRAFFIC**
MIN RANGE Message34523300

CDTI AGD **MENU**
 Function Inoperative34524300

CDTI AGD Selector
 Inoperative34524600

CDTI AGD Selector Loose /
 Damaged / Missing34524500

CDTI AGD Switch Background
 Light Inoperative.....34527200

— D —

DDRMI Inoperative
 or Unusable34224100

DDRMI **ADF** **xx**
 Flag in View345531xx

DDRMI **DME** **xx** Indication
 Inoperative345131xx

DDRMI **HDG** Flag in View34224200

DDRMI Indicator Background
 Light inoperative34227200

DDRMI **VOR** **xx**
 Flag in View345431xx

DME Audio Identifier
 Inoperative (*VOR OK*)345111xx

— E —

EFIS Control Panel **APRT**
 Switch / Light Inoperative.....342221xx

EFIS Control Panel ADF 1 /
 VOR 1 Switch Does Not
 Display Indication on ND345404xx

EFIS Control Panel ADF 2 /
 VOR 2 Switch Does Not
 Display Indication on ND345405xx

EFIS Control Panel **CSTR**
 Switch / Light Inoperative.....342222xx

EFIS Control Panel **FD** Switch
 Does Not Activate PFD
 Command Indication342504xx

EFIS Control Panel **LS** Switch
 Does Not Activate PFD
G/S and **LOC** Indications343104xx

EFIS Control Panel **NDB**
 Switch / Light Inoperative.....342223xx

EFIS Control Panel **VOR.D**
 Switch / Light Inoperative.....342224xx

EFIS Control Panel **WPT**
 Switch / Light Inoperative.....342225xx

EFIS Control Panel Light Plate
 or Switch Background
 Light Inoperative342271xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

— F —

Flight Director Indication
Inoperative or Unusable.....342501xx

Flight Director Command
Indication Provides
Incorrect Guidance.....342503xx

Flight Director Command
Indication Does Not
Remain Displayed.....342508xx

Flight Path Vector Inoperative
or Unusable.....342511xx

FM / GPS POS DISAGREE
Message.....34601200

FMGC CHECK IRS xx / FM
POSITION Message.....346004xx

FMGC CLOCK / GPS
TIME DIFF Message.....34600600

FMGC FMS 1 / FMS 2
POS DIFF Message34600700

FMGC IRS ONLY NAVI-
GATION Message.....346005xx

FMGC Locked Up or Timed
Out (*QRH Reset OK*)346009xx

FMGC Locked Up or Timed
Out (*QRH Reset No Help*)....346010xx

FMGC MCDU Damaged346021xx

FMGC MCDU Display Degraded
or Inoperative.....346023xx

FMGC MCDU **FAIL**
Light Illuminated.....346022xx

FMGC MCDU Keypad
Degraded or Inoperative.....346024xx

FMGC MCDU Light Plate
or Switch Background
Light Inoperative.....346071xx

FMGC **MCDU OVERHEATED**
Message.....346025xx

FMGC **NAV DATA OUT**
OF DATE Message.....346031xx

FMGC NAV DATA
Require Update.....346032xx

FMGC SINGLE FMC OPERATION
Message / MCDU **FM xx**
Light Illuminated.....346001xx

FMGC **UNABLE RNP**
Message / Aural Alert.....346003xx

FMGC **VERIFY POSITION**
Message.....346008xx

— G —

GPS xx FAULT Message345701xx

GPWS Altitude Callouts
Inoperative.....34442100

GPWS Aural Alert Inoperative
(*Visual OK*).....34440300

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

GPWS FAULT Message / GPWS
SYS FAULT Light Illuminated /
 GPWS Inoperative
 (QRH Reset OK)34440100

GPWS FAULT Message / GPWS
SYS FAULT Light Illuminated /
 GPWS Inoperative
 (QRH Reset No Help).....34440500

GPWS False Warning.....34440200

GPWS FLAP MODE **OFF** Light /
 Lens Damaged or Missing ...34448700

GPWS FLAP MODE
OFF Light Test Fail
 or Lamps Inoperative34448600

GPWS G/S MODE **OFF** Light /
 Lens Damaged or Missing ...34448500

GPWS G/S MODE **OFF**
 Light Test Fail or
 Lamps Inoperative34448400

GPWS SYS **FAULT** / **OFF** Light /
 Lens Damaged or Missing ...34448300

GPWS SYS **FAULT** Light Test
 Fail or Lamps Inoperative.....34448100

GPWS SYS **OFF** Light Test
 Fail or Lamps Inoperative....34448200

GPWS LDG FLAP 3 **ON** Light /
 Lens Damaged or Missing ...34448900

GPWS LDG FLAP 3
ON Light Test Fail
 or Lamps Inoperative34448800

GPWS Panel Light
 Plate Inoperative.....33105700

GPWS TERR DET FAULT
 Message / GPWS **TERR**
FAULT Light Illuminated....34441100

GPWS **TERR FAULT** / **OFF** Light /
 Lens Damaged or Missing ...34449200

GPWS **TERR FAULT** Light Test
 Fail or Lamps Inoperative34449000

GPWS **TERR OFF** Light Test
 Fail or Lamps Inoperative34449100

GPWS TEST Fail (MCDU)34440400

Ground Speed (GS) Indication
 Inoperative.....341452xx

— H —

Heading Indication Inoperative
 or Unusable342301xx

HDG DISCREPANCY Message /
 PFD / ND **CHECK**
HDG Flag in View34230400

— I —

IAS DISCREPANCY Message /
 Airspeed Indication Split.....34140400

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

ILS Audio Identifier
Inoperative 343111xx

ILS Does Not Tune With FMGC
(RMP Tuning OK) 343121xx

IR **ALIGN** Light Test Fail or
Lamps Inoperative (*Basic*)... 344185xx

IR xx FAULT Message / **FAULT**
Light Illuminated During
Ground Power Transfer 344115xx

IR 1 FAULT or **IR 2 FAULT**
Message / **FAULT** Light
Illuminated (*OK With*
ATT HDG Selector
CAPT 3 or F/O 3) 344111xx

IR 1 FAULT or **IR 2 FAULT**
Message / **FAULT** Light
Illuminated (*No Help With*
ATT HDG Selector
CAPT 3 or F/O 3) 344112xx

IR 3 FAULT Message / **FAULT**
Light Illuminated 34411300

IR **FAULT** / **ALIGN** Light /
Lens Damaged or
Missing (*Basic*) 344187xx

IR **FAULT** / **OFF** Light / Lens
Damaged or Missing
(*Enhanced*) 344188xx

IR **FAULT** Light Test Fail
or Lamps Inoperative 344184xx

IR NOT ALIGNED Message /
IR **ALIGN** or **FAULT**
Light Flashing 344114xx

IR **OFF** Light Test Fail or Lamps
Inoperative (*Enhanced*) 344186xx

IR NAV / ATT Mode Selector
Damaged / Loose /
Missing or Inoperative 344118xx

ISIS **ALT** Flag in View /
Altitude Indication Blank 34161100

ISIS **ATT** Flag in View /
Altitude Indication Blank 34211300

ISIS BARO Push to Set STD
Function Inoperative 34161300

ISIS BARO Selector
Damaged / Loose /
Missing or Inoperative 34161200

ISIS Brightness Control
Inoperative 34243300

ISIS BUGS Function
Inoperative 34142300

ISIS BUGS Push to Set
Function Inoperative 34142500

ISIS BUGS Selector
Function Inoperative 34142400

ISIS Damaged 34243500

ISIS **HDG** Flag in View /
Heading Indication Blank 34232200

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

ISIS Inoperative or Unusable
(*QRH Reset OK*)34243100

ISIS Light Plate or Switch Back-
ground Light Inoperative34247100

ISIS **LOC** or **G/S** Flag in View /
ILS Indication Blank.....34313100

ISIS **LS** Display Function
Inoperative34313200

ISIS **M** Flag in View / **MACH**
Airspeed Indication Blank ...34142200

ISIS **MAINT** Flag in View34243400

ISIS **OUT OF ORDER**
Message.....34243200

ISIS **SPD** Flag in View / Airspeed
Indication Blank.....34142100

ISIS **WAIT ATT** or
ATT:RST Message.....34243600

— L —

LS TUNING DISAGREE
Message.....34312200

— M —

MACH Airspeed Indication
Inoperative or Unusable.....341411xx

Marker Beacon System
Inoperative or Unusable.....343401xx

Marker Beacon Audio Identifier
Inoperative (*Visual OK*)34340200

Marker Beacon Visual Identifier
Inoperative (*Audio OK*).....343403xx

— N —

ND **ADF xx** Flag in View /
ADF Indication Blank345501xx

ND Approach **GPS / ILS / VOR**
Indication Inoperative343106xx

ND **BRT / DIM** Panel Light
Plate Inoperative.....331022xx

ND **MAP NOT**
AVAIL Message346011xx

ND Mode Display
Inoperative.....342233xx

ND Mode Selector Damaged /
Loose / Missing or
Inoperative (*EFIS CP*).....342234xx

ND **NO AUTO TILT**
Message (*Enhanced*)344216xx

ND Range Display
Inoperative.....342231xx

ND Range Selector Damaged /
Loose / Missing or
Inoperative (*EFIS CP*).....342232xx

ND **VOR xx** Flag In View /
VOR Indication Blank.....345401xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

ND VOR **CRS** **xx** Flag in View / VOR Course Indication Blank.....345403xx

ND **WXR ANT** Message344215xx

ND **WXR ATT** Message.....344212xx

ND **WXR CTL** Message344214xx

ND **WXR DSP** Message.....344218xx

ND **WXR RNG** Message344213xx

ND **WXR STAB** Message344219xx

ND **WXR WEAK** Message.....344217xx

— O —

Overspeed Aural Warning Inoperative34152100

Overspeed Warning Disagrees With Aircraft Configuration34150100

— P —

PFD / ND **XFR** Panel Light Plate Inoperative331022xx

PFD / ND **DME** **xx** Flag in View / DME Indication Blank.....345101xx

PFD / ND **G/S** Flag in View / ILS Indication Blank.....343202xx

PFD / ND **HDG** Flag in View (OK With ATT HDG Selector CAPT 3 or F/O 3)342302xx

PFD / ND **HDG** Flag in View (No Help With ATT HDG Selector CAPT 3 or F/O 3)342303xx

PFD / ND **LOC** Flag in View / ILS Indication Blank343102xx

PFD / ND Marker Beacon **OM** / **MM** / **IM** / **AWYS** / Diamond Indication Inoperative343411xx

PFD **ALT** Flag in View / Altitude Indication Blank (OK With AIR DATA Selector CAPT 3 or F/O 3)341602xx

PFD **ALT** Flag in View / Altitude Indication Blank (No Help With AIR DATA Selector CAPT 3 or F/O 3)341603xx

PFD **AOA** Flag in View / AOA Indication Blank.....341803xx

PFD **ATT** Flag in View (OK With ATT HDG Selector CAPT 3 or F/O 3)342102xx

PFD **ATT** Flag in View (No Help With ATT HDG Selector CAPT 3 or F/O 3)342103xx

PFD **BRT** / **DIM** Panel Light Plate Inoperative.....331022xx

PFD **DH** Flag in View / Decision Height Indication Blank343311xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

PFD **FD** Flag in View / Flight Director Indication Blank342502xx

PFD **FPV** Flag in View / Flight Path Vector Indication Blank342512xx

PFD **ILS xx** Flag in View / ILS Indication Blank.....343101xx

PFD **L/DEV** Flag in View / Lateral Deviation Indication Blank.....346017xx

PFD **MACH** Flag in View / MACH Airspeed Indication Blank.....343302xx

PFD **LDG ALT** Flag in View / Landing Altitude Indication Blank.....346016xx

PFD **Rising Runway** Indication Inoperative343321xx

PFD **RUNWAY TOO SHORT** Message / Aural Alert Disagree With Aircraft Configuration and Runway Status.....34604200

PFD **SEL ALT** Flag in View / Selected Altitude Indication Blank.....221034xx

PFD **SEL SPD** Flag in View / Selected Airspeed Indication Blank.....223032xx

PFD **SI** Flag in View / Side Slip Indication Blank342311xx

PFD **SPD LIM** Flag in View / Vmo Speed Indication Blank.....341511xx

PFD **SPD** Flag In View / Airspeed Indication Blank (*OK With AIR DATA Selector CAPT 3 or F/O 3*)341402xx

PFD **SPD** Flag In View / Airspeed Indication Blank (*No Help With AIR DATA Selector CAPT 3 or F/O 3*)341403xx

PFD **V1 INOP** Flag in View / V1 Speed Indication Blank341431xx

PFD **V/S** Flag in View / Vertical Speed Indication Blank341302xx

PFD **V/DEV** Flag in View / Vertical Deviation Indication Blank346018xx

PRED W/S DET FAULT Message / ND **PRED W/S** Flag in View34360700

— R —

RA xx FAULT Message / PFD **RA** Flag in View if Both Radio Altimeters Failed.....343302xx

RA DEGRADED Message / Radio Altitude Split.....34330300

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

Radio Altimeter Indication
Inoperative or Unusable 343301xx

Radio Management Panel
STBY NAV Tuning
Function Inoperative 345429xx

Radio Management Panel
ADF Tuning Selector
or Light Inoperative 345522xx

Radio Management Panel
ILS Tuning Selector
or Light Inoperative 343123xx

Radio Management Panel
VOR Tuning Selector
or Light Inoperative 345422xx

Radio Management Panel
Light Plate or Display /
Switch Background
Light Inoperative 231271xx

Radome Damaged or
Paint Eroded 34425100

REAC W/S DET FAULT
Message / ND **REAC**
W/S Flag in View
(QRH Reset OK) 34360500

REAC W/S DET FAULT
Message / ND **REAC**
W/S Flag in View
(QRH Reset No Help) 34360600

ROW / ROP LOST
Message 34604100

RUNWAY TOO SHORT Aural
Alert Inoperative 34604300

— S —

Stall Warning Disagrees With
Aircraft Configuration 34180100

Standby Airspeed Indication
Inoperative or Unusable 34142600

Standby Airspeed Indicator
Background Light
Inoperative 34147200

Standby Airspeed Indicator External
Reference Bug Missing 34142700

Standby Altitude Indication
Inoperative or Unusable 34161600

Standby Altitude Indicator
Background Light
Inoperative 34167200

Standby Altitude Indicator BARO
Set Function Inoperative 34161800

Standby Altitude Indicator External
Reference Bug Missing 34161700

Standby Altitude Indicator
Vibrator Inoperative 34161900

Standby Attitude Indication
Inoperative or Unusable 34211600

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

Standby Attitude Indicator
Background Light
Inoperative 34217200

Standby Attitude Indicator
(Red) Flag in View 34211700

Standby Compass Correction
Card Damaged or Missing ... 34232600

Standby Compass Inoperative
or Unusable 34232100

Static Air Temperature
Inoperative 34145400

STBY COMPASS Light
Inoperative 34237200

SWITCHING Panel Light
Plate Inoperative 33104400

— T —

TCAS Aural Alert
Inoperative 34450600

TCAS Displays or Warns
of False Target 34450400

TCAS Does Not Display
Known Target 34450300

TCAS FAULT Message / PFD
TCAS Flag in View / TCAS
Inoperative In Flight 34450100

TCAS FAULT Message / PFD
TCAS Flag in View / TCAS
Inoperative On Ground
(QRH Reset OK) 34450700

TCAS FAULT Message / PFD
TCAS Flag in View / TCAS
Inoperative On Ground
(QRH Reset No Help) 34450800

TCAS MODE FAULT
Message 34454100

TCAS STBY Message
Disagrees With TCAS
Panel Switch Position 34450200

TCAS Resolution Advisory
Indication Inoperative 344531xx

TCAS Traffic Display
Inoperative 344521xx

TERR OFF Message Disagrees
With GPWS **TERR**
Switch Position 34441400

TERR ON ND Panel Light
Plate Inoperative (Left) 33102500

TERR ON ND Panel Light
Plate Inoperative (Right) 33102200

TERR STBY Message /
ND Terrain Data
Display Deselected 34441500

TO / APP Reference Speed Selector
Function Inoperative 341435xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

Total Air Temperature (TAT)
Indication Inoperative 34110100

Transponder ADS-B Parameter
Reported Incorrect or Inoperative
(OK With Opposite
Transponder Selected) 345221xx

Transponder Altitude
Reporting Inoperative 345204xx

Transponder Panel ALT RPTG
Selector Damaged / Loose /
Missing or Inoperative 34521500

Transponder Panel ATC 1 / 2
Selector Damaged / Loose /
Missing or Inoperative 34521400

Transponder Panel Code Display
Degraded or Inoperative 34521100

Transponder Panel Code
Selector Keypad
Degraded or Inoperative 34521200

Transponder Panel Damaged.... 34521600

Transponder Panel IDENT Switch
Function Inoperative 34521300

Transponder Panel Light Plate
or Display Background
Light Inoperative..... 34527100

Transponder Panel TCAS Above /
Below Selector Damaged / Loose /
Missing or Inoperative 34451300

Transponder Panel TCAS
Altitude Range Selector
Damaged / Loose /
Missing or Inoperative 34451200

Transponder Panel TCAS Mode
Selector Damaged / Loose /
Missing or Inoperative 34451100

Transponder Reported
Weak or Inoperative 345203xx

True Airspeed (TAS)
Indication Inoperative 341451xx

— V —

Vertical Speed Indication
Inoperative or Unusable 341301xx

VOR Audio Identifier
Inoperative..... 345411xx

VOR Does Not Tune With
FMGC (RMP Tuning OK) 345421xx

— W —

Weather Radar Inoperative
or Unusable 344201xx

Weather Radar Displays
Excessive Ground Clutter 344204xx

Weather Radar Does Not
Display Known Weather 344203xx

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

Weather Radar GCS Function
Inoperative (*Enhanced*) 344222xx

Weather Radar MAP Mode
Inoperative (*Enhanced*) 344223xx

Weather Radar TURB
Mode Inoperative 344224xx

Weather Radar WX
Mode Inoperative 344225xx

Weather Radar WX+T
or WX/TURB Mode
Inoperative 344226xx

Weather Radar Panel AUTO
MULTI-SCAN Function
Inoperative (*Manual*
TILT OK (Enhanced)) 344221xx

Weather Radar Panel AUTO
PWS or WINDSHEAR
Function Inoperative 34360200

Weather Radar Display Blurred /
Distorted or Spoking 344205xx

Weather Radar Panel
CONTROLS Function
Inoperative (*Basic*) 344236xx

Weather Radar Panel
Damaged 34423100

Weather Radar Panel GAIN
Selector Damaged /
Loose / Missing or
Inoperative (*Enhanced*) 34423200

Weather Radar Panel Light
Plate Inoperative 34427100

Weather Radar Panel MODE
Selector Damaged / Loose
or Missing (*Enhanced*) 34423400

Weather Radar Panel SYS OFF
Switch Damaged / Loose /
Missing or Inoperative 34420000

Weather Radar Panel TILT
Selector Damaged /
Loose / Missing or
Inoperative (*Basic*) 344235xx

Weather Radar Panel TILT
Selector Damaged /
Loose / Missing or
Inoperative (*Enhanced*) 34423300

Wind Direction / Speed
Indication Inoperative 341453xx

WINDSHEAR Aural
Alert Inoperative 34361100

Windshear False Warning 34360300

XX =	01	02	03
FLT CREW or SYSTEM	No.1 or Captain	No.2 or F/O	No.3 or Both

Nitrogen Generation System

— | —

INERTING	SYS	FAULT
Message.....		47101100
Fuel	Inerting	System
(General Problem)		47100100

Oxygen

— C —

Cabin Oxygen Masks Deployed
(Restow Required)..... 35200500

Cabin Oxygen System
(General Problem) 35200100

CKPT OXY Pressure Indication
Inoperative (**DOOR** Page)
(001 - 199, 507 - 998) 35101100

CKPT OXY Pressure Indication
Inoperative (**DOOR** Page)
(400 - 469) 351012xx

CKPT OXY Pressure Low /
Amber Indication (**DOOR**
Page) / Servicing Required
(001 - 199, 507 - 998) 35100200

CKPT OXY Pressure Low /
Amber Indication (**DOOR**
Page) / Servicing Required
(400 - 469) 351004xx

— F —

Flight Crew Oxygen System
(General Problem) 35100100

Flight Crew Oxygen Flow
Does Not TEST..... 351023xx

Flight Crew Oxygen Flow Test
Does Not RESET 351026xx

Flight Crew Oxygen Mask / Hose
Damaged or Missing 351022xx

Flight Crew Oxygen Mask
Difficult to Release 351024xx

Flight Crew Oxygen Mask
Headgear Does Not Inflate /
Deflate or Leaks 351025xx

Flight Crew Oxygen Mask /
Regulator or Storage
Box Requires Cleaning 120209xx

Flight Crew Oxygen
Regulator / Storage
Box or Door Damaged 351021xx

Flight Crew Oxygen Regulator
Inoperative or No Flow 351027xx

Flight Crew Oxygen Regulator
Leaking / Amber **REGUL LO**
PR Indication (**DOOR** Page)
(001 - 199, 507 - 998) 35102900

Flight Crew Oxygen Regulator
Leaking / Amber **REGUL**
LO PR xx Indication
(**DOOR** Page) (400 - 469).... 351030xx

Flight Crew Oxygen System
Overpressure (**Green**) Disc
Damaged or Missing 35104100

Flight **CREW SUPPLY OFF** Light /
Lens Damaged or Missing ... 35108200

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv
SYSTEM	No.1	No.2	Both		

Flight CREW SUPPLY OFF
 Light Test Fail or Lamps
 Inoperative 35108100

— H —

HI ALT LANDING ON
 Light / Lens Damaged or
 Missing (001 - 032) 35208400

HI ALT LANDING ON
 Light Test Fail or Lamps
 Inoperative (001 - 032) 35208300

HI ALT SET Message / ON
 Light Disagree With Switch
 Position (001 - 032) 35205100

— O —

OXYGEN Panel Light
 Plate Inoperative 33105700

OXYGEN TMR RESET Panel
 Light Plate Inoperative 33103600

— P —

PASSENGER SYS ON Light /
 Lens Damaged or Missing... 35208200

PASSENGER SYS ON Light Test
 Fail or Lamps Inoperative.... 35208100

PASSENGER SYS ON Light
 Illuminated and Masks
 Auto Deployed (Cabin
 Pressure OK) 35200200

PASSENGER SYS ON Light
 Illuminated / Masks Did
 Not Auto Deploy
 (Manual Deploy OK)..... 35200300

Passenger Oxygen MASK
 MAN ON Switch Guard
 Damaged or Missing 35200600

PBE Container or
 Cover Damaged 35301500

PBE Damaged or Missing 35301100

PBE Humidity Indicator
 Discolored or Vacuum
 Pack Damaged..... 35301200

PBE Tamper Seal Missing
 or Broken..... 35301300

Portable Oxygen Bottle
 Bracket Damaged 35300500

Portable Oxygen Bottle
 Damaged or Missing 35300200

Portable Oxygen Bottle
 Mask / Hose Disconnected
 or Missing..... 35300300

Portable Oxygen Bottle
 Used or Low Pressure 35300100

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv
SYSTEM	No.1	No.2	Both		

— R —

REGUL LO PR Indication Disagrees
 With Oxygen Pressure
 Indication (**DOOR** Page)
 (001 - 199, 507 - 998) 35101300

REGUL LO PR Indication Disagrees
 With Oxygen Pressure Indication
 (**DOOR** Page) (400 - 469) ... 351014xx

XX =	01	02	03	04	05
FLIGHT CREW	Captain	F/O	Both or All	1st Obsv	2nd Obsv
SYSTEM	No.1	No.2	Both		

Pneumatics

— A —

AIR COND Panel Light
Plate Inoperative 33105200

APU BLEED FAULT /
ON Light / Lens
Damaged or Missing 36108600

APU BLEED FAULT Light Test
Fail or Lamps Inoperative 36108400

APU BLEED FAULT Message /
APU BLEED FAULT Light
Illuminated / Amber Indication
(*BLEED Page*) 36101300

APU BLEED Inoperative
or Slow to Operate 36101100

APU BLEED LEAK Message /
APU BLEED FAULT Light
Illuminated / Amber Indication
(*BLEED Page*) 36104500

APU BLEED Message / APU
BLEED ON Light Disagree
With Switch Position 36101600

APU BLEED ON Light Test
Fail or Lamps Inoperative 36108500

APU Bleed Pressure Low
or Fluctuating During
Engine Start 36101200

APU Bleed Pressure Low
or Fluctuating During
Pack Operation 36101400

APU Bleed Valve
Indication Inoperative
(*BLEED Page*) 36101900

APU LEAK DET
FAULT Message 36104700

— B —

BLEED LEAK Message
(400 - 469) 36104600

BLEED MONIT SYS xx
FAULT Message 362011xx

BLEED MONITORING
FAULT Message 36201200

BLEED xx OFF Message / ENG
BLEED OFF Light Disagree
With Switch Position 361010xx

Bleed Pressure Does Not Recover
After Engine Start 361025xx

Bleed Pressure Drops to Zero
During Engine Start 361022xx

Bleed Pressure Indication
Split With APU Bleed In
Use (*OK With X FEED
Selector OPEN*) 36200200

XX =	01	02	03
BLEED, DUCT or SYSTEM	No.1 or L/H	No.2 or R/H	Both

Bleed Pressure Indication
 Split With Both Engine
 Bleeds In Use36200300

— E —

ENG BLEED FAULT Light Test
 Fail or Lamps Inoperative....361081xx

ENG xx BLEED ABNORM
 PRESS Message / Amber
 Indication (**BLEED** Page)
 (QRH Reset OK)361005xx

ENG xx BLEED ABNORM
 PRESS Message / Amber
 Indication (**BLEED** Page)
 (QRH Reset OK / Fault
 Reoccurs)361006xx

ENG xx BLEED ABNORM
 PRESS Message / Amber
 Indication (**BLEED** Page)
 (QRH Reset No Help).....361007xx

ENG xx BLEED FAULT
 Message / ENG BLEED
 FAULT Light Illuminated /
 Amber Indication (**BLEED**
 Page) (QRH Reset OK)361002xx

ENG xx BLEED FAULT Message /
 ENG BLEED FAULT Light
 Illuminated / Amber Indication
 (**BLEED** Page) (QRH Reset
 OK / Fault Reoccurs)361003xx

ENG xx BLEED FAULT Message /
 ENG BLEED FAULT Light
 Illuminated / Amber
 Indication (**BLEED** Page)
 (QRH Reset No Help)361004xx

ENG BLEED FAULT /
 OFF Light / Lens
 Damaged or Missing361083xx

ENG xx BLEED HI TEMP
 Message / Amber Indication
 (**BLEED** Page).....361055xx

ENG BLEED Inoperative
 or Slow to Operate361001xx

ENG xx BLEED LEAK Message /
 ENG BLEED FAULT Light
 Illuminated / Amber Indication
 (**BLEED** Page).....361041xx

ENG xx BLEED LO TEMP
 Message / Amber Indication
 (**BLEED** Page).....361056xx

ENG xx BLEED NOT CLSD
 Message / ENG BLEED FAULT
 Light Illuminated / Amber
 Indication (**BLEED** Page)
 (QRH Reset OK)361008xx

XX =	01	02	03
BLEED, DUCT or SYSTEM	No.1 or L/H	No.2 or R/H	Both

ENG xx BLEED NOT CLSD
 Message / ENG BLEED **FAULT**
 Light Illuminated / Amber
 Indication (**BLEED** Page)
 (QRH Reset No Help).....361009xx

ENG xx BLEED NOT CLSD
 Message / ENG BLEED **FAULT**
 Light Illuminated / Amber
 Indication (**BLEED** Page)
 During Engine Start361057xx

ENG BLEED OFF Light Test
 Fail or Lamps Inoperative....361082xx

ENG xx HP VALVE FAULT
 Message / Amber Indication
 (**BLEED** Page)361021xx

ENG xx LEAK DET
FAULT Message.....361043xx

Engine Bleed Pressure
 Fluctuating361023xx

Engine Bleed Pressure Follows
 Throttle Setting361024xx

Engine Bleed Pressure
 Indication Inoperative
 (**BLEED** Page)362001xx

Engine Bleed Temperature
 Indication Inoperative
 (**BLEED** Page)362005xx

Engine Bleed Valve
 Indication Inoperative
 (**BLEED** Page)361051xx

Engine HP Bleed Valve
 Indication Inoperative
 (**BLEED** Page).....361052xx

— G —

GND High Pressure Pneumatic
 Indication Inoperative
 (**BLEED** Page).....36103600

— W —

xx WING LEAK Message /
ENG BLEED FAULT
 Light Illuminated / Amber
 Indication (**BLEED** Page) ...361042xx

xx WING LEAK DET
FAULT Message.....361044xx

— X —

X BLEED Selector Damaged /
 Loose / Missing
 or Inoperative36103500

X BLEED FAULT Message /
 Amber Indication
 (**BLEED** Page).....36103200

X BLEED FAULT Message /
 Amber Indication (**BLEED**
 Page) After APU Bleed
 Turned Off.....36103700

XX =	01	02	03
BLEED, DUCT or SYSTEM	No.1 or L/H	No.2 or R/H	Both

X BLEED Valve AUTO
Function Inoperative
(OK in Manual Mode).....36103300

X BLEED Valve
Indication Inoperative
(BLEED Page)36103400

X BLEED Valve Inoperative
or Slow to Operate36103100

XX =	01	02	03
BLEED, DUCT or SYSTEM	No.1 or L/H	No.2 or R/H	Both

Windows

— D —

Door	Viewer	Damaged	
or Unusable		56400100	
Door	Viewer	Cover	Damaged
or Missing		56400200	

— W —

Windshield	(Forward)	
Requires Cleaning		120202xx
Windows	(Side)	Require
Cleaning		120203xx

— L —

L1	/	R1	Windshield	
Delaminated		561011xx		
L1	/	R1	Windshield	
Scratched or Cracked		561012xx		
L2	/	R2	Sliding Window	
Air or Water Leak		561024xx		
L2	/	R2	Sliding Window	
Delaminated		561021xx		
L2	/	R2	Sliding Window	
Difficult to Open or Close		561023xx		
L2	/	R2	Sliding Window	
Scratched or Cracked		561022xx		
L3	/	R3	Side Window	
Delaminated		561031xx		
L3	/	R3	Side Window	
Scratched or Cracked		561032xx		

XX =	01	02	03
WINDOW or WINDSHIELD	L/H	R/H	Both